

- The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is
- 5 operatively linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (*e.g.*, in an *in vitro* transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory
- 10 sequence" is intended to include promoters, repressor binding sites, activator binding sites, enhancers and other expression control elements (*e.g.*, terminators, polyadenylation signals, or other elements of mRNA secondary structure). Such regulatory sequences are described, for example, in Goeddel; *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, CA (1990).
- 15 Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells. Preferred regulatory sequences are, for example, promoters such as *cos*-, *tac*-, *trp*-, *tet*-, *trp-tet*-, *lpp*-, *lac*-, *lpp-lac*-, *lacI^q*-, *T7*-, *T5*-, *T3*-, *gal*-, *trc*-, *ara*-, *SP6*-, *arny*, *SPO2*, λ -*P_R*- or λ *P_L*, which are used preferably in bacteria.
- 20 Additional regulatory sequences are, for example, promoters from yeasts and fungi, such as *ADC1*, *MF α* , *AC*, *P-60*, *CYC1*, *GAPDH*, *TEF*, *rp28*, *ADH*, promoters from plants such as *CaMV/35S*, *SSU*, *OCS*, *lib4*, *usp*, *STLS1*, *B33*, *nos* or *ubiquitin*- or *phaseolin*-promoters. It is also possible to use artificial promoters. It will be appreciated by one of
- 25 ordinary skill in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (*e.g.*, MP proteins, mutant forms of MP proteins, fusion proteins, etc.).
- 30 The recombinant expression vectors of the invention can be designed for expression of MP proteins in prokaryotic or eukaryotic cells. For example, MP genes can be expressed in bacterial cells such as *C. glutamicum*, insect cells (using baculovirus

expression vectors), yeast and other fungal cells (see Romanos, M.A. *et al.* (1992) "Foreign gene expression in yeast: a review", *Yeast* 8: 423-488; van den Hondel, C.A.M.J.J. *et al.* (1991) "Heterologous gene expression in filamentous fungi" in: More Gene Manipulations in Fungi, J.W. Bennet & L.L. Lasure, eds., p. 396-428: Academic Press: San Diego; and van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, Peberdy, J.F. *et al.*, eds., p. 1-28, Cambridge University Press: Cambridge), algae and multicellular plant cells (see Schmidt, R. and Willmitzer, L. (1988) High efficiency *Agrobacterium tumefaciens* -mediated transformation of *Arabidopsis thaliana* leaf and cotyledon explants" *Plant Cell Rep.*: 583-586), or mammalian cells. Suitable host cells are discussed further in Goeddel, *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

Expression of proteins in prokaryotes is most often carried out with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein but also to the C-terminus or fused within suitable regions in the proteins. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith, D.B. and Johnson, K.S. (1988) *Gene* 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. In one embodiment, the coding sequence of the MP protein is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from

the N-terminus to the C-terminus, GST-thrombin cleavage site-X protein. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin. Recombinant MP protein unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

5 Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amann *et al.*, (1988) *Gene* 69:301-315) pLG338, pACYC184, pBR322, pUC18, pUC19, pKC30, pRep4, pHS1, pHS2, pPLc236, pMBL24, pLG200, pUR290, pIN-III113-B1, λ gt11, pBdCl, and pET 11d (Studier *et al.*, *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, California (1990) 60-89; and
10 Pouwels *et al.*, eds. (1985) *Cloning Vectors*. Elsevier: New York ISBN 0 444 904018). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a coexpressed viral RNA polymerase (T7 gn1). This viral polymerase is supplied by
15 host strains BL21(DE3) or HMS174(DE3) from a resident λ prophage harboring a T7 gn1 gene under the transcriptional control of the lacUV 5 promoter. For transformation of other varieties of bacteria, appropriate vectors may be selected. For example, the plasmids pIJ101, pIJ364, pIJ702 and pIJ361 are known to be useful in transforming *Streptomyces*, while plasmids pUB110, pC194, or pBD214 are suited for transformation
20 of *Bacillus* species. Several plasmids of use in the transfer of genetic information into *Corynebacterium* include pHM1519, pBL1, pSA77, or pAJ667 (Pouwels *et al.*, eds. (1985) *Cloning Vectors*. Elsevier: New York ISBN 0 444 904018).

One strategy to maximize recombinant protein expression is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the
25 recombinant protein (Gottesman, S., *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, California (1990) 119-128). Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in the bacterium chosen for expression, such as *C. glutamicum*
30 (Wada *et al.* (1992) *Nucleic Acids Res.* 20:2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the MP protein expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *Embo J.* 6:229-234), , 2 μ , pAG-1, Yep6, Yep13, pEMBL Ye23, pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, CA). Vectors and methods for the construction of vectors appropriate for use in other fungi, such as the filamentous fungi, include those detailed in: van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, J.F. Peberdy, *et al.*, eds., p. 1-28, Cambridge University Press: Cambridge, and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York (IBSN 0 444 904018).

Alternatively, the MP proteins of the invention can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (*e.g.*, Sf 9 cells) include the pAc series (Smith *et al.* (1983) *Mol. Cell Biol.* 3:2156-2165) and the pVL series (Lucklow and Summers (1989) *Virology* 170:31-39).

In another embodiment, the MP proteins of the invention may be expressed in unicellular plant cells (such as algae) or in plant cells from higher plants (*e.g.*, the spermatophytes, such as crop plants). Examples of plant expression vectors include those detailed in: Becker, D., Kemper, E., Schell, J. and Masterson, R. (1992) "New plant binary vectors with selectable markers located proximal to the left border", *Plant Mol. Biol.* 20: 1195-1197; and Bevan, M.W. (1984) "Binary *Agrobacterium* vectors for plant transformation", *Nucl. Acid. Res.* 12: 8711-8721, and include pLGV23, pGHlac+, pBIN19, pAK2004, and pDH51 (Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman *et al.* (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both

prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual*. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

- 5 In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert *et al.* 10 (1987) *Genes Dev.* 1:268-277), lymphoid-specific promoters (Calame and Eaton (1988) *Adv. Immunol.* 43:235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) *EMBO J.* 8:729-733) and immunoglobulins (Banerji *et al.* (1983) *Cell* 33:729-740; Queen and Baltimore (1983) *Cell* 33:741-748), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) *PNAS* 86:5473-5477), 15 pancreas-specific promoters (Edlund *et al.* (1985) *Science* 230:912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss (1990) *Science* 249:374-379) and the α -fetoprotein promoter (Campes and Tilghman (1989) 20 *Genes Dev.* 3:537-546).

- The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an 25 RNA molecule which is antisense to MP mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA.
- 30 The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell

type into which the vector is introduced. For a discussion of the regulation of gene expression using antisense genes see Weintraub, H. *et al.*, Antisense RNA as a molecular tool for genetic analysis, *Reviews - Trends in Genetics*, Vol. 1(1) 1986.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, an MP protein can be expressed in bacterial cells such as *C. glutamicum*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those of ordinary skill in the art. Microorganisms related to *Corynebacterium glutamicum* which may be conveniently used as host cells for the nucleic acid and protein molecules of the invention are set forth in Table 3.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection", "conjugation" and "transduction" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (*e.g.*, linear DNA or RNA (*e.g.*, a linearized vector or a gene construct alone without a vector) or nucleic acid in the form of a vector (*e.g.*, a plasmid, phage, phasmid, phagemid, transposon or other DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, natural competence, chemical-mediated transfer, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, *et al.* (*Molecular Cloning: A Laboratory Manual. 2nd, ed.*, Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these

integrants, a gene that encodes a selectable marker (*e.g.*, resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable marker can be
5 introduced into a host cell on the same vector as that encoding an MP protein or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (*e.g.*, cells that have incorporated the selectable marker gene will survive, while the other cells die).

To create a homologous recombinant microorganism, a vector is prepared which
10 contains at least a portion of an MP gene into which a deletion, addition or substitution has been introduced to thereby alter, *e.g.*, functionally disrupt, the MP gene. Preferably, this MP gene is a *Corynebacterium glutamicum* MP gene, but it can be a homologue from a related bacterium or even from a mammalian, yeast, or insect source. In a preferred embodiment, the vector is designed such that, upon homologous
15 recombination, the endogenous MP gene is functionally disrupted (*i.e.*, no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous MP gene is mutated or otherwise altered but still encodes functional protein (*e.g.*, the upstream regulatory region can be altered to thereby alter the expression of the
20 endogenous MP protein). In the homologous recombination vector, the altered portion of the MP gene is flanked at its 5' and 3' ends by additional nucleic acid of the MP gene to allow for homologous recombination to occur between the exogenous MP gene carried by the vector and an endogenous MP gene in a microorganism. The additional flanking MP nucleic acid is of sufficient length for successful homologous
25 recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see *e.g.*, Thomas, K.R., and Capecchi, M.R. (1987) Cell 51: 503 for a description of homologous recombination vectors). The vector is introduced into a microorganism (*e.g.*, by electroporation) and cells in which the introduced MP gene has homologously recombined with the
30 endogenous MP gene are selected, using art-known techniques.

In another embodiment, recombinant microorganisms can be produced which contain selected systems which allow for regulated expression of the introduced gene.

For example, inclusion of an MP gene on a vector placing it under control of the lac operon permits expression of the MP gene only in the presence of IPTG. Such regulatory systems are well known in the art.

In another embodiment, an endogenous MP gene in a host cell is disrupted (*e.g.*,
5 by homologous recombination or other genetic means known in the art) such that expression of its protein product does not occur. In another embodiment, an endogenous or introduced MP gene in a host cell has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional MP protein. In still another embodiment, one or more of the regulatory regions (*e.g.*, a promoter, repressor, or
10 inducer) of an MP gene in a microorganism has been altered (*e.g.*, by deletion, truncation, inversion, or point mutation) such that the expression of the MP gene is modulated. One of ordinary skill in the art will appreciate that host cells containing more than one of the described MP gene and protein modifications may be readily produced using the methods of the invention, and are meant to be included in the present
15 invention.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) an MP protein. Accordingly, the invention further provides methods for producing MP proteins using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of
20 invention (into which a recombinant expression vector encoding an MP protein has been introduced, or into which genome has been introduced a gene encoding a wild-type or altered MP protein) in a suitable medium until MP protein is produced. In another embodiment, the method further comprises isolating MP proteins from the medium or the host cell.

25

C. Isolated MP Proteins

Another aspect of the invention pertains to isolated MP proteins, and biologically active portions thereof. An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material when produced by recombinant DNA
30 techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of MP protein in which the protein is separated from cellular components of the cells in which

it is naturally or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of MP protein having less than about 30% (by dry weight) of non-MP protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-MP protein, still more preferably less than about 10% of non-MP protein, and most preferably less than about 5% non-MP protein. When the MP protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of MP protein in which the protein is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of MP protein having less than about 30% (by dry weight) of chemical precursors or non-MP chemicals, more preferably less than about 20% chemical precursors or non-MP chemicals, still more preferably less than about 10% chemical precursors or non-MP chemicals, and most preferably less than about 5% chemical precursors or non-MP chemicals. In preferred embodiments, isolated proteins or biologically active portions thereof lack contaminating proteins from the same organism from which the MP protein is derived. Typically, such proteins are produced by recombinant expression of, for example, a *C. glutamicum* MP protein in a microorganism such as *C. glutamicum*.

An isolated MP protein or a portion thereof of the invention can catalyze an enzymatic reaction in an amino acid, vitamin, cofactor, nutraceutical, nucleotide, nucleoside, or trehalose metabolic pathway, or has one or more of the activities set forth in Table 1. In preferred embodiments, the protein or portion thereof comprises an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (*e.g.*, a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) such that the protein or portion thereof maintains the ability to catalyze an enzymatic reaction in an amino acid, vitamin, cofactor, nutraceutical, nucleotide, nucleoside, or trehalose metabolic pathway. The portion of the protein is preferably a biologically active portion as described herein. In another preferred embodiment, an MP protein of

the invention has an amino acid sequence set forth as an even-numbered SEQ ID NO: of the Sequence Listing. In yet another preferred embodiment, the MP protein has an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, *e.g.*, hybridizes under stringent conditions, to a nucleotide sequence of the invention (*e.g.*, a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing). In still another preferred embodiment, the MP protein has an amino acid sequence which is encoded by a nucleotide sequence that is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to one of the nucleic acid sequences of the invention, or a portion thereof. Ranges and identity values intermediate to the above-recited values, (*e.g.*, 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. The preferred MP proteins of the present invention also preferably possess at least one of the MP activities described herein. For example, a preferred MP protein of the present invention includes an amino acid sequence encoded by a nucleotide sequence which hybridizes, *e.g.*, hybridizes under stringent conditions, to a nucleotide sequence of the invention, and which can catalyze an enzymatic reaction in an amino acid, vitamin, cofactor, nutraceutical, nucleotide, nucleoside, or trehalose metabolic pathway, or which has one or more of the activities set forth in Table 1.

In other embodiments, the MP protein is substantially homologous to an amino acid sequence of the invention (*e.g.*, a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and retains the functional activity of the protein of one of the amino acid sequences of the invention yet differs in amino acid sequence due to natural variation or mutagenesis, as described in detail in subsection I above. Accordingly, in another embodiment, the MP protein is a protein which comprises an amino acid sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%,

78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention and which has at least one of the MP activities described herein. Ranges and identity values
5 intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In another embodiment, the invention pertains to a full length *C. glutamicum* protein which is substantially homologous to an entire
10 amino acid sequence of the invention.

Biologically active portions of an MP protein include peptides comprising amino acid sequences derived from the amino acid sequence of an MP protein, e.g., an amino acid sequence of an even-numbered SEQ ID NO: of the Sequence Listing or the amino acid sequence of a protein homologous to an MP protein, which include fewer amino
15 acids than a full length MP protein or the full length protein which is homologous to an MP protein, and exhibit at least one activity of an MP protein. Typically, biologically active portions (peptides, e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an MP protein. Moreover, other biologically active portions, in
20 which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described herein. Preferably, the biologically active portions of an MP protein include one or more selected domains/motifs or portions thereof having biological activity.

MP proteins are preferably produced by recombinant DNA techniques. For
25 example, a nucleic acid molecule encoding the protein is cloned into an expression vector (as described above), the expression vector is introduced into a host cell (as described above) and the MP protein is expressed in the host cell. The MP protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Alternative to recombinant expression, an MP protein,
30 polypeptide, or peptide can be synthesized chemically using standard peptide synthesis techniques. Moreover, native MP protein can be isolated from cells (e.g., endothelial

cells), for example using an anti-MP antibody, which can be produced by standard techniques utilizing an MP protein or fragment thereof of this invention.

The invention also provides MP chimeric or fusion proteins. As used herein, an MP "chimeric protein" or "fusion protein" comprises an MP polypeptide operatively
5 linked to a non-MP polypeptide. An "MP polypeptide" refers to a polypeptide having an amino acid sequence corresponding to MP, whereas a "non-MP polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to the MP protein, *e.g.*, a protein which is different from the MP protein and which is derived from the same or a different organism. Within the
10 fusion protein, the term "operatively linked" is intended to indicate that the MP polypeptide and the non-MP polypeptide are fused in-frame to each other. The non-MP polypeptide can be fused to the N-terminus or C-terminus of the MP polypeptide. For example, in one embodiment the fusion protein is a GST-MP fusion protein in which the MP sequences are fused to the C-terminus of the GST sequences. Such fusion proteins
15 can facilitate the purification of recombinant MP proteins. In another embodiment, the fusion protein is an MP protein containing a heterologous signal sequence at its N-terminus. In certain host cells (*e.g.*, mammalian host cells), expression and/or secretion of an MP protein can be increased through use of a heterologous signal sequence.

Preferably, an MP chimeric or fusion protein of the invention is produced by
20 standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid
25 undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and reamplified to generate a chimeric
30 gene sequence (see, for example, *Current Protocols in Molecular Biology*, eds. Ausubel *et al.* John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). An MP-

encoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the MP protein.

Homologues of the MP protein can be generated by mutagenesis, *e.g.*, discrete point mutation or truncation of the MP protein. As used herein, the term "homologue" refers to a variant form of the MP protein which acts as an agonist or antagonist of the activity of the MP protein. An agonist of the MP protein can retain substantially the same, or a subset, of the biological activities of the MP protein. An antagonist of the MP protein can inhibit one or more of the activities of the naturally occurring form of the MP protein, by, for example, competitively binding to a downstream or upstream member of the MP cascade which includes the MP protein. Thus, the *C. glutamicum* MP protein and homologues thereof of the present invention may modulate the activity of one or more metabolic pathways in which MP proteins play a role in this microorganism.

In an alternative embodiment, homologues of the MP protein can be identified by screening combinatorial libraries of mutants, *e.g.*, truncation mutants, of the MP protein for MP protein agonist or antagonist activity. In one embodiment, a variegated library of MP variants is generated by combinatorial mutagenesis at the nucleic acid level and is encoded by a variegated gene library. A variegated library of MP variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential MP sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (*e.g.*, for phage display) containing the set of MP sequences therein. There are a variety of methods which can be used to produce libraries of potential MP homologues from a degenerate oligonucleotide sequence. Chemical synthesis of a degenerate gene sequence can be performed in an automatic DNA synthesizer, and the synthetic gene then ligated into an appropriate expression vector. Use of a degenerate set of genes allows for the provision, in one mixture, of all of the sequences encoding the desired set of potential MP sequences. Methods for synthesizing degenerate oligonucleotides are known in the art (see, *e.g.*, Narang, S.A. (1983) *Tetrahedron* 39:3; Itakura *et al.* (1984) *Annu. Rev. Biochem.* 53:323; Itakura *et al.* (1984) *Science* 198:1056; Ike *et al.* (1983) *Nucleic Acid Res.* 11:477.

In addition, libraries of fragments of the MP protein coding can be used to generate a variegated population of MP fragments for screening and subsequent selection of homologues of an MP protein. In one embodiment, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of an MP coding sequence with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes N-terminal, C-terminal and internal fragments of various sizes of the MP protein.

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. Such techniques are adaptable for rapid screening of the gene libraries generated by the combinatorial mutagenesis of MP homologues. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a new technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify MP homologues (Arkin and Yourvan (1992) *PNAS* 89:7811-7815; Delgrave *et al.* (1993) *Protein Engineering* 6(3):327-331).

In another embodiment, cell based assays can be exploited to analyze a variegated MP library, using methods well known in the art.

D. Uses and Methods of the Invention

The nucleic acid molecules, proteins, protein homologues, fusion proteins, primers, vectors, and host cells described herein can be used in one or more of the following methods: identification of *C. glutamicum* and related organisms; mapping of genomes of organisms related to *C. glutamicum*; identification and localization of *C.*

glutamicum sequences of interest; evolutionary studies; determination of MP protein regions required for function; modulation of an MP protein activity; modulation of the activity of an MP pathway; and modulation of cellular production of a desired compound, such as a fine chemical.

- 5 The MP nucleic acid molecules of the invention have a variety of uses. First, they may be used to identify an organism as being *Corynebacterium glutamicum* or a close relative thereof. Also, they may be used to identify the presence of *C. glutamicum* or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of *C. glutamicum* genes; by probing the
- 10 extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a *C. glutamicum* gene which is unique to this organism, one can ascertain whether this organism is present. Although *Corynebacterium glutamicum* itself is not pathogenic to humans, it is related to species which are human pathogens, such as *Corynebacterium diphtheriae*.
- 15 *Corynebacterium diphtheriae* is the causative agent of diphtheria, a rapidly developing, acute, febrile infection which involves both local and systemic pathology. In this disease, a local lesion develops in the upper respiratory tract and involves necrotic injury to epithelial cells; the bacilli secrete toxin which is disseminated through this lesion to distal susceptible tissues of the body. Degenerative changes brought about by the
- 20 inhibition of protein synthesis in these tissues, which include heart, muscle, peripheral nerves, adrenals, kidneys, liver and spleen, result in the systemic pathology of the disease. Diphtheria continues to have high incidence in many parts of the world, including Africa, Asia, Eastern Europe and the independent states of the former Soviet Union. An ongoing epidemic of diphtheria in the latter two regions has resulted in at
- 25 least 5,000 deaths since 1990.

 In one embodiment, the invention provides a method of identifying the presence or activity of *Cornye bacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth as odd-numbered or even-numbered SEQ ID NOs, respectively, in

30 the Sequence Listing) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject. *C. glutamicum* and *C. diphtheriae* are related bacteria, and many of the nucleic acid and protein molecules in *C. glutamicum*

are homologous to *C. diphtheriae* nucleic acid and protein molecules, and can therefore be used to detect *C. diphtheriae* in a subject.

The nucleic acid and protein molecules of the invention may also serve as markers for specific regions of the genome. This has utility not only in the mapping of the genome, but also for functional studies of *C. glutamicum* proteins. For example, to
5 identify the region of the genome to which a particular *C. glutamicum* DNA-binding protein binds, the *C. glutamicum* genome could be digested, and the fragments incubated with the DNA-binding protein. Those which bind the protein may be additionally probed with the nucleic acid molecules of the invention, preferably with readily detectable
10 labels; binding of such a nucleic acid molecule to the genome fragment enables the localization of the fragment to the genome map of *C. glutamicum*, and, when performed multiple times with different enzymes, facilitates a rapid determination of the nucleic acid sequence to which the protein binds. Further, the nucleic acid molecules of the invention may be sufficiently homologous to the sequences of related species such that
15 these nucleic acid molecules may serve as markers for the construction of a genomic map in related bacteria, such as *Brevibacterium lactofermentum*.

The MP nucleic acid molecules of the invention are also useful for evolutionary and protein structural studies. The metabolic processes in which the molecules of the invention participate are utilized by a wide variety of prokaryotic and eukaryotic cells;
20 by comparing the sequences of the nucleic acid molecules of the present invention to those encoding similar enzymes from other organisms, the evolutionary relatedness of the organisms can be assessed. Similarly, such a comparison permits an assessment of which regions of the sequence are conserved and which are not, which may aid in determining those regions of the protein which are essential for the functioning of the
25 enzyme. This type of determination is of value for protein engineering studies and may give an indication of what the protein can tolerate in terms of mutagenesis without losing function.

Manipulation of the MP nucleic acid molecules of the invention may result in the production of MP proteins having functional differences from the wild-type MP
30 proteins. These proteins may be improved in efficiency or activity, may be present in greater numbers in the cell than is usual, or may be decreased in efficiency or activity.

The invention also provides methods for screening molecules which modulate the activity of an MP protein, either by interacting with the protein itself or a substrate or binding partner of the MP protein, or by modulating the transcription or translation of an MP nucleic acid molecule of the invention. In such methods, a microorganism
5 expressing one or more MP proteins of the invention is contacted with one or more test compounds, and the effect of each test compound on the activity or level of expression of the MP protein is assessed.

When the desired fine chemical to be isolated from large-scale fermentative culture of *C. glutamicum* is an amino acid, a vitamin, a cofactor, a nutraceutical, a
10 nucleotide, a nucleoside, or trehalose, modulation of the activity or efficiency of activity of one or more of the proteins of the invention by recombinant genetic mechanisms may directly impact the production of one of these fine chemicals. For example, in the case of an enzyme in a biosynthetic pathway for a desired amino acid, improvement in efficiency or activity of the enzyme (including the presence of multiple copies of the
15 gene) should lead to an increased production or efficiency of production of that desired amino acid. In the case of an enzyme in a biosynthetic pathway for an amino acid whose synthesis is in competition with the synthesis of a desired amino acid, any decrease in the efficiency or activity of this enzyme (including deletion of the gene) should result in an increase in production or efficiency of production of the desired amino acid, due to
20 decreased competition for intermediate compounds and/or energy. In the case of an enzyme in a degradation pathway for a desired amino acid, any decrease in efficiency or activity of the enzyme should result in a greater yield or efficiency of production of the desired product due to a decrease in its degradation. Lastly, mutagenesis of an enzyme involved in the biosynthesis of a desired amino acid such that this enzyme is no longer is
25 capable of feedback inhibition should result in increased yields or efficiency of production of the desired amino acid. The same should apply to the biosynthetic and degradative enzymes of the invention involved in the metabolism of vitamins, cofactors, nutraceuticals, nucleotides, nucleosides and trehalose.

Similarly, when the desired fine chemical is not one of the aforementioned
30 compounds, the modulation of activity of one of the proteins of the invention may still impact the yield and/or efficiency of production of the compound from large-scale culture of *C. glutamicum*. The metabolic pathways of any organism are closely

interconnected; the intermediate used by one pathway is often supplied by a different pathway. Enzyme expression and function may be regulated based on the cellular levels of a compound from a different metabolic process, and the cellular levels of molecules necessary for basic growth, such as amino acids and nucleotides, may critically affect the viability of the microorganism in large-scale culture. Thus, modulation of an amino acid biosynthesis enzyme, for example, such that it is no longer responsive to feedback inhibition or such that it is improved in efficiency or turnover may result in increased cellular levels of one or more amino acids. In turn, this increased pool of amino acids provides not only an increased supply of molecules necessary for protein synthesis, but also of molecules which are utilized as intermediates and precursors in a number of other biosynthetic pathways. If a particular amino acid had been limiting in the cell, its increased production might increase the ability of the cell to perform numerous other metabolic reactions, as well as enabling the cell to more efficiently produce proteins of all kinds, possibly increasing the overall growth rate or survival ability of the cell in large scale culture. Increased viability improves the number of cells capable of producing the desired fine chemical in fermentative culture, thereby increasing the yield of this compound. Similar processes are possible by the modulation of activity of a degradative enzyme of the invention such that the enzyme no longer catalyzes, or catalyzes less efficiently, the degradation of a cellular compound which is important for the biosynthesis of a desired compound, or which will enable the cell to grow and reproduce more efficiently in large-scale culture. It should be emphasized that optimizing the degradative activity or decreasing the biosynthetic activity of certain molecules of the invention may also have a beneficial effect on the production of certain fine chemicals from *C. glutamicum*. For example, by decreasing the efficiency of activity of a biosynthetic enzyme in a pathway which competes with the biosynthetic pathway of a desired compound for one or more intermediates, more of those intermediates should be available for conversion to the desired product. A similar situation may call for the improvement of degradative ability or efficiency of one or more proteins of the invention.

This aforementioned list of mutagenesis strategies for MP proteins to result in increased yields of a desired compound is not meant to be limiting; variations on these mutagenesis strategies will be readily apparent to one of ordinary skill in the art. By

these mechanisms, the nucleic acid and protein molecules of the invention may be utilized to generate *C. glutamicum* or related strains of bacteria expressing mutated MP nucleic acid and protein molecules such that the yield, production, and/or efficiency of production of a desired compound is improved. This desired compound may be any
5 natural product of *C. glutamicum*, which includes the final products of biosynthesis pathways and intermediates of naturally-occurring metabolic pathways, as well as molecules which do not naturally occur in the metabolism of *C. glutamicum*, but which are produced by a *C. glutamicum* strain of the invention.

This invention is further illustrated by the following examples which should not
10 be construed as limiting. The contents of all references, patent applications, patents, published patent applications, Tables, and the sequence listing cited throughout this application are hereby incorporated by reference.

TABLE 1: Included Genes

Lysine biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
1	2	RXA02229	GR00653	2793	3617	DIAMINOPIMELATE EPIMERASE (EC 5.1.1.7)
3	4	RXS02970				ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
5	6	F RXA01009	GR00287	4714	5943	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
7	8	RXC02390				MEMBRANE SPANNING PROTEIN INVOLVED IN LYSINE METABOLISM
9	10	RXC01796				MEMBRANE ASSOCIATED PROTEIN INVOLVED IN LYSINE METABOLISM
11	12	RXC01207				CYTOSOLIC PROTEIN INVOLVED IN METABOLISM OF LYSINE AND THREONINE
13	14	RXC00657				TRANSCRIPTIONAL REGULATOR INVOLVED IN LYSINE METABOLISM
15	16	RXC00552				CYTOSOLIC PROTEIN INVOLVED IN LYSINE METABOLISM

Trehalose

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
17	18	RXN00351	VV0135	37078	38532	ALPHA,ALPHA-TREHALOSE-PHOSPHATE SYNTHASE (UDP-FORMING) 56 KD SUBUNIT (EC 2.4.1.15)
19	20	F RXA00351	GR00066	1486	2931	ALPHA,ALPHA-TREHALOSE-PHOSPHATE SYNTHASE (UDP-FORMING) 56 KD SUBUNIT (EC 2.4.1.15)
21	22	RXA00873	GR00241	3	758	trehalose synthase (EC 2.4.1.-)
23	24	RXA00891	GR00243	1005	4	trehalose synthase (EC 2.4.1.-)

Lysine biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
25	26	RXA00534	GR00137	4758	3496	ASPARTOKINASE ALPHA AND BETA SUBUNITS (EC 2.7.2.4)
27	28	RXA00533	GR00137	3469	2438	ASPARTATE-SEMIALDEHYDE DEHYDROGENASE (EC 1.2.1.11)
29	30	RXA02843	GR00842	543	4	2,3,4,5-TETRAHYDROPYRIDINE-2-CARBOXYLATE N-SUCCINYLTRANSFERASE (EC 2.3.1.117)
31	32	RXA02022	GR00613	2063	3169	SUCCINYL-DIAMINOPIMELATE DESUCCINYLASE (EC 3.5.1.18)
33	34	RXA00044	GR00007	3458	4393	DIHYDRODIPICOLINATE SYNTHASE (EC 4.2.1.52)
35	36	RXA00863	GR00236	896	1639	DIHYDRODIPICOLINATE REDUCTASE (EC 1.3.1.26)
37	38	RXA00864	GR00236	1694	2443	probable 2,3-dihydrodipicolinate N-C6-lyase (cyclizing) (EC 4.3.3.-) - Corynebacterium glutamicum
39	40	RXA02843	GR00842	543	4	2,3,4,5-TETRAHYDROPYRIDINE-2-CARBOXYLATE N-SUCCINYLTRANSFERASE (EC 2.3.1.117)
41	42	RXN00355	VV0135	31980	30961	MESO-DIAMINOPIMELATE D-DEHYDROGENASE
43	44	F RXA00352	GR00068	861	4	MESO-DIAMINOPIMELATE D-DEHYDROGENASE (EC 1.4.1.16)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
45	46	RXA00972	GR00274	3	1379	DIAMINOPELMATE DECARBOXYLASE (EC 4.1.1.20)
47	48	RXA02653	GR00752	5237	7234	DIAMINOPELMATE DECARBOXYLASE (EC 4.1.1.20)
49	50	RXA01393	GR00408	4249	3380	LYSINE EXPORT REGULATOR PROTEIN
51	52	RXA00241	GR00036	5443	6945	L-LYSINE TRANSPORT PROTEIN
53	54	RXA01394	GR00408	4320	5018	LYSINE EXPORTER PROTEIN
55	56	RXA00865	GR00236	2647	3549	DIHYDRODIPICOLINATE SYNTHASE (EC 4.2.1.52)
57	58	RXS02021				2,3,4,5-TETRAHYDROPYRIDINE-2-CARBOXYLATE N-SUCCINYLTRANSFERASE (EC 2.3.1.117)
59	60	RXS02157				ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
61	62	RXC00733				ABC TRANSPORTER ATP-BINDING PROTEIN INVOLVED IN LYSINE METABOLISM
63	64	RXC00861				PROTEIN INVOLVED IN LYSINE METABOLISM
65	66	RXC00866				ZN-DEPENDENT HYDROLASE INVOLVED IN LYSINE METABOLISM
67	68	RXC02095				ABC TRANSPORTER ATP-BINDING PROTEIN INVOLVED IN LYSINE METABOLISM
69	70	RXC03185				PROTEIN INVOLVED IN LYSINE METABOLISM

Glutamate and glutamine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
71	72	RXN00367	VV0196	9744	14273	GLUTAMATE SYNTHASE [NADH] PRECURSOR (EC 1.4.1.14)
73	74	F RXA00007	GR00001	7107	8912	GLUTAMATE SYNTHASE (NADPH) LARGE CHAIN PRECURSOR (EC 1.4.1.13)
75	76	F RXA00364	GR00074	1296	4	GLUTAMATE SYNTHASE (NADPH) LARGE CHAIN PRECURSOR (EC 1.4.1.13)
77	78	F RXA00367	GR00075	1806	964	GLUTAMATE SYNTHASE (NADPH) LARGE CHAIN PRECURSOR (EC 1.4.1.13)
79	80	RXN00076	VV0154	2752	4122	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
81	82	F RXA00075	GR00012	2757	3419	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
83	84	RXN00198	VV0181	7916	7368	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
85	86	F RXA00198	GR00031	2	283	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
87	88	RXN00365	VV0196	14607	15233	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
89	90	F RXA00365	GR00075	630	4	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
91	92	RXA00366	GR00075	961	605	GLUTAMATE SYNTHASE (NADPH) SMALL CHAIN (EC 1.4.1.13)
93	94	RXA02072	GR00628	1259	2599	NADP-SPECIFIC GLUTAMATE DEHYDROGENASE (EC 1.4.1.4)
95	96	RXA00323	GR00057	3855	5192	GLUTAMINE SYNTHETASE (EC 6.3.1.2)
97	98	RXA00335	GR00057	19180	17750	GLUTAMINE SYNTHETASE (EC 6.3.1.2)
99	100	RXA00324	GR00057	5262	8396	GLUTAMATE-AMMONIA-LIGASE ADENYLYLTRANSFERASE (EC 2.7.7.42)
101	102	RXN03176	VV0332	2	862	GLUTAMINASE (EC 3.5.1.2)
103	104	F RXA02879	GR10017	2	862	GLUTAMINASE (EC 3.5.1.2)
105	106	RXA00278	GR00043	2612	1581	GLUTAMINE-BINDING PROTEIN PRECURSOR
107	108	RXA00727	GR00193	614	1525	GLUTAMINE-BINDING PERIPLASMIC PROTEIN PRECURSOR

Table 1 (continued)
Alanine and Aspartate and Asparagine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
109	110	RXA02139	GR00639	6739	4901	ASPARAGINE SYNTHETASE (GLUTAMINE-HYDROLYZING) (EC 6.3.5.4)
111	112	RXN00116	VV0100	26974	25814	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
113	114	F RXA00116	GR00018	510	4	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
115	116	RXN00618	VV0135	10288	9182	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
117	118	F RXA00618	GR00163	213	746	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
119	120	F RXA00627	GR00164	854	1138	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
121	122	RXA02550	GR00729	1585	275	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
123	124	RXA02193	GR00645	1942	365	ASPARTATE AMONIA-LYASE (EC 4.3.1.1)
125	126	RXA02432	GR00708	2669	1695	L-ASPARAGINASE (EC 3.5.1.1)
127	128	RXN03003	VV0138	680	6	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
129	130	RXN00508	VV0086	4701	5783	ALANINE RACEMASE (EC 5.1.1.1)
131	132	RXN00636	VV0135	20972	19944	ALANINE RACEMASE, BIOSYNTHETIC (EC 5.1.1.1)

beta-Alanine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
133	134	RXA02536	GR00726	8581	7826	BETA-UREIDOPROPIONASE (EC 3.5.1.6)
135	136	RXS00870				METHYLMALONATE-SEMIALDEHYDE DEHYDROGENASE (ACYLATING) (EC 1.2.1.27)
137	138	RXS02299				ASPARTATE 1-DECARBOXYLASE PRECURSOR (EC 4.1.1.11)

Glycine and serine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
139	140	RXA01561	GR00435	1113	2042	L-SERINE DEHYDRATASE (EC 4.2.1.13)
141	142	RXA01850	GR00525	481	1827	L-SERINE DEHYDRATASE (EC 4.2.1.13)
143	144	RXA00580	GR00156	7343	6042	SERINE HYDROXYMETHYLTRANSFERASE (EC 2.1.2.1)
145	146	RXA01821	GR00515	10253	9876	SARCOSINE OXIDASE (EC 1.5.3.1)
147	148	RXN02263	VV0202	11783	12160	SARCOSINE OXIDASE (EC 1.5.3.1)
149	150	F RXA02263	GR00654	33454	33813	SARCOSINE OXIDASE (EC 1.5.3.1)
151	152	RXA02176	GR00641	11454	12581	PHOSPHOSERINE AMINOTRANSFERASE (EC 2.6.1.52)
153	154	RXN02758	GR00766	5082	4648	PHOSPHOSERINE PHOSPHATASE (EC 3.1.3.3)
155	156	F RXA02479	GR00717	393	4	PHOSPHOSERINE PHOSPHATASE (EC 3.1.3.3)
157	158	F RXA02758	GR00766	5082	4648	PHOSPHOSERINE PHOSPHATASE (EC 3.1.3.3)
159	160	F RXA02759	GR00766	5330	5220	PHOSPHOSERINE PHOSPHATASE (EC 3.1.3.3)
161	162	RXA02501	GR00720	15041	13977	PHOSPHOSERINE PHOSPHATASE (EC 3.1.3.3)
163	164	RXN03105	VV0074	15857	15423	SARCOSINE OXIDASE (EC 1.5.3.1)
165	166	RXS01130				D-3-PHOSPHOGLYCERATE DEHYDROGENASE (EC 1.1.1.95)
167	168	RXS03112				D-3-PHOSPHOGLYCERATE DEHYDROGENASE (EC 1.1.1.95)

Table 1 (continued)

Threonine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
169	170	RXN00969	VV0149	12053	13387	HOMOSERINE DEHYDROGENASE (EC 1.1.1.3)
171	172	F RXA00974	GR00274	2623	3015	HOMOSERINE DEHYDROGENASE (EC 1.1.1.3)
173	174	RXA00970	GR00273	161	1087	HOMOSERINE KINASE (EC 2.7.1.39)
175	176	RXA00330	GR00057	12968	14410	THREONINE SYNTHASE (EC 4.2.99.2)
177	178	RXN00403	VV0086	70041	68911	HOMOSERINE O-ACETYLTRANSFERASE
179	180	F RXA00403	GR00088	723	1832	HOMOSERINE O-ACETYLTRANSFERASE (EC 2.3.1.11)
181	182	RXC01207				CYTOSOLIC PROTEIN INVOLVED IN METABOLISM OF LYSINE AND THREONINE
183	184	RXC00152				MEMBRANE ASSOCIATED PROTEIN INVOLVED IN THREONINE METABOLISM

Metabolism of methionine and S-adenosyl methionine

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
185	186	RXA00115	GR00017	5359	4313	HOMOSERINE O-ACETYLTRANSFERASE (EC 2.3.1.31)
187	188	RXN00403	VV0086	70041	68911	HOMOSERINE O-ACETYLTRANSFERASE
189	190	F RXA00403	GR00088	723	1832	HOMOSERINE O-ACETYLTRANSFERASE (EC 2.3.1.11)
191	192	RXS03158				CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9)
193	194	F RXA00254	GR00038	2404	1811	CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9)
195	196	RXA02532	GR00726	3085	2039	CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9)
197	198	RXS03159				CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9)
199	200	F RXA02768	GR00770	1919	2521	CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9)
201	202	RXA00216	GR00032	16286	15297	5-methyltetrahydrofolate-homocysteine methyltransferase (methionine synthetase)
203	204	RXN00402	VV0086	70787	70188	O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYLSERINE SULFHYDRYLASE (EC 4.2.99.8)
205	206	F RXA00402	GR00088	1	576	O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYLSERINE SULFHYDRYLASE (EC 4.2.99.8)
207	208	RXA00405	GR00089	3289	3801	O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYLSERINE SULFHYDRYLASE (EC 4.2.99.8)
209	210	RXA02197	GR00645	4552	4025	5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
211	212	RXN02198	VV0302	9228	11726	5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
213	214	F RXA02198	GR00646	2483	6	5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
215	216	RXN03074	VV0042	2238	1741	S-ADENOSYLMETHIONINE:2-DEMETHYLMENAQUINONE METHYLTRANSFERASE (EC 2.1.-.-)
217	218	F RXA02906	GR10044	1142	645	S-ADENOSYLMETHIONINE:2-DEMETHYLMENAQUINONE METHYLTRANSFERASE (EC 2.1.-.-)
219	220	RXN00132	VV0124	3612	5045	ADENOSYLMOMOCYSTEINASE (EC 3.3.1.1)
221	222	F RXA00132	GR00020	7728	7624	ADENOSYLMOMOCYSTEINASE (EC 3.3.1.1)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
223	224	F RXA01371	GR00398	2339	3634	ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1)
225	226	RXN02085				5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
227	228	F RXA02085	GR00629	3496	5295	METHYLTRANSFERASE (EC 2.1.1.14)
229	230	F RXA02086	GR00629	5252	5731	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
231	232	RXN02648				METHYLTRANSFERASE (EC 2.1.1.14)
233	234	F RXA02648	GR00751	5254	4730	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
235	236	F RXA02658	GR00752	14764	15447	METHYLTRANSFERASE (EC 2.1.1.14)
237	238	RXC02238				5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
239	240	RXC00128				METHYLTRANSFERASE (EC 2.1.1.14)
						PROTEIN INVOLVED IN METABOLISM OF S-ADENOSYLMETHIONINE, PURINES AND PANTOTHENATE
						EXPORTED PROTEIN INVOLVED IN METABOLISM OF PYRIDIMES AND ADENOSYLHOMOCYSTEINE

S-adenosyl methionine (SAM) Biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
241	242	RXA02240	GR00654	7160	8380	S-ADENOSYLMETHIONINE SYNTHETASE (EC 2.5.1.6)

Cysteine metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
243	244	RXA00780	GR00206	1689	2234	SERINE ACETYLTRANSFERASE (EC 2.3.1.30)
245	246	RXA00779	GR00206	550	1482	CYSTEINE SYNTHASE (EC 4.2.99.8)
247	248	RXN00402	VV0086	70787	70188	O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYL SERINE SULFHYDRYLASE (EC 4.2.99.8)
249	250	F RXA00402	GR00088	1	576	O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYL SERINE SULFHYDRYLASE (EC 4.2.99.8)
251	252	RXS00405				O-ACETYLMOMOSERINE SULFHYDRYLASE (EC 4.2.99.10) / O-ACETYL SERINE SULFHYDRYLASE (EC 4.2.99.8)
253	254	RXC00164				ABC TRANSPORTER ATP-BINDING PROTEIN INVOLVED IN CYSTEINE METABOLISM
255	256	RXC01191				ABC TRANSPORTER ATP-BINDING PROTEIN INVOLVED IN CYSTEINE METABOLISM

Table 1 (continued)

Valine, leucine and isoleucine

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
257	258	RXA02646	GR00751	3856	2588	THREONINE DEHYDRATASE BIOSYNTHETIC (EC 4.2.1.16)
259	260	RXA00766	GR00204	5091	4249	BRANCHED-CHAIN AMINO ACID AMINOTRANSFERASE (EC 2.6.1.42)
261	262	RXN01690	VV0246	1296	196	BRANCHED-CHAIN AMINO ACID AMINOTRANSFERASE (EC 2.6.1.42)
263	264	F RXA01690	GR00473	1248	196	BRANCHED-CHAIN AMINO ACID AMINOTRANSFERASE (EC 2.6.1.42)
265	266	RXN01026	VV0143	9171	7513	3-ISOPROPYLMALATE DEHYDRATASE LARGE SUBUNIT (EC 4.2.1.33)
267	268	F RXA01026	GR00294	1	1602	3-ISOPROPYLMALATE DEHYDRATASE LARGE SUBUNIT (EC 4.2.1.33)
269	270	RXN01127	VV0157	4491	3472	3-ISOPROPYLMALATE DEHYDROGENASE (EC 1.1.1.85)
271	272	F RXA01132	GR00315	1349	1651	3-ISOPROPYLMALATE DEHYDROGENASE (EC 1.1.1.85)
273	274	RXN00536	VV0219	6128	7498	2-ISOPROPYLMALATE SYNTHASE (EC 4.1.3.12)
275	276	F RXA00536	GR00137	6128	7360	2-ISOPROPYLMALATE SYNTHASE (EC 4.1.3.1)
277	278	RXN02965	VV0143	7711	7121	3-ISOPROPYLMALATE DEHYDRATASE SMALL SUBUNIT (EC 4.2.1.33)
279	280	RXN01929	VV0127	47590	48402	3-METHYL-2-OXOBUTANOATE HYDROXYMETHYLTRANSFERASE (EC 2.1.2.11)
281	282	F RXA01929	GR00555	2766	1960	/ DECARBOXYLASE (EC 4.1.1.44)
283	284	RXN01420	VV0122	15584	14643	3-METHYL-2-OXOBUTANOATE HYDROXYMETHYLTRANSFERASE (EC 2.1.2.11)
285	286	RXS01145				4"-MYCAROSYL ISOVALERYL-COA TRANSFERASE (EC 2.-.-.-)
287	288	F RXA01145	GR00321	1075	1530	KETOL-ACID REDUCTOISOMERASE (EC 1.1.1.86)
						KETOL-ACID REDUCTOISOMERASE (EC 1.1.1.86)

Arginine and proline metabolism

Enzymes of proline biosynthesis:

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
289	290	RXA02375	GR00689	1449	223	GLUTAMATE 5-KINASE (EC 2.7.2.11)
291	292	RXN02382	VV0213	5162	3867	GAMMA-GLUTAMYL PHOSPHATE REDUCTASE (GPR) (EC 1.2.1.41)
293	294	F RXA02378	GR00690	624	16	GAMMA-GLUTAMYL PHOSPHATE REDUCTASE (GPR) (EC 1.2.1.41)
295	296	F RXA02382	GR00691	2493	1894	GAMMA-GLUTAMYL PHOSPHATE REDUCTASE (GPR) (EC 1.2.1.41)
297	298	RXA02499	GR00720	11883	12692	PYRROLINE-5-CARBOXYLATE REDUCTASE (EC 1.5.1.2)
299	300	RXS02157				ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
301	302	RXS02262				ORNITHINE CYCLODEAMINASE (EC 4.3.1.12)
303	304	RXS02970				ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
305	306	F RXA01009	GR00287	4714	5943	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)

Table 1 (continued)

Enzymes of proline degradation:

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
307	308	RXN00023	VV0127	68158	64703	PROLINE DEHYDROGENASE (EC 1.5.99.8) / DELTA-1- PYRROLINE-5-CARBOXYLATE DEHYDROGENASE (EC 1.5.1.12)
309	310	F RXA00023	GR00003	2	454	PROLINE DEHYDROGENASE (EC 1.5.99.8) / DELTA-1- PYRROLINE-5-CARBOXYLATE DEHYDROGENASE (EC 1.5.1.12)
311	312	F RXA02284	GR00660	3028	5	PROLINE DEHYDROGENASE (EC 1.5.99.8) / DELTA-1- PYRROLINE-5-CARBOXYLATE DEHYDROGENASE (EC 1.5.1.12)
313	314	RXC02498				PROTEIN INVOLVED IN PROLINE METABOLISM

Synthesis of 3-Hydroxy-proline:

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
315	316	RXA01491	GR00423	5337	4687	DNA FOR L-PROLINE 3-HYDROXYLASE, COMPLETE CDS

Enzymes of ornithine, arginine and spermidine metabolism:

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
317	318	RXA02155	GR00640	1913	3076	GLUTAMATE N-ACETYLTRANSFERASE (EC 2.3.1.35) / AMINO-ACID ACETYLTRANSFERASE (EC 2.3.1.1)
319	320	RXA02156	GR00640	3125	4075	ACETYLGLUTAMATE KINASE (EC 2.7.2.8)
321	322	RXN02153	VV0122	14106	13327	N-ACETYL-GAMMA-GLUTAMYL-PHOSPHATE REDUCTASE (EC 1.2.1.38)
323	324	F RXA02153	GR00640	757	1536	N-ACETYLGLUTAMATE-5-SEMIALDEHYDE DEHYDROGENASE
325	326	RXA02154	GR00640	1536	1826	N-ACETYLGLUTAMATE-5-SEMIALDEHYDE DEHYDROGENASE
327	328	RXA02157	GR00640	4079	5251	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
329	330	RXS02970				ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
331	332	F RXA01009	GR00287	4714	5943	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
333	334	RXA02158	GR00640	5268	6224	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
335	336	RXA02160	GR00640	6914	8116	ORNITHINE CARBAMOYLTRANSFERASE (EC 2.1.3.3)
337	338	RXN02162	VV0122	6683	5253	ARGININOSUCCINATE SYNTHASE (EC 6.3.4.5)
339	340	F RXA02161	GR00640	8180	8962	ARGININOSUCCINATE LYASE (EC 4.3.2.1)
341	342	F RXA02162	GR00640	8949	9611	ARGININOSUCCINATE LYASE (EC 4.3.2.1)
343	344	RXA02262	GR00654	32291	33436	ORNITHINE CYCLODEAMINASE (EC 4.3.1.12)
345	346	RXA00219	GR00032	19289	20230	SPERMIDINE SYNTHASE (EC 2.5.1.16)
347	348	RXA01508	GR00424	12652	14190	SPERMIDINE SYNTHASE (EC 2.5.1.16)
349	350	RXA01757	GR00498	2942	2142	PUTRESCINE OXIDASE (EC 1.4.3.10)
351	352	RXA02159	GR00640	6231	6743	ARGININE HYDROXIMATE RESISTANCE PROTEIN
353	354	RXN02154	VV0122	13327	13037	N-ACETYL-GAMMA-GLUTAMYL-PHOSPHATE REDUCTASE (EC 1.2.1.38)
355	356	RXS00147				CARBAMOYL-PHOSPHATE SYNTHASE SMALL CHAIN (EC 6.3.5.5)
357	358	RXS00905				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)
359	360	RXS00906				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)

Table 1 (continued)

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
361	362	RXS00907				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)
363	364	RXS02001				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)
365	366	RXS02101				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)
367	368	RXS02234				CARBAMOYL-PHOSPHATE SYNTHASE LARGE CHAIN (EC 6.3.5.5)
369	370	F RXA02234	GR00654	1	3198	CARBAMOYL-PHOSPHATE SYNTHASE LARGE CHAIN (EC 6.3.5.5)
371	372	RXS02565				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)
373	374	RXS02937				N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.5.1.14)

Histidine metabolism

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
375	376	RXA02194	GR00645	2897	2055	ATP PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.17)
377	378	RXA02195	GR00645	3186	2917	PHOSPHORIBOSYL-ATP PYROPHOSPHOHYDROLASE (EC 3.6.1.31)
379	380	RXA01097	GR00306	4726	4373	PHOSPHORIBOSYL-AMP CYCLOHYDROLASE (EC 3.5.4.19)
381	382	RXA01100	GR00306	7072	6335	PHOSPHORIBOSYLFORMIMINO-5-AMINOIMIDAZOLE CARBOXAMIDE RIBOTIDE ISOMERASE (EC 5.3.1.16)
383	384	RXA01101	GR00306	7726	7094	AMIDOTRANSFERASE HISH (EC 2.4.2.-)
385	386	RXN01657	VV0010	39950	39351	AMIDOTRANSFERASE HISH (EC 2.4.2.-)
387	388	F RXA01657	GR00460	2444	2944	AMIDOTRANSFERASE HISH (EC 2.4.2.-)
389	390	RXA01098	GR00306	5499	4726	HISF PROTEIN
391	392	RXN01104	VV0059	7037	6432	IMIDAZOLEGLYCEROL-PHOSPHATE DEHYDRATASE (EC 4.2.1.19)
393	394	F RXA01104	GR00306	10927	10322	IMIDAZOLEGLYCEROL-PHOSPHATE DEHYDRATASE (EC 4.2.1.19) / HISTIDINOL-PHOSPHATASE (EC 3.1.3.15)
395	396	RXN00446	VV0112	24181	23318	HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
397	398	F RXA00446	GR00108	4	525	HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
399	400	RXA01105	GR00306	12044	10947	HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
401	402	RXA01106	GR00306	13378	12053	HISTIDINOL DEHYDROGENASE (EC 1.1.1.23)
403	404	RXC00930				PROTEIN INVOLVED IN HISTIDINE METABOLISM
405	406	RXC01096				PROTEIN INVOLVED IN HISTIDINE METABOLISM
407	408	RXC01656				PROTEIN INVOLVED IN HISTIDINE METABOLISM
409	410	RXC01158				MEMBRANE SPANNING PROTEIN INVOLVED IN HISTIDINE METABOLISM

Metabolism of aromatic amino acids

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
411	412	RXA02458	GR00712	3056	4345	3-PHOSPHOSHIMIMATE 1-CARBOXYVINYLTRANSFERASE (EC 2.5.1.19)
413	414	RXA02790	GR00777	5806	6948	4-AMINO-4-DEOXYCHORISMATE LYASE (EC 4.-.-.-)
415	416	RXN00954	VV0247	3197	2577	ANTHRANILATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.18)
417	418	F RXA00954	GR00263	3	590	ANTHRANILATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.18)
419	420	RXN00957	VV0208	1211	2764	ANTHRANILATE SYNTHASE COMPONENT I (EC 4.1.3.27)
421	422	F RXA00957	GR00264	3	1130	ANTHRANILATE SYNTHASE COMPONENT I (EC 4.1.3.27)

Table 1 (continued)

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
423	424	RXA02687	GR00754	11306	12250	CHORISMATE MUTASE (EC 5.4.99.5) / PREPHENATE DEHYDRATASE (EC 4.2.1.51)
425	426	RXN01698	VV0134	11507	12736	CHORISMATE SYNTHASE (EC 4.6.1.4)
427	428	F RXA01698	GR00477	2	991	CHORISMATE SYNTHASE (EC 4.6.1.4)
429	430	RXA01095	GR00306	3603	2821	INDOLE-3-GLYCEROL PHOSPHATE SYNTHASE (EC 4.1.1.48)
431	432	RXA00955	GR00263	586	2007	INDOLE-3-GLYCEROL PHOSPHATE SYNTHASE (EC 4.1.1.48) / N-(5'-PHOSPHO-RIBOSYL)ANTHRANILATE ISOMERASE (EC 5.3.1.24)
433	434	RXA02814	GR00795	598	128	ISOCHORISMATE MUTASE
435	436	RXA00229	GR00033	1715	936	SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25)
437	438	RXA02093	GR00629	12444	13247	SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25)
439	440	RXA02791	GR00777	6968	7795	SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25)
441	442	RXA01699	GR00477	984	1553	SHIKIMATE KINASE (EC 2.7.1.71)
443	444	RXA00952	GR00262	97	936	TRYPTOPHAN SYNTHASE ALPHA CHAIN (EC 4.2.1.20)
445	446	RXN00956	VV0247	1140	4	TRYPTOPHAN SYNTHASE BETA CHAIN (EC 4.2.1.20)
447	448	F RXA00956	GR00263	2027	3157	TRYPTOPHAN SYNTHASE BETA CHAIN (EC 4.2.1.20)
449	450	RXA00064	GR00010	2499	3776	TYROSINE AMINOTRANSFERASE (EC 2.6.1.5)
451	452	RXN00448	VV0112	33959	32940	PREPHENATE DEHYDROGENASE (EC 1.3.1.12)
453	454	F RXA00448	GR00109	3	668	PREPHENATE DEHYDROGENASE (EC 1.3.1.12)
455	456	F RXA00452	GR00110	854	1099	PREPHENATE DEHYDROGENASE (EC 1.3.1.12)
457	458	RXA00584	GR00156	11384	10260	PREPHENATE DEHYDROGENASE (EC 1.3.1.12)
459	460	RXA00579	GR00156	5946	4087	PHOSPHO-2-DEHYDRO-3-DEOXYHEPTONATE ALDOLASE (EC 4.1.2.15)
461	462	RXA00958	GR00264	1130	1753	PARA-AMINOBENZOATE SYNTHASE COMPONENT I (EC 4.1.3.-) PARA-AMINOBENZOATE SYNTHASE GLUTAMINE AMIDOTRANSFERASE COMPONENT II (EC 4.1.3.-) / ANTHRANILATE SYNTHASE COMPONENT II (EC 4.1.3.27)
463	464	RXN03007	VV0208	3410	3778	ANTHRANILATE SYNTHASE COMPONENT II (EC 4.1.3.27)
465	466	RXN02918	VV0086	25447	25887	TRYPTOPHAN SYNTHASE BETA CHAIN (EC 4.2.1.20)
467	468	RXN01116	VV0182	7497	6886	3-OXOADIPATE COA-TRANSFERASE SUBUNIT B (EC 2.8.3.6)
469	470	RXN01115	VV0182	10347	11099	3-OXOADIPATE ENOL-LACTONE HYDROLASE (EC 3.1.1.24) / 4-CARBOXYMUCONOLACTONE
471	472	RXS00116				ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
473	474	F RXA00116	GR00018	510	4	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
475	476	RXS00391				O-SUCCINYL-BENZOIC ACID--COA LIGASE (EC 6.2.1.26)
477	478	RXS00393				1,4-DIHYDROXY-2-NAPHTHOATE OCTAPRENYLTRANSFERASE (EC 2.5.-.-)
479	480	F RXA00393	GR00086	4030	4911	1,4-DIHYDROXY-2-NAPHTHOATE OCTAPRENYLTRANSFERASE (EC 2.5.-.-)
481	482	RXS00446				HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
483	484	F RXA00446	GR00108	4	525	HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
485	486	RXS00618				ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
487	488	F RXA00618	GR00163	213	746	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
489	490	F RXA00627	GR00164	854	1138	ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
491	492	RXS01105				HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9)
493	494	RXS02315				2-SUCCINYL-6-HYDROXY-2,4-CYCLOHEXADIENE-1-CARBOXYLATE SYNTHASE / 2-OXOGLUTARATE DECARBOXYLASE (EC 4.1.1.71)
495	496	RXS02550				ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
497	498	RXS02319				NAPHTHOATE SYNTHASE (EC 4.1.3.36)
499	500	RXS02908				O-SUCCINYL-BENZOIC ACID--COA LIGASE (EC 6.2.1.26)
501	502	RXS03003				ASPARTATE AMINOTRANSFERASE (EC 2.6.1.1)
503	504	RXS03026				3-DEHYDROQUINATE DEHYDRATASE (EC 4.2.1.10)

Table 1 (continued)

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
505	506	RXS03074				S-ADENOSYLMETHIONINE:2-DEMETHYLMENAQUINONE
507	508	RXC01434				METHYLTRANSFERASE (EC 2.1.-.-)
509	510	RXC02080				MEMBRANE SPANNING PROTEIN INVOLVED IN METABOLISM OF AROMATIC AMINO ACIDS AND RIBOFLAVIN
511	512	RXC02789				MEMBRANE SPANNING PROTEIN INVOLVED IN METABOLISM OF AROMATIC AMINO ACIDS
513	514	RXC02295				CYTOSOLIC PROTEIN INVOLVED IN METABOLISM OF AROMATIC AMINO ACIDS
						MEMBRANE SPANNING PROTEIN INVOLVED IN METABOLISM OF AROMATIC AMINO ACIDS

Aminobutyrate metabolism

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
515	516	RXN03063	VV0035	666	1697	4-aminobutyrate aminotransferase (EC 2.6.1.19)
517	518	RXN02970	VV0021	4714	6081	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)
519	520	F RXA01009	GR00287	4714	5943	ACETYLORNITHINE AMINOTRANSFERASE (EC 2.6.1.11)

Vitamins, vitamin-like substances (cofactors), nutraceuticals

Thiamine metabolism

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
521	522	RXA01551	GR00431	2945	4819	THIAMIN BIOSYNTHESIS PROTEIN THIC
523	524	RXA01019	GR00291	6	995	THIAMIN-MONOPHOSPHATE KINASE (EC 2.7.4.16)
525	526	RXA01352	GR00393	609	4	THIAMIN-PHOSPHATE PYROPHOSPHORYLASE (EC 2.5.1.3)
527	528	RXA01381	GR00403	3206	2286	THIF PROTEIN
529	530	RXA01360	GR00394	162	4	THIG PROTEIN
531	532	RXA01361	GR00394	983	378	THIG PROTEIN
533	534	RXA01208	GR00348	229	1032	HYDROXYETHYLTHIAZOLE KINASE (EC 2.7.1.50)
535	536	RXA00838	GR00227	1532	633	APBA PROTEIN
537	538	RXA02400	GR00699	1988	2557	THIAMIN BIOSYNTHESIS PROTEIN X
539	540	RXN01209	VV0270	1019	2446	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
541	542	F RXA01209	GR00348	1019	2446	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
543	544	RXN01413	VV0050	27306	27905	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
545	546	RXN01617	VV0050	22187	22858	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
547	548	F RXA01617	GR00451	2	616	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
549	550	RXS01807				PYRIDOXINE KINASE (EC 2.7.1.35)
551	552	RXC01021				CYTOSOLIC KINASE INVOLVED IN METABOLISM OF SUGARS AND THIAMIN

Table 1 (continued)

Riboflavin metabolism

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
553	554	RXN02246	VV0130	4388	5371	diaminohydroxyphosphoribosylaminopyrimidine deaminase (EC 3.5.4.26) / 5-amino-6-(5-phosphoribosylamino)uracil reductase (EC 1.1.1.193)
555	556	F RXA02246	GR00654	14299	15282	RIBG PROTEIN riboflavin-specific deaminase [EC:3.5.4.-]
557	558	RXA02247	GR00654	15286	15918	RIBOFLAVIN SYNTHASE ALPHA CHAIN (EC 2.5.1.9)
559	560	RXN02248	VV0130	6021	7286	GTP CYCLOHYDROLASE II (EC 3.5.4.25) / 3,4-DIHYDROXY-2-BUTANONE 4-PHOSPHATE SYNTHASE
561	562	F RXA02248	GR00654	15932	17197	RIBA PROTEIN - GTP cyclohydrolase II [EC:3.5.4.25]
563	564	RXN02249	VV0130	7301	7777	6,7-DIMETHYL-8-RIBITYLLUMAZINE SYNTHASE (EC 2.5.1.9)
565	566	F RXA02249	GR00654	17212	17688	RIBH PROTEIN - 6,7-dimethyl-8-ribityllumazine synthase (dmlr synthase, lumazine synthase, riboflavin synthase beta chain) [EC:2.5.1.9]
567	568	RXA02250	GR00654	17778	18356	RIBX PROTEIN
569	570	RXA01489	GR00423	3410	2388	RIBOFLAVIN KINASE (EC 2.7.1.26) / FMN ADENYLYLTRANSFERASE (EC 2.7.7.2)
571	572	RXA02135	GR00639	2809	1736	NICOTINATE-NUCLEOTIDE--DIMETHYLBENZIMIDAZOLE
573	574	RXA01489	GR00423	3410	2388	PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.21)
575	576	RXN01712	VV0191	8993	8298	RIBOFLAVIN-SPECIFIC DEAMINASE (EC 3.5.4.-)
577	578	F RXA01712	GR00484	2652	2152	RIBOFLAVIN-SPECIFIC DEAMINASE (EC 3.5.4.-)
579	580	RXN02384	VV0213	1386	679	ALPHA-RIBAZOLE-5-PHOSPHATE PHOSPHATASE (EC 3.1.3.-)
581	582	RXN01560	VV0319	767	438	RIBOFLAVIN-SPECIFIC DEAMINASE (EC 3.5.4.-)
583	584	RXN00667	VV0109	1363	350	DRAP DEAMINASE
585	586	RXC01711				MEMBRANE SPANNING PROTEIN INVOLVED IN RIBOFLAVIN METABOLISM
587	588	RXC02380				PROTEIN INVOLVED IN RIBOFLAVIN METABOLISM
589	590	F RXA02380	GR00691	709	56	Predicted nucleotidyltransferases
591	592	RXC02921				CYTOSOLIC PROTEIN INVOLVED IN METABOLISM OF RIBOFLAVIN AND LIPIDS
593	594	RXC01434				MEMBRANE SPANNING PROTEIN INVOLVED IN METABOLISM OF AROMATIC AMINO ACIDS AND RIBOFLAVIN

Vitamin B6 metabolism

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
595	596	RXA01807	GR00509	7868	7077	PYRIDOXINE KINASE (EC 2.7.1.35), pyridoxal/pyridoxine/pyridoxamine kinase

Table 1 (continued)
Nicotinate (nicotinic acid), nicotinamide, NAD and NADP

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
597	598	RXN02754	VV0084	22564	23901	NICOTINATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.11)
599	600	F RXA02405	GR00701	774	4	NICOTINATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.11)
601	602	F RXA02754	GR00766	3	488	NICOTINATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.11)
603	604	RXA02112	GR00632	5600	6436	NICOTINATE-NUCLEOTIDE PYROPHOSPHORYLASE (CARBOXYLATING) (EC 2.4.2.19)
605	606	RXA02111	GR00632	4310	5593	QUINOLINATE SYNTHETASE A

NAD Biosynthesis

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
607	608	RXA01073	GR00300	1274	2104	NH(3)-DEPENDENT NAD(+) SYNTHETASE (EC 6.3.5.1)
609	610	RXN02754	VV0084	22564	23901	NICOTINATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.11)

Pantothenate and Coenzyme A (CoA) biosynthesis

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
611	612	RXA02299	GR00662	10452	10859	ASPARTATE 1-DECARBOXYLASE PRECURSOR (EC 4.1.1.11)
613	614	RXA01928	GR00555	1957	1121	PANTOATE-BETA-ALANINE LIGASE (EC 6.3.2.1)
615	616	RXN01929	VV0127	47590	48402	3-METHYL-2-OXOBUTANOATE HYDROXYMETHYLTRANSFERASE (EC 2.1.2.11) / DECARBOXYLASE (EC 4.1.1.44)
617	618	F RXA01929	GR00555	2766	1960	3-METHYL-2-OXOBUTANOATE HYDROXYMETHYLTRANSFERASE (EC 2.1.2.11)
619	620	RXA01521	GR00424	25167	25964	PANTOATE-BETA-ALANINE LIGASE (EC 6.3.2.1)
621	622	RXS01145	GR00321	1075	1530	KETOL-ACID REDUCTOISOMERASE (EC 1.1.1.86)
623	624	F RXA01145	GR00654	5784	7049	KETOL-ACID REDUCTOISOMERASE (EC 1.1.1.86)
625	626	RXA02239	GR00156	7572	8540	DNA/PANTOTHENATE METABOLISM FLAVOPROTEIN
627	628	RXA00581	GR00156	7572	8540	PANTOTHENATE KINASE (EC 2.7.1.33)
629	630	RXS00838				2-DEHYDROPANTOATE 2-REDUCTASE (EC 1.1.1.169)
631	632	RXC02238				PROTEIN INVOLVED IN METABOLISM OF S-ADENOSYLMETHIONINE, PURINES AND PANTOTHENATE

Biotin metabolism

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
633	634	RXN03058	VV0028	8272	8754	BIOTIN SYNTHESIS PROTEIN BIOC

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
635	636	F RXA02903	GR10040	11532	12014	BIOTIN SYNTHESIS PROTEIN BIOC
637	638	RXA00166	GR00025	3650	4309	BIOTIN SYNTHESIS PROTEIN BIOC
639	640	RXA00633	GR00166	3556	2288	ADENOSYLMETHIONINE-8-AMINO-7-OXONONANOATE AMINOTRANSFERASE (EC 2.6.1.62)
641	642	RXA00632	GR00166	2281	1610	DETHIOBIOTIN SYNTHETASE (EC 6.3.3.3)
643	644	RXA00295	GR00047	3407	4408	BIOTIN SYNTHASE (EC 2.8.1.6)
645	646	RXA00223	GR00032	23967	22879	NIFS PROTEIN
647	648	RXN00262	VV0123	16681	15608	NIFS PROTEIN
649	650	F RXA00262	GR00040	79	897	NIFS PROTEIN
651	652	RXN00435	VV0112	10037	11209	NIFS PROTEIN
653	654	F RXA00435	GR00100	3563	2949	NIFS PROTEIN
655	656	F RXA02801	GR00782	438	4	NIFS PROTEIN
657	658	RXA02516	GR00723	1724	2986	NIFS PROTEIN
659	660	RXA02517	GR00723	2989	3435	NIFU PROTEIN

Lipoic Acid

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
661	662	RXA01747	GR00495	2506	3549	LIPIC ACID SYNTHETASE
663	664	RXA01746	GR00495	1614	2366	LIPATE-PROTEIN LIGASE B (EC 6.---)
665	666	RXA02106	GR00632	472	1527	LIPATE-PROTEIN LIGASE A (EC 6.---)
667	668	RXS01183				DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE COMPONENT (E2) OF 2- OXOGLUTARATE DEHYDROGENASE COMPLEX (EC 2.3.1.61)
669	670	RXS01260				LIPAMIDE DEHYDROGENASE COMPONENT (E3) OF BRANCHED-CHAIN ALPHA-KETO ACID DEHYDROGENASE COMPLEX (EC 1.8.1.4)
671	672	RXS01261				LIPAMIDE DEHYDROGENASE COMPONENT (E3) OF BRANCHED-CHAIN ALPHA-KETO ACID DEHYDROGENASE COMPLEX (EC 1.8.1.4)

Folate biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
673	674	RXA02717	GR00758	18281	17400	5,10-METHYLENETETRAHYDROFOLATE REDUCTASE (EC 1.7.99.5)
675	676	RXN02027	VV0296	503	1003	5-FORMYLTETRAHYDROFOLATE CYCLO-LIGASE (EC 6.3.3.2)
677	678	F RXA02027	GR00616	500	6	5-FORMYLTETRAHYDROFOLATE CYCLO-LIGASE (EC 6.3.3.2)
679	680	RXA00106	GR00014	17469	17924	DIHYDROFOLATE REDUCTASE (EC 1.5.1.3)
681	682	RXN01321	VV0082	8868	9788	FORMYLTETRAHYDROFOLATE DEFORMYLASE (EC 3.5.1.10)
683	684	F RXA01321	GR00384	23	559	FORMYLTETRAHYDROFOLATE DEFORMYLASE (EC 3.5.1.10)
685	686	RXA00461	GR00116	428	1279	METHYLENETETRAHYDROFOLATE DEHYDROGENASE (EC 1.5.1.5) / METHENYLTETRAHYDROFOLATE CYCLOHYDROLASE (EC 3.5.4.9)
687	688	RXA01514	GR00424	20922	21509	GTP CYCLOHYDROLASE I (EC 3.5.4.16)
689	690	RXA01516	GR00424	22360	22749	DIHYDRONEOPTERIN ALDOLASE (EC 4.1.2.25)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
691	692	RXA01515	GR00424	21513	22364	DIHYDROPTEROATE SYNTHASE (EC 2.5.1.15)
693	694	RXA02024	GR00613	4026	4784	DIHYDROPTEROATE SYNTHASE (EC 2.5.1.15)
695	696	RXA00106	GR00014	17469	17924	DIHYDROFOLATE REDUCTASE (EC 1.5.1.3)
697	698	RXA00989	GR00280	2903	1371	FOLYLPOLYGLUTAMATE SYNTHASE (EC 6.3.2.17)
699	700	RXA01517	GR00424	22752	23228	2-AMINO-4-HYDROXY-6-HYDROXYMETHYLDIHYDROPTERIDINE PYROPHOSPHOKINASE (EC 2.7.6.3)
701	702	RXA00579	GR00156	5946	4087	PARA-AMINOBENZOATE SYNTHASE COMPONENT I (EC 4.1.3.-)
703	704	RXA00958	GR00264	1130	1753	PARA-AMINOBENZOATE SYNTHASE GLUTAMINE AMIDOTRANSFERASE COMPONENT II (EC 4.1.3.-) / ANTHRANILATE SYNTHASE COMPONENT II (EC 4.1.3.27)
705	706	RXA02790	GR00777	5806	6948	4-AMINO-4-DEOXYCHORISMATE LYASE (EC 4.-.-.-)
707	708	RXA00106	GR00014	17469	17924	DIHYDROFOLATE REDUCTASE (EC 1.5.1.3)
709	710	RXN02198	VV0302	9228	11726	5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
711	712	F RXA02198	GR00646	2483	6	5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
713	714	RXN02085	VV0126	8483	10717	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE
715	716	F RXA02085	GR00629	3496	5295	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.14)
717	718	F RXA02086	GR00629	5252	5731	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.14)
719	720	RXN02648				5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.14)
721	722	F RXA02648	GR00751	5254	4730	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.14)
723	724	F RXA02658	GR00752	14764	15447	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.14)
725	726	RXS02197				5-METHYLTETRAHYDROFOLATE--HOMOCYSTEINE METHYLTRANSFERASE (EC 2.1.1.13)
727	728	RXC00988				PROTEIN INVOLVED IN FOLATE METABOLISM
729	730	RXC01518				MEMBRANE SPANNING PROTEIN INVOLVED IN FOLATE METABOLISM
731	732	RXC01942				ATP-BINDING PROTEIN INVOLVED IN FOLATE METABOLISM

Molybdopterin Metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
733	734	RXN02802	VV0112	17369	16299	MOLYBDOPTERIN BIOSYNTHESIS MOEB PROTEIN
735	736	F RXA02802	GR00783	7	474	MOLYBDOPTERIN BIOSYNTHESIS MOEB PROTEIN
737	738	F RXA00438	GR00103	362	796	MOLYBDOPTERIN BIOSYNTHESIS MOEB PROTEIN
739	740	RXN00437	VV0112	17824	17369	MOLYBDOPTERIN (MPT) CONVERTING FACTOR, SUBUNIT 2
741	742	F RXA00437	GR00103	3	362	MOLYBDOPTERIN (MPT) CONVERTING FACTOR, SUBUNIT 2
743	744	RXN00439	VV0112	18742	18275	MOLYBDOPTERIN CO-FACTOR SYNTHESIS PROTEIN
745	746	F RXA00439	GR00104	2	196	MOLYBDOPTERIN CO-FACTOR SYNTHESIS PROTEIN
747	748	F RXA00442	GR00105	830	1087	MOLYBDOPTERIN CO-FACTOR SYNTHESIS PROTEIN

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
749	750	RXA00440	GR00104	196	654	MOLYBDENUM COFACTOR BIOSYNTHESIS PROTEIN CB
751	752	RXN00441	VV0112	19942	18779	MOLYBDOPTERIN CO-FACTOR SYNTHESIS PROTEIN
753	754	F RXA00441	GR00105	2	793	MOLYBDOPTERIN CO-FACTOR SYNTHESIS PROTEIN
755	756	RXN02085				5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
757	758	F RXA02085	GR00629	3496	5295	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
759	760	F RXA02086	GR00629	5252	5731	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
761	762	RXN02648				5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
763	764	F RXA02648	GR00751	5254	4730	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
765	766	F RXA02658	GR00752	14764	15447	5-METHYLTETRAHYDROPTEROYLTRIGLUTAMATE--HOMOCYSTEINE
						METHYLTRANSFERASE (EC 2.1.1.14)
767	768	RXA01516	GR00424	22360	22749	DIHYDRONEOPTERIN ALDOLASE (EC 4.1.2.25)
769	770	RXA01515	GR00424	21513	22364	DIHYDROPTEROATE SYNTHASE (EC 2.5.1.15)
771	772	RXA02024	GR00613	4026	4784	DIHYDROPTEROATE SYNTHASE (EC 2.5.1.15)
773	774	RXA01719	GR00488	1264	704	MOLYBDOPTERIN-GUANINE DINUCLEOTIDE BIOSYNTHESIS PROTEIN A
775	776	RXA01720	GR00488	2476	1268	MOLYBDOPTERIN BIOSYNTHESIS MOEA PROTEIN
777	778	RXS03223				MOLYBDOPTERIN BIOSYNTHESIS MOEA PROTEIN
779	780	F RXA01970	GR00568	2	1207	MOLYBDOPTERIN BIOSYNTHESIS MOEA PROTEIN
781	782	RXA02629	GR00748	1274	690	MOLYBDOPTERIN BIOSYNTHESIS CNX1 PROTEIN
783	784	RXA02318	GR00665	9684	9962	(D90909) pterin-4a-carbinolamine dehydratase [Synecocystis sp.]
785	786	RXA01517	GR00424	22752	23228	2-AMINO-4-HYDROXY-6-HYDROXYMETHYLDIHYDROPTERIDINE
						PYROPHOSPHOKINASE (EC 2.7.6.3)
787	788	RXN01304	VV0148	4449	4934	MOLYBDOPTERIN BIOSYNTHESIS MOG PROTEIN
789	790	RXS02556				FLAVOHEMOPROTEIN / DIHYDROPTERIDINE REDUCTASE (EC 1.6.99.7)
791	792	RXS02560				OXYGEN-INSENSITIVE NAD(P)H NITROREDUCTASE (EC 1.-.-.-) / DIHYDROPTERIDINE REDUCTASE (EC1.6.99.7)

Vitamin B₁₂, porphyrins and heme metabolism

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
793	794	RXA00382	GR00082	2752	1451	GLUTAMATE-1-SEMIALDEHYDE 2,1-AMINOMUTASE (EC 5.4.3.8)
795	796	RXA00156	GR00023	10509	9400	FERROCHELATASE (EC 4.99.1.1)
797	798	RXA00624	GR00163	7910	8596	FERROCHELATASE (EC 4.99.1.1)
799	800	RXA00306	GR00051	2206	1274	HEMK PROTEIN
801	802	RXA00884	GR00242	10137	11276	OXYGEN-INDEPENDENT COPROPORPHYRINOGEN III OXIDASE (EC 1.-.-.-)
803	804	RXN02503	VV0007	22456	22854	PORPHOBILINOGEN DEAMINASE (EC 4.3.1.8)
805	806	F RXA02503	GR00720	16906	17340	PORPHOBILINOGEN DEAMINASE (EC 4.3.1.8)
807	808	RXA00377	GR00081	1427	306	UROPORPHYRINOGEN DECARBOXYLASE (EC 4.1.1.37)
809	810	RXN02504	VV0007	22805	23362	PORPHOBILINOGEN DEAMINASE (EC 4.3.1.8)
811	812	F RXA02504	GR00720	17379	17816	PORPHOBILINOGEN DEAMINASE (EC 4.3.1.8)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
813	814	RXN01162	VV0088	1849	524	PRECORRIN-6Y METHYLASE (EC 2.1.1.-)
815	816	F RXA01162	GR00330	1248	4	PRECORRIN-6Y METHYLASE (EC 2.1.1.-)
817	818	RXA01692	GR00474	1498	749	UROPORPHYRIN-III C-METHYLTRANSFERASE (EC 2.1.1.107)
819	820	RXN00371	VV0226	4180	5973	UROPORPHYRIN-III C-METHYLTRANSFERASE (EC 2.1.1.107) / UROPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
821	822	F RXA00371	GR00078	929	6	UROPORPHYRIN-III C-METHYLTRANSFERASE (EC 2.1.1.107) / UROPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
823	824	F RXA00374	GR00079	1102	371	UROPORPHYRIN-III C-METHYLTRANSFERASE (EC 2.1.1.107) / UROPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
825	826	RXN00383	VV0223	4206	2863	PROTOPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
827	828	F RXA00376	GR00081	287	6	PROTOPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
829	830	F RXA00383	GR00082	3876	2863	PROTOPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
831	832	RXA01253	GR00365	2536	1787	PROTOPORPHYRIN-III SYNTHASE (EC 4.2.1.75)
833	834	RXA02134	GR00639	1721	801	COBYRIC ACID SYNTHASE
835	836	RXA02135	GR00639	2809	1736	COBALAMIN (5'-PHOSPHATE) SYNTHASE
837	838	RXA02136	GR00639	3362	2841	NICOTINATE-NUCLEOTIDE-DIMETHYLBENZIMIDAZOLE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.21)
839	840	RXN03114	VV0088	1	552	COBINAMIDE KINASE / COBINAMIDE PHOSPHATE GUANYLYLTRANSFERASE
841	842	RXN01810	VV0082	1739	663	COBG PROTEIN (EC 1.-.-.-)
843	844	RXS03205				HEMIN-BINDING PERIPLASMIC PROTEIN HMUT PRECURSOR
845	846	F RXA00306				HEMK PROTEIN
847	848	RXC01715				HEMK PROTEIN CYTOSOLIC PROTEIN INVOLVED IN PORPHYRIN METABOLISM

Vitamin C precursors

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
849	850	RXN00420	VV0112	2511	1048	L-GULONOLACTONE OXIDASE (EC 1.1.3.8)
851	852	F RXA00420	GR00096	2	541	L-GULONOLACTONE OXIDASE (EC 1.1.3.8)
853	854	F RXA00426	GR00097	1737	2258	L-GULONOLACTONE OXIDASE (EC 1.1.3.8)
855	856	RXN00708	VV0005	4678	3872	2,5-DIKETO-D-GLUCONIC ACID REDUCTASE (EC 1.1.1.-)
857	858	F RXA00708	GR00185	2030	1359	2,5-DIKETO-D-GLUCONIC ACID REDUCTASE (EC 1.1.1.-)
859	860	RXA02373	GR00688	1540	626	2,5-DIKETO-D-GLUCONIC ACID REDUCTASE (EC 1.1.1.-)
861	862	RXS00389				oxoglutarate semialdehyde dehydrogenase (EC 1.2.1.-)
863	864	RXS00419				ACETOACETYL-COA REDUCTASE (EC 1.1.1.36)
865	866	RXC00416				MEMBRANE SPANNING PROTEIN INVOLVED IN METABOLISM OF VITAMIN C PRECURSORS
867	868	RXC02206				OXIDOREDUCTASE INVOLVED IN METABOLISM OF VITAMIN C PRECURSORS

Vitamin K2

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
869	870	RXS03074				S-ADENOSYLMETHIONINE:2-DEMETHYLMENAQUINONE METHYLTRANSFERASE (EC 2.1.-.-)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
871	872	F RXA02906	GR10044	1142	645	S-ADENOSYLMETHIONINE:2-DEMETHYLMENAUQUINONE METHYLTRANSFERASE (EC 2.1.-.-)
873	874	RXA02315	GR00665	8011	6383	2-SUCCINYL-6-HYDROXY-2,4-CYCLOHEXADIENE-1-CARBOXYLATE SYNTHASE /2-OXOGLUTARATE DECARBOXYLASE (EC 4.1.1.71)
875	876	RXA02319	GR00665	9977	10933	NAPHTHOATE SYNTHASE (EC 4.1.3.36)
877	878	RXS00393				1,4-DIHYDROXY-2-NAPHTHOATE OCTAPRENYLTRANSFERASE (EC 2.5.-.-)
879	880	F RXA00393	GR00086	4030	4911	1,4-DIHYDROXY-2-NAPHTHOATE OCTAPRENYLTRANSFERASE (EC 2.5.-.-)
881	882	RXA00391	GR00086	2031	2750	O-SUCCINYL BENZOIC ACID--COA LIGASE (EC 6.2.1.26)
883	884	RXS02908				O-SUCCINYL BENZOIC ACID--COA LIGASE (EC 6.2.1.26)

Ubiquinone biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
885	886	RXA00997	GR00283	2389	1808	3-DEMETHYLBUBIQUINONE-9 3-METHYLTRANSFERASE (EC 2.1.1.64)
887	888	RXA02189	GR00842	986	249	3-DEMETHYLBUBIQUINONE-9 3-METHYLTRANSFERASE (EC 2.1.1.64)
889	890	RXA02311	GR00665	3073	2384	3-DEMETHYLBUBIQUINONE-9 3-METHYLTRANSFERASE (EC 2.1.1.64)
891	892	RXN02912	VV0135	13299	12547	UBIQUINONE/MENAUQUINONE BIOSYNTHESIS METHYLTRANSFERASE UBIE (EC 2.1.1.-)
893	894	RXS00998				COMA OPERON PROTEIN 2

Purines and Pyrimidines and other Nucleotides

Regulation of purine and pyrimidine biosynthesis pathways

Purine metabolism

Purine Biosynthesis

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
895	896	RXA01215	GR00352	1187	213	RIBOSE-PHOSPHATE PYROPHOSPHOKINASE, PRPP synthetase (EC 2.7.6.1)
897	898	RXN00558	VV0103	8235	9581	AMIDOPHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.14)
899	900	F RXA00558	GR00148	61	501	AMIDOPHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.14)
901	902	RXN00626	VV0135	11624	10362	PHOSPHORIBOSYLAMINE--GLYCINE LIGASE (EC 6.3.4.13)
903	904	F RXA00629	GR00165	1450	1713	PHOSPHORIBOSYLAMINE--GLYCINE LIGASE (EC 6.3.4.13)
905	906	F RXA00626	GR00164	1	780	PHOSPHORIBOSYLAMINE--GLYCINE LIGASE, GARS (EC 6.3.4.13)
907	908	RXA02623	GR00746	4875	4285	PHOSPHORIBOSYLAMINE--GLYCINE LIGASE (EC 6.3.4.13) / PHOSPHORIBOSYLFORMYLGLYCINAMIDINE CYCLO-LIGASE (EC 6.3.3.1) / PHOSPHORIBOSYLGLYCINAMIDE FORMYLTRANSFERASE (EC 2.1.2.2)
909	910	RXA01442	GR00418	10277	9054	PHOSPHORIBOSYLGLYCINAMIDE FORMYLTRANSFERASE 2 (EC 2.1.2.-)

Table 1 (continued)

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
911	912	RXN00537	VV0103	3351	5636	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE SYNTHASE (EC 6.3.5.3)
913	914	F RXA02805	GR00786	54	638	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE SYNTHASE (EC 6.3.5.3)
915	916	F RXA00537	GR00138	23	697	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE SYNTHASE (EC 6.3.5.3)
917	918	F RXA00561	GR00150	2	280	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE SYNTHASE (EC 6.3.5.3)
919	920	RXA00541	GR00139	2269	2937	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE SYNTHASE (EC 6.3.5.3)
921	922	RXA00620	GR00163	3049	3939	PHOSPHORIBOSYLAMIDOIMIDAZOLE-SUCCINOCARBOXAMIDE SYNTHASE (EC 6.3.2.6)
923	924	RXN00770	VV0103	9614	10783	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE CYCLO-LIGASE (EC 6.3.3.1)
925	926	F RXA00557	GR00147	15	818	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE CYCLO-LIGASE (EC 6.3.3.1)
927	928	F RXA00770	GR00204	7809	7495	PHOSPHORIBOSYLFORMYLGLYCINAMIDINE CYCLO-LIGASE (EC 6.3.3.1)
929	930	RXN02345	VV0078	4788	5984	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE ATPASE SUBUNIT (EC 4.1.1.21)
931	932	F RXA02345	GR00676	1534	725	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE ATPASE SUBUNIT (EC 4.1.1.21)
933	934	RXN02350	VV0078	8369	8863	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE CATALYTIC SUBUNIT (EC 4.1.1.21)
935	936	F RXA02346	GR00677	127	5	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE CATALYTIC SUBUNIT (EC 4.1.1.21)
937	938	F RXA02350	GR00678	1120	911	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE CATALYTIC SUBUNIT (EC 4.1.1.21)
939	940	RXA01087	GR00304	498	1373	PHOSPHORIBOSYLAMINOIMIDAZOLE CARBOXYLASE (EC 4.1.1.21)
941	942	RXA00619	GR00163	793	2220	ADENYLOSUCCINATE LYASE (EC 4.3.2.2)
943	944	RXA02622	GR00746	4274	2715	PHOSPHORIBOSYLAMINOIMIDAZOLECARBOXAMIDE FORMYLTRANSFERASE (EC 2.1.2.3) / IMP CYCLOHYDROLASE (EC 3.5.4.10)

GMP, GDP, AMP and ADP synthesis, from inosine-5'-monophosphate (IMP)

<u>Nucleic Acid</u> <u>SEQ ID NO</u>	<u>Amino Acid</u> <u>SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
945	946	RXN00488	VV0086	19066	20583	INOSINE-5'-MONOPHOSPHATE DEHYDROGENASE (EC 1.1.1.205)
947	948	F RXA00492	GR00122	1171	1644	INOSINE-5'-MONOPHOSPHATE DEHYDROGENASE (EC 1.1.1.205)
949	950	F RXA00488	GR00121	1	534	INOSINE-5'-MONOPHOSPHATE DEHYDROGENASE (EC 1.1.1.205)
951	952	RXA02469	GR00715	1927	497	INOSINE-5'-MONOPHOSPHATE DEHYDROGENASE (EC 1.1.1.205)
953	954	RXN00487	VV0086	23734	25302	GMP SYNTHASE [GLUTAMINE-HYDROLYZING] (EC 6.3.5.2)
955	956	F RXA00487	GR00120	712	2097	GMP SYNTHASE (EC 6.3.4.1)
957	958	RXA02237	GR00654	4577	5146	GUANYLATE KINASE (EC 2.7.4.8)
959	960	RXA01446	GR00418	17765	16476	ADENYLOSUCCINATE SYNTHETASE (EC 6.3.4.4)
961	962	RXA00619	GR00163	793	2220	ADENYLOSUCCINATE LYASE (EC 4.3.2.2)
963	964	RXA00688	GR00179	10443	10985	ADENYLYATE KINASE (EC 2.7.4.3)
965	966	RXA00266	GR00040	3769	3362	NUCLEOSIDE DIPHOSPHATE KINASE (EC 2.7.4.6)

Table 1 (continued)

GMP/AMP degrading activities

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
967	968	RXA00489	GR00121	654	1775	GMP REDUCTASE (EC 1.6.6.8)
969	970	RXN02281	VV0152	1893	3323	AMP NUCLEOSIDASE (EC 3.2.2.4)
971	972	F RXA02281	GR00659	1101	34	AMP NUCLEOSIDASE (EC 3.2.2.4)

Pyrimidine metabolism

Pyrimidine biosynthesis de novo:

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
973	974	RXA00147	GR00022	9722	10900	CARBAMOYL-PHOSPHATE SYNTHASE SMALL CHAIN (EC 6.3.5.5)
975	976	RXA00145	GR00022	7258	8193	ASPARTATE CARBAMOYLTRANSFERASE CATALYTIC CHAIN (EC 2.1.3.2)
977	978	RXA00146	GR00022	8249	9589	DIHYDROOROTASE (EC 3.5.2.3)
979	980	RXA02208	GR00647	2	1003	DIHYDROOROTATE DEHYDROGENASE (EC 1.3.3.1)
981	982	RXA01660	GR00462	591	1142	OROTATE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.10)
983	984	RXA02235	GR00654	3207	4040	OROTIDINE 5'-PHOSPHATE DECARBOXYLASE (EC 4.1.1.23)
985	986	RXN01892	VV0150	3020	3748	URIDYLATE KINASE (EC 2.7.4.-)
987	988	F RXA01892	GR00542	47	775	URIDYLATE KINASE (EC 2.7.4.-)
989	990	RXA00105	GR00014	16672	17346	THYMIDYLATE SYNTHASE (EC 2.1.1.45)
991	992	RXA00131	GR00020	7621	7013	THYMIDYLATE KINASE (EC 2.7.4.9)
993	994	RXA00266	GR00040	3769	3362	NUCLEOSIDE DIPHOSPHATE KINASE (EC 2.7.4.6)
995	996	RXA00718	GR00188	4576	5283	CYTIDYLATE KINASE (EC 2.7.4.14)
997	998	RXA01599	GR00447	8780	10441	CTP SYNTHASE (EC 6.3.4.2)
999	1000	RXN02234	VV0134	24708	28046	CARBAMOYL-PHOSPHATE SYNTHASE LARGE CHAIN (EC 6.3.5.5)
1001	1002	F RXA02234	GR00654	1	3198	CARBAMOYL-PHOSPHATE SYNTHASE LARGE CHAIN (EC 6.3.5.5)
1003	1004	RXN00450	VV0112	34491	34814	CYTOSINE DEAMINASE (EC 3.5.4.1)
1005	1006	F RXA00450	GR00110	322	5	CYTOSINE DEAMINASE (EC 3.5.4.1)
1007	1008	RXN02272	VV0020	15566	16810	CYTOSINE DEAMINASE (EC 3.5.4.1)
1009	1010	F RXA02272	GR00655	6691	7935	CREATININE DEAMINASE (EC 3.5.4.21)
1011	1012	RXN03004	VV0237	1862	2341	DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE (EC 3.5.4.13)
1013	1014	RXN03137	VV0129	9680	9579	THYMIDYLATE SYNTHASE (EC 2.1.1.45)
1015	1016	RXN03171	VV0328	568	1080	URACIL PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.9)
1017	1018	F RXA02857	GR10003	570	1082	URACIL PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.9)

Table 1 (continued)

Purine and pyrimidine base, nucleoside and nucleotide salvage, interconversion, reduction and degradation:
Purines:

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
1019	1020	RXA02771	GR00772	1329	1883	ADENINE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.7)
1021	1022	RXA01512	GR00424	17633	18232	HYPOXANTHINE-GUANINE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.8)
1023	1024	RXA02031	GR00618	3820	3347	XANTHINE-GUANINE PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.22)
1025	1026	RXA00981	GR00276	3388	4017	GTP PYROPHOSPHOKINASE (EC 2.7.6.5)
1027	1028	RXN02772	VV0171	2045	1011	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2)
1029	1030	F RXA02772	GR00772	1962	2741	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2)
1031	1032	F RXA02773	GR00772	2741	2902	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2)
1033	1034	RXA01835	GR00517	3147	3677	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2)
1035	1036	RXA01483	GR00422	19511	18240	DEOXYGUANOSINETRIPHOSPHATE TRIPHOSPHOHYDROLASE (EC 3.1.5.1)
1037	1038	RXN01027	VV0143	5761	6768	DIADENOSINE 5',5'''-P1,P4-TETRAPHOSPHATE HYDROLASE (EC 3.6.1.17)
1039	1040	F RXA01024	GR00293	661	5	DIADENOSINE 5',5'''-P1,P4-TETRAPHOSPHATE HYDROLASE (EC 3.6.1.17)
1041	1042	F RXA01027	GR00294	2580	2347	DIADENOSINE 5',5'''-P1,P4-TETRAPHOSPHATE HYDROLASE (EC 3.6.1.17)
1043	1044	RXA01528	GR00425	5653	5126	DIADENOSINE 5',5'''-P1,P4-TETRAPHOSPHATE HYDROLASE (EC 3.6.1.17)
1045	1046	RXA00072	GR00012	446	6	PHOSPHOADENOSINE PHOSPHOSULFATE REDUCTASE (EC 1.8.99.4)
1047	1048	RXA01878	GR00537	1239	2117	DIMETHYLADENOSINE TRANSFERASE (EC 2.1.1.1-)
1049	1050	RXN02281	VV0152	1893	3323	AMP NUCLEOSIDASE (EC 3.2.2.4)
1051	1052	F RXA02281	GR00659	1101	34	AMP NUCLEOSIDASE (EC 3.2.2.4)
1053	1054	RXN01240	VV0090	30442	29420	GTP PYROPHOSPHOKINASE (EC 2.7.6.5)
1055	1056	RXN02008	VV0171	1138	5	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2)

Pyrimidine and purine metabolism:

Nucleic Acid SEQ ID NO	Amino Acid SEQ ID NO	Identification Code	Contig.	NT Start	NT Stop	Function
1057	1058	RXN01940	VV0120	10268	9333	INOSINE-URIDINE PREFERRING NUCLEOSIDE HYDROLASE (EC 3.2.2.1)
1059	1060	F RXA01940	GR00557	3	581	INOSINE-URIDINE PREFERRING NUCLEOSIDE HYDROLASE (EC 3.2.2.1)
1061	1062	RXA02559	GR00731	5418	6320	INOSINE-URIDINE PREFERRING NUCLEOSIDE HYDROLASE (EC 3.2.2.1)
1063	1064	RXA02497	GR00720	10059	10985	EXOPOLYPHOSPHATASE (EC 3.6.1.11)
1065	1066	RXN01079	VV0084	38084	35982	RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE ALPHA CHAIN (EC 1.17.4.1)
1067	1068	F RXA01079	GR00301	693	4	RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE ALPHA CHAIN (EC 1.17.4.1)
1069	1070	F RXA01084	GR00302	3402	2062	RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE ALPHA CHAIN (EC 1.17.4.1)
1071	1072	RXN01920	VV0084	32843	31842	RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE 2 BETA CHAIN (EC 1.17.4.1)
1073	1074	F RXA01920	GR00550	1321	908	RIBONUCLEOTIDE REDUCTASE SUBUNIT R2F
1075	1076	RXA01080	GR00301	1240	797	NRDI PROTEIN
1077	1078	RXA00867	GR00237	1	627	POLYRIBONUCLEOTIDE NUCLEOTIDYLTRANSFERASE (EC 2.7.7.8)
1079	1080	RXA01416	GR00413	2	631	POLYRIBONUCLEOTIDE NUCLEOTIDYLTRANSFERASE (EC 2.7.7.8)
1081	1082	RXA01486	GR00423	660	4	POLYRIBONUCLEOTIDE NUCLEOTIDYLTRANSFERASE (EC 2.7.7.8)

Table 1 (continued)

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
1083	1084	RXA01678	GR00467	7162	7689	2',3'-CYCLIC-NUCLEOTIDE 2'-PHOSPHODIESTERASE (EC 3.1.4.16)
1085	1086	RXA01679	GR00467	7729	8964	2',3'-CYCLIC-NUCLEOTIDE 2'-PHOSPHODIESTERASE (EC 3.1.4.16)
1087	1088	RXN01488	VW0139	39842	40789	INOSINE-URIDINE PREFERRING NUCLEOSIDE HYDROLASE (EC 3.2.2.1)
1089	1090	RXC00540				CYTOSOLIC PROTEIN INVOLVED IN PURINE METABOLISM
1091	1092	RXC00560				PROTEIN INVOLVED IN PURINE METABOLISM
1093	1094	RXC01088				CYTOSOLIC PROTEIN INVOLVED IN PURINE METABOLISM
1095	1096	RXC02624				MEMBRANE SPANNING PROTEIN INVOLVED IN PURINE METABOLISM
1097	1098	RXC02665				PROTEIN INVOLVED IN PURINE METABOLISM
1099	1100	RXC02770				LIPOPROTEIN INVOLVED IN PURINE METABOLISM
1101	1102	RXC02238				PROTEIN INVOLVED IN METABOLISM OF S-ADENOSYLMETHIONINE, PURINES AND PANTOTHENATE
1103	1104	RXC01946				ABC TRANSPORTER ATP-BINDING PROTEIN INVOLVED IN PURINE METABOLISM

Pyrimidines:

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
1105	1106	RXN03171	VW0328	568	1080	URACIL PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.9)
1107	1108	F RXA02857	GR10003	570	1082	URACIL PHOSPHORIBOSYLTRANSFERASE (EC 2.4.2.9)
1109	1110	RXN00450	VW0112	34491	34814	CYTOSINE DEAMINASE (EC 3.5.4.1)
1111	1112	F RXA00450	GR00110	322	5	CYTOSINE DEAMINASE (EC 3.5.4.1)
1113	1114	RXA00465	GR00117	337	828	CYTOSINE DEAMINASE (EC 3.5.4.1)
1115	1116	RXA00717	GR00188	3617	4576	RIBOSOMAL LARGE SUBUNIT PSEUDOURIDINE SYNTHASE B (EC 4.2.1.70)
1117	1118	RXA01894	GR00542	1622	2476	PHOSPHATIDATE CYTIDYLYLTRANSFERASE (EC 2.7.7.41)
1119	1120	RXA02536	GR00726	8581	7826	BETA-UREIDOPROPIONASE (EC 3.5.1.6)
1121	1122	RXN01209	VW0270	1019	2446	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
1123	1124	F RXA01209	GR00348	1019	2446	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
1125	1126	RXN01617	VW0050	22187	22858	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
1127	1128	F RXA01617	GR00451	2	616	PHOSPHOMETHYLPYRIMIDINE KINASE (EC 2.7.4.7)
1129	1130	RXC01600				CYTOSOLIC PROTEIN INVOLVED IN PYRIMIDINE METABOLISM
1131	1132	RXC01622				CYTOSOLIC PROTEIN INVOLVED IN PYRIMIDINE METABOLISM
1133	1134	RXC00128				EXPORTED PROTEIN INVOLVED IN METABOLISM OF PYRIDINES AND ADENOSYLMOCYSTEINE
1135	1136	RXC01709				CYTOSOLIC PROTEIN INVOLVED IN PYRIMIDINE METABOLISM
1137	1138	RXC02207				EXPORTED PROTEIN INVOLVED IN PYRIMIDINE METABOLISM

Table 1 (continued)

Sugars
Trehalose

<u>Nucleic Acid SEQ ID NO</u>	<u>Amino Acid SEQ ID NO</u>	<u>Identification Code</u>	<u>Contig.</u>	<u>NT Start</u>	<u>NT Stop</u>	<u>Function</u>
1139	1140	RXA00347	GR00065	246	1013	TREHALOSE-PHOSPHATASE (EC 3.1.3.12)
1141	1142	RXN01239	VV0090	32921	30489	maltooligosyltrehalose synthase
1143	1144	F RXA01239	GR00358	5147	7579	maltooligosyltrehalose synthase
1145	1146	RXA02645	GR00751	714	2543	maltooligosyltrehalose trehalohydrolase
1147	1148	RXN02355	VV0051	735	4	TREHALOSE/MALTOSE BINDING PROTEIN
1149	1150	RXN02909	VV0135	38532	39017	Hypothetical Trehalose-Binding Protein
1151	1152	RXS00349				Hypothetical Trehalose Transport Protein
1153	1154	RXS03183				TREHALOSE/MALTOSE BINDING PROTEIN
1155	1156	RXC00874				TRANSMEMBRANE PROTEIN INVOLVED IN TREHALOSE METABOLISM

TABLE 2 - Excluded Genes

GenBank™ Accession No.	Gene Name	Gene Function	Reference
A09073	ppg	Phosphoenol pyruvate carboxylase	Bachmann, B. et al. "DNA fragment coding for phosphoenolpyruvat carboxylase, recombinant DNA carrying said fragment, strains carrying the recombinant DNA and method for producing L-amino acids using said strains," Patent: EP 0358940-A 3 03/21/90
A45579, A45581, A45583, A45585 A45587		Threonine dehydratase	Moeckel, B. et al. "Production of L-isoleucine by means of recombinant micro-organisms with deregulated threonine dehydratase," Patent: WO 9519442-A 5 07/20/95
AB003132	murC; ftsQ; ftsZ		Kobayashi, M. et al. "Cloning, sequencing, and characterization of the ftsZ gene from coryneform bacteria," <i>Biochem. Biophys. Res. Commun.</i> , 236(2):383-388 (1997)
AB015023	murC; ftsQ		Wachi, M. et al. "A murC gene from Coryneform bacteria," <i>Appl. Microbiol. Biotechnol.</i> , 51(2):223-228 (1999)
AB018530	dtsR		Kimura, E. et al. "Molecular cloning of a novel gene, dtsR, which rescues the detergent sensitivity of a mutant derived from <i>Brevibacterium lactofermentum</i> ," <i>Biosci. Biotechnol. Biochem.</i> , 60(10):1565-1570 (1996)
AB018531	dtsR1; dtsR2		
AB020624	murI	D-glutamate racemase	
AB023377	tkl	transketolase	
AB024708	gltB; gltD	Glutamine 2-oxoglutarate aminotransferase large and small subunits	
AB025424	acn	aconitase	
AB027714	rep	Replication protein	
AB027715	rep; aad	Replication protein; aminoglycoside adenyltransferase	
AF005242	argC	N-acetylglutamate-5-semialdehyde dehydrogenase	
AF005635	glnA	Glutamine synthetase	
AF030405	hisF	cyclase	
AF030520	argG	Argininosuccinate synthetase	
AF031518	argF	Ornithine carbamoyltransferase	
AF036932	aroD	3-dehydroquinate dehydratase	
AF038548	pyc	Pyruvate carboxylase	

Table 2 (continued)

AF038651	dcIAE; apt; rel	Dipeptide-binding protein; adenine phosphoribosyltransferase; GTP pyrophosphokinase	Wehmeier, L. et al. "The role of the Corynebacterium glutamicum rel gene in (p)ppGpp metabolism," <i>Microbiology</i> , 144:1853-1862 (1998)
AF041436	argR	Arginine repressor	
AF045998	impA	Inositol monophosphate phosphatase	
AF048764	argH	Argininosuccinate lyase	
AF049897	argC; argJ; argB; argD; argF; argR; argG; argH	N-acetylglutamylphosphate reductase; ornithine acetyltransferase; N-acetylglutamate kinase; acetylornithine transaminase; ornithine carbamoyltransferase; arginine repressor; argininosuccinate synthase; argininosuccinate lyase	
AF050109	inhA	Enoyl-acyl carrier protein reductase	
AF050166	hisG	ATP phosphoribosyltransferase	
AF051846	hisA	Phosphoribosylformimino-5-amino-1-phosphoribosyl-4-imidazolecarboxamide isomerase	
AF052652	metA	Homoserine O-acetyltransferase	Park, S. et al. "Isolation and analysis of metA, a methionine biosynthetic gene encoding homoserine acetyltransferase in Corynebacterium glutamicum," <i>Mol. Cells</i> , 8(3):286-294 (1998)
AF053071	aroB	Dehydroquinase synthetase	
AF060558	hisH	Glutamine amidotransferase	
AF086704	hisE	Phosphoribosyl-ATP-pyrophosphohydrolase	
AF114233	aroA	5-enolpyruvylshikimate 3-phosphate synthase	
AF116184	panD	L-aspartate-alpha-decarboxylase precursor	Dusch, N. et al. "Expression of the Corynebacterium glutamicum panD gene encoding L-aspartate-alpha-decarboxylase leads to pantothenate overproduction in Escherichia coli," <i>Appl. Environ. Microbiol.</i> , 65(4):1530-1539 (1999)
AF124518	aroD; aroE	3-dehydroquinase; shikimate dehydrogenase	
AF124600	aroC; aroK; aroB; pepQ	Chorismate synthase; shikimate kinase; 3-dehydroquinase synthase; putative cytoplasmic peptidase	
AF145897	inhA		
AF145898	inhA		

Table 2 (continued)

AJ001436	ectP	Transport of ectoine, glycine betaine, proline	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," <i>J. Bacteriol.</i> , 180(22):6005-6012 (1998)
AJ004934	dapD	Tetrahydrodipicolinate succinylase (incomplete)	Wehrmann, A. et al. "Different modes of diaminopimelate synthesis and their role in cell wall integrity: A study with <i>Corynebacterium glutamicum</i> ," <i>J. Bacteriol.</i> , 180(12):3159-3165 (1998)
AJ007732	ppc; secG; amt; ocd; soxA	Phosphoenolpyruvate-carboxylase; ?; high affinity ammonium uptake protein; putative ornithine-cyclodecarboxylase; sarcosine oxidase	
AJ010319	ftsY, glnB, glnD; srp; amtP	Involved in cell division; PII protein; uridylyltransferase (uridylyl-removing enzyme); signal recognition particle; low affinity ammonium uptake protein	Jakoby, M. et al. "Nitrogen regulation in <i>Corynebacterium glutamicum</i> ; Isolation of genes involved in biochemical characterization of corresponding proteins," <i>FEMS Microbiol.</i> , 173(2):303-310 (1999)
AJ132968	cat	Chloramphenicol acetyl transferase	
AJ224946	mgo	L-malate: quinone oxidoreductase	Molenaar, D. et al. "Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from <i>Corynebacterium glutamicum</i> ," <i>Eur. J. Biochem.</i> , 254(2):395-403 (1998)
AJ238250	ndh	NADH dehydrogenase	
AJ238703	porA	Porin	Lichtinger, T. et al. "Biochemical and biophysical characterization of the cell wall porin of <i>Corynebacterium glutamicum</i> : The channel is formed by a low molecular mass polypeptide," <i>Biochemistry</i> , 37(43):15024-15032 (1998)
D17429		Transposable element IS31831	Vertes et al. "Isolation and characterization of IS31831, a transposable element from <i>Corynebacterium glutamicum</i> ," <i>Mol. Microbiol.</i> , 11(4):739-746 (1994)
D84102	odhA	2-oxoglutarate dehydrogenase	Usuda, Y. et al. "Molecular cloning of the <i>Corynebacterium glutamicum</i> (Brevibacterium lactofermentum AJ12036) odhA gene encoding a novel type of 2-oxoglutarate dehydrogenase," <i>Microbiology</i> , 142:3347-3354 (1996)
E01358	hdh; hk	Homoserine dehydrogenase; homoserine kinase	Katsumata, R. et al. "Production of L-threonine and L-isoleucine," Patent: JP 1987232392-A 1 10/12/87
E01359		Upstream of the start codon of homoserine kinase gene	Katsumata, R. et al. "Production of L-threonine and L-isoleucine," Patent: JP 1987232392-A 2 10/12/87
E01375		Tryptophan operon	
E01376	trpL; trpE	Leader peptide; anthranilate synthase	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87

Table 2 (continued)

		Promoter and operator regions of tryptophan operon	
E01377			Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87
E03937		Biotin-synthase	Hatakeyama, K. et al. "DNA fragment containing gene capable of coding biotin synthetase and its utilization," Patent: JP 1992278088-A 1 10/02/92
E04040		Diamino pelargonic acid aminotransferase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04041		Desthiobiotinsynthetase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04307		Flavum aspartase	Kurusu, Y. et al. "Gene DNA coding aspartase and utilization thereof," Patent: JP 1993030977-A 1 02/09/93
E04376		Isocitric acid lyase	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04377		Isocitric acid lyase N-terminal fragment	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04484		Prephenate dehydratase	Sotouchi, N. et al. "Production of L-phenylalanine by fermentation," Patent: JP 1993076352-A 2 03/30/93
E05108		Aspartokinase	Fugono, N. et al. "Gene DNA coding Aspartokinase and its use," Patent: JP 1993184366-A 1 07/27/93
E05112		Dihydro-dipichorinate synthetase	Hatakeyama, K. et al. "Gene DNA coding dihydrodipicolinic acid synthetase and its use," Patent: JP 1993184371-A 1 07/27/93
E05776		Diaminopimelic acid dehydrogenase	Kobayashi, M. et al. "Gene DNA coding Diaminopimelic acid dehydrogenase and its use," Patent: JP 1993284970-A 1 11/02/93
E05779		Threonine synthase	Kohama, K. et al. "Gene DNA coding threonine synthase and its use," Patent: JP 1993284972-A 1 11/02/93
E06110		Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06111		Mutated Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06146		Acetohydroxy acid synthetase	Inui, M. et al. "Gene capable of coding Acetohydroxy acid synthetase and its use," Patent: JP 1993344893-A 1 12/27/93
E06825		Aspartokinase	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E06826		Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94

Table 2 (continued)

		Mutated aspartokinase alpha subunit	
E06827			Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E07701	secY		Honno, N. et al. "Gene DNA participating in integration of membrane protein to membrane," Patent: JP 1994169780-A 1 06/21/94
E08177		Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08178, E08179, E08180, E08181, E08182		Feedback inhibition-released Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08232		Acetohydroxy-acid isomeroreductase	Inui, M. et al. "Gene DNA coding acetohydroxy acid isomeroreductase," Patent: JP 1994277067-A 1 10/04/94
E08234	secE		Asai, Y. et al. "Gene DNA coding for translocation machinery of protein," Patent: JP 1994277073-A 1 10/04/94
E08643		FT aminotransferase and desthiobiotin synthetase promoter region	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08646		Biotin synthetase	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08649		Aspartase	Kohama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031478-A 1 02/03/95
E08900		Dihydrodipicolinate reductase	Madori, M. et al. "DNA fragment containing gene coding Dihydrodipicolinate acid reductase and utilization thereof," Patent: JP 1995075578-A 1 03/20/95
E08901		Diaminopimelic acid decarboxylase	Madori, M. et al. "DNA fragment containing gene coding Diaminopimelic acid decarboxylase and utilization thereof," Patent: JP 1995075579-A 1 03/20/95
E12594		Serine hydroxymethyltransferase	Hatakeyama, K. et al. "Production of L-tryptophan," Patent: JP 1997028391-A 1 02/04/97
E12760, E12759, E12758		transposase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12764		Arginyl-tRNA synthetase; diaminopimelic acid decarboxylase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12767		Dihydrodipicolinic acid synthetase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12770		aspartokinase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12773		Dihydrodipicolinic acid reductase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97

Table 2 (continued)

E13655		Glucose-6-phosphate dehydrogenase	Hatakeyama, K. et al. "Glucose-6-phosphate dehydrogenase and DNA capable of coding the same," Patent: JP 1997224661-A 1 09/02/97
L01508	ilvA	Threonine dehydratase	Moeckel, B. et al. "Functional and structural analysis of the threonine dehydratase of <i>Corynebacterium glutamicum</i> ," <i>J. Bacteriol.</i> , 174:8065-8072 (1992)
L07603	EC 4.2.1.15	3-deoxy-D-arabinoheptulosonate-7-phosphate synthase	Chen, C. et al. "The cloning and nucleotide sequence of <i>Corynebacterium glutamicum</i> 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene," <i>FEMS Microbiol. Lett.</i> , 107:223-230 (1993)
L09232	ilvB; ilvN; ilvC	Acetohydroxy acid synthase large subunit; Acetohydroxy acid synthase small subunit; Acetohydroxy acid isomeroreductase	Keilhauer, C. et al. "Isoleucine synthesis in <i>Corynebacterium glutamicum</i> : molecular analysis of the ilvB-ilvN-ilvC operon," <i>J. Bacteriol.</i> , 175(17):5595-5603 (1993)
L18874	PtsM	Phosphoenolpyruvate sugar phosphotransferase	Fouet, A. et al. "Bacillus subtilis sucrose-specific enzyme II of the phosphotransferase system: expression in <i>Escherichia coli</i> and homology to enzymes II from enteric bacteria," <i>PNAS USA</i> , 84(24):8773-8777 (1987); Lee, J.K. et al. "Nucleotide sequence of the gene encoding the <i>Corynebacterium glutamicum</i> mannose enzyme II and analyses of the deduced protein sequence," <i>FEMS Microbiol. Lett.</i> , 119(1-2):137-145 (1994)
L27123	aceB	Malate synthase	Lee, H.-S. et al. "Molecular characterization of aceB, a gene encoding malate synthase in <i>Corynebacterium glutamicum</i> ," <i>J. Microbiol. Biotechnol.</i> , 4(4):256-263 (1994)
L27126		Pyruvate kinase	Jetten, M. S. et al. "Structural and functional analysis of pyruvate kinase from <i>Corynebacterium glutamicum</i> ," <i>Appl. Environ. Microbiol.</i> , 60(7):2501-2507 (1994)
L28760	aceA	Isocitrate lyase	
L35906	dtxR	Diphtheria toxin repressor	Oguiza, J.A. et al. "Molecular cloning, DNA sequence analysis, and characterization of the <i>Corynebacterium diphtheriae</i> dtxR from <i>Brevibacterium lactofermentum</i> ," <i>J. Bacteriol.</i> , 177(2):465-467 (1995)
M13774		Prephenate dehydratase	Follettie, M.T. et al. "Molecular cloning and nucleotide sequence of the <i>Corynebacterium glutamicum</i> pheA gene," <i>J. Bacteriol.</i> , 167:695-702 (1986)
M16175	5S rRNA		Park, Y.-H. et al. "Phylogenetic analysis of the coryneform bacteria by 5S rRNA sequences," <i>J. Bacteriol.</i> , 169:1801-1806 (1987)
M16663	trpE	Anthranilate synthase, 5' end	Sano, K. et al. "Structure and function of the trp operon control regions of <i>Brevibacterium lactofermentum</i> , a glutamic-acid-producing bacterium," <i>Gene</i> , 52:191-200 (1987)
M16664	trpA	Tryptophan synthase, 3' end	Sano, K. et al. "Structure and function of the trp operon control regions of <i>Brevibacterium lactofermentum</i> , a glutamic-acid-producing bacterium," <i>Gene</i> , 52:191-200 (1987)

Table 2 (continued)

		Phosphoenolpyruvate carboxylase	
M25819			O'Regan, M. et al. "Cloning and nucleotide sequence of the Phosphoenolpyruvate carboxylase-coding gene of <i>Corynebacterium glutamicum</i> ATCC13032," <i>Gene</i> , 77(2):237-251 (1989)
M85106		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," <i>J. Gen. Microbiol.</i> , 138:1167-1175 (1992)
M85107, M85108		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," <i>J. Gen. Microbiol.</i> , 138:1167-1175 (1992)
M89931	aecD; brnQ; yhbW	Beta C-S lyase; branched-chain amino acid uptake carrier; hypothetical protein yhbW	Rossol, I. et al. "The <i>Corynebacterium glutamicum</i> aecD gene encodes a C-S lyase with alpha, beta-elimination activity that degrades aminoethylcysteine," <i>J. Bacteriol.</i> , 174(9):2968-2977 (1992); Tauch, A. et al. "Isoleucine uptake in <i>Corynebacterium glutamicum</i> ATCC 13032 is directed by the brnQ gene product," <i>Arch. Microbiol.</i> , 169(4):303-312 (1998)
S59299	trp	Leader gene (promoter)	Herry, D.M. et al. "Cloning of the trp gene cluster from a tryptophan-producing strain of <i>Corynebacterium glutamicum</i> : identification of a mutation in the trp leader sequence," <i>Appl. Environ. Microbiol.</i> , 59(3):791-799 (1993)
U11545	trpD	Anthranilate phosphoribosyltransferase	O'Gara, J.P. and Dunican, L.K. (1994) Complete nucleotide sequence of the <i>Corynebacterium glutamicum</i> ATCC 21850 trpD gene." Thesis, Microbiology Department, University College Galway, Ireland.
U13922	cglIM; cglIR; cglIR	Putative type II 5-cytosine methyltransferase; putative type II restriction endonuclease; putative type I or type III restriction endonuclease	Schafer, A. et al. "Cloning and characterization of a DNA region encoding a stress-sensitive restriction system from <i>Corynebacterium glutamicum</i> ATCC 13032 and analysis of its role in intergeneric conjugation with <i>Escherichia coli</i> ," <i>J. Bacteriol.</i> , 176(23):7309-7319 (1994); Schafer, A. et al. "The <i>Corynebacterium glutamicum</i> cglIM gene encoding a 5-cytosine in an McrBC-deficient <i>Escherichia coli</i> strain," <i>Gene</i> , 203(2):95-101 (1997)
U14965	recA		
U31224	ppx		Ankri, S. et al. "Mutations in the <i>Corynebacterium glutamicum</i> proline biosynthetic pathway: A natural bypass of the proA step," <i>J. Bacteriol.</i> , 178(15):4412-4419 (1996)
U31225	proC	L-proline: NADP+ 5-oxidoreductase	Ankri, S. et al. "Mutations in the <i>Corynebacterium glutamicum</i> proline biosynthetic pathway: A natural bypass of the proA step," <i>J. Bacteriol.</i> , 178(15):4412-4419 (1996)
U31230	obg; proB; unkdh	?; gamma glutamyl kinase; similar to D-isomer specific 2-hydroxyacid dehydrogenases	Ankri, S. et al. "Mutations in the <i>Corynebacterium glutamicum</i> proline biosynthetic pathway: A natural bypass of the proA step," <i>J. Bacteriol.</i> , 178(15):4412-4419 (1996)

Table 2 (continued)

U31281	bioB	Biotin synthase	Serebriiskii, I.G., "Two new members of the bio B superfamily: Cloning, sequencing and expression of bio B genes of <i>Methylobacillus flagellatum</i> and <i>Corynebacterium glutamicum</i> ," <i>Gene</i> , 175:15-22 (1996)
U35023	thtR; accBC	Thiosulfate sulfurtransferase; acyl CoA carboxylase	Jager, W. et al. "A <i>Corynebacterium glutamicum</i> gene encoding a two-domain protein similar to biotin carboxylases and biotin-carboxyl-carrier proteins," <i>Arch. Microbiol.</i> , 166(2):76-82 (1996)
U43535	cmr	Multidrug resistance protein	Jager, W. et al. "A <i>Corynebacterium glutamicum</i> gene conferring multidrug resistance in the heterologous host <i>Escherichia coli</i> ," <i>J. Bacteriol.</i> , 179(7):2449-2451 (1997)
U43536	clpB	Heat shock ATP-binding protein	
U53587	aphA-3	3'5"-aminoglycoside phosphotransferase	
U89648		<i>Corynebacterium glutamicum</i> unidentified sequence involved in histidine biosynthesis, partial sequence	
X04960	trpA; trpB; trpC; trpD; trpE; trpG; trpL	Tryptophan operon	Matsui, K. et al. "Complete nucleotide and deduced amino acid sequences of the <i>Brevibacterium lactofermentum</i> tryptophan operon," <i>Nucleic Acids Res.</i> , 14(24):10113-10114 (1986)
X07563	lys A	DAP decarboxylase (meso-diaminopimelate decarboxylase, EC 4.1.1.20)	Yeh, P. et al. "Nucleic sequence of the lysA gene of <i>Corynebacterium glutamicum</i> and possible mechanisms for modulation of its expression," <i>Mol. Gen. Genet.</i> , 212(1):112-119 (1988)
X14234	EC 4.1.1.31	Phosphoenolpyruvate carboxylase	Eikmanns, B.J. et al. "The Phosphoenolpyruvate carboxylase gene of <i>Corynebacterium glutamicum</i> : Molecular cloning, nucleotide sequence, and expression," <i>Mol. Gen. Genet.</i> , 218(2):330-339 (1989); Lepiniec, L. et al. "Sorghum Phosphoenolpyruvate carboxylase gene family: structure, function and molecular evolution," <i>Plant. Mol. Biol.</i> , 21 (3):487-502 (1993)
X17313	fda	Fructose-bisphosphate aldolase	Von der Osten, C.H. et al. "Molecular cloning, nucleotide sequence and fine-structural analysis of the <i>Corynebacterium glutamicum</i> fda gene: structural comparison of <i>C. glutamicum</i> fructose-1, 6-bisphosphate aldolase to class I and class II aldolases," <i>Mol. Microbiol.</i> ,
X53993	dapA	L-2, 3-dihydrodipicolinate synthetase (EC 4.2.1.52)	Bonnassie, S. et al. "Nucleic sequence of the dapA gene from <i>Corynebacterium glutamicum</i> ," <i>Nucleic Acids Res.</i> , 18(21):6421 (1990)
X54223		AttB-related site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of <i>Corynebacterium diphtheriae</i> , <i>Corynebacterium ulcerans</i> , <i>Corynebacterium glutamicum</i> , and the attP site of <i>lambdacorynephage</i> ," <i>FEMS. Microbiol. Lett.</i> , 66:299-302 (1990)
X54740	argS; lysA	Arginyl-tRNA synthetase; Diaminopimelate decarboxylase	Marcel, T. et al. "Nucleotide sequence and organization of the upstream region of the <i>Corynebacterium glutamicum</i> lysA gene," <i>Mol. Microbiol.</i> , 4(11):1819-1830 (1990)

Table 2 (continued)

X55994	trpL; trpE	Putative leader peptide; anthranilate synthase component 1	Heery, D.M. et al. "Nucleotide sequence of the Corynebacterium glutamicum trpE gene," <i>Nucleic Acids Res.</i> , 18(23):7138 (1990)
X56037	thrC	Threonine synthase	Han, K.S. et al. "The molecular structure of the Corynebacterium glutamicum threonine synthase gene," <i>Mol. Microbiol.</i> , 4(10):1693-1702 (1990)
X56075	attB-related site	Attachment site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdaCorynephage," <i>FEMS. Microbiol. Lett.</i> , 66:299-302 (1990)
X57226	lysC-alpha; lysC-beta; asd	Aspartokinase-alpha subunit; Aspartokinase-beta subunit; aspartate beta semialdehyde dehydrogenase	Kalinowski, J. et al. "Genetic and biochemical analysis of the Aspartokinase from Corynebacterium glutamicum," <i>Mol. Microbiol.</i> , 5(5):1197-1204 (1991); Kalinowski, J. et al. "Aspartokinase genes lysC alpha and lysC beta overlap and are adjacent to the aspartate beta-semialdehyde dehydrogenase gene asd in Corynebacterium glutamicum," <i>Mol. Gen. Genet.</i> , 224(3):317-324 (1990)
X59403	gap;pgk; tpi	Glyceraldehyde-3-phosphate; phosphoglycerate kinase; triosephosphate isomerase	Eikmanns, B.J. "Identification, sequence analysis, and expression of a Corynebacterium glutamicum gene cluster encoding the three glycolytic enzymes glyceraldehyde-3-phosphate dehydrogenase, 3-phosphoglycerate kinase, and triosephosphate isomerase," <i>J. Bacteriol.</i> , 174(19):6076-6086 (1992)
X59404	gdh	Glutamate dehydrogenase	Bormann, E.R. et al. "Molecular analysis of the Corynebacterium glutamicum gdh gene encoding glutamate dehydrogenase," <i>Mol. Microbiol.</i> , 6(3):317-326 (1992)
X60312	lysI	L-lysine permease	Seep-Feldhaus, A.H. et al. "Molecular analysis of the Corynebacterium glutamicum lysI gene involved in lysine uptake," <i>Mol. Microbiol.</i> , 5(12):2995-3005 (1991)
X66078	cspI	PsI protein	Joliff, G. et al. "Cloning and nucleotide sequence of the cspI gene encoding PS1, one of the two major secreted proteins of Corynebacterium glutamicum: The deduced N-terminal region of PS1 is similar to the Mycobacterium antigen 85 complex," <i>Mol. Microbiol.</i> , 6(16):2349-2362 (1992)
X66112	glt	Citrate synthase	Eikmanns, B.J. et al. "Cloning sequence, expression and transcriptional analysis of the Corynebacterium glutamicum gltA gene encoding citrate synthase," <i>Microbiol.</i> , 140:1817-1828 (1994)
X67737	dapB	Dihydrodipicolinate reductase	
X69103	csp2	Surface layer protein PS2	Peyret, J.L. et al. "Characterization of the cspB gene encoding PS2, an ordered surface-layer protein in Corynebacterium glutamicum," <i>Mol. Microbiol.</i> , 9(1):97-109 (1993)
X69104		IS3 related insertion element	Bonamy, C. et al. "Identification of IS1206, a Corynebacterium glutamicum IS3-related insertion sequence and phylogenetic analysis," <i>Mol. Microbiol.</i> , 14(3):571-581 (1994)

Table 2 (continued)

	leuA	Isopropylmalate synthase	
X70959			Patek, M. et al. "Leucine synthesis in <i>Corynebacterium glutamicum</i> : enzyme activities, structure of leuA, and effect of leuA inactivation on lysine synthesis," <i>Appl. Environ. Microbiol.</i> , 60(1):133-140 (1994)
X71489	icd	Isocitrate dehydrogenase (NADP+)	Eikmanns, B.J. et al. "Cloning sequence analysis, expression, and inactivation of the <i>Corynebacterium glutamicum</i> icd gene encoding isocitrate dehydrogenase and biochemical characterization of the enzyme," <i>J. Bacteriol.</i> , 177(3):774-782 (1995)
X72855	GDHA	Glutamate dehydrogenase (NADP+)	
X75083, X70584	mtrA	5-methyltryptophan resistance	Heery, D.M. et al. "A sequence from a tryptophan-hyperproducing strain of <i>Corynebacterium glutamicum</i> encoding resistance to 5-methyltryptophan," <i>Biochem. Biophys. Res. Commun.</i> , 201(3):1255-1262 (1994)
X75085	recA		Fitzpatrick, R. et al. "Construction and characterization of recA mutant strains of <i>Corynebacterium glutamicum</i> and <i>Brevibacterium lactofermentum</i> ," <i>Appl. Microbiol. Biotechnol.</i> , 42(4):575-580 (1994)
X75504	aceA; thiX	Partial Isocitrate lyase; ?	Reinscheid, D.J. et al. "Characterization of the isocitrate lyase gene from <i>Corynebacterium glutamicum</i> and biochemical analysis of the enzyme," <i>J. Bacteriol.</i> , 176(12):3474-3483 (1994)
X76875		ATPase beta-subunit	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," <i>Antonie Van Leeuwenhoek</i> , 64:285-305 (1993)
X77034	tuf	Elongation factor Tu	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," <i>Antonie Van Leeuwenhoek</i> , 64:285-305 (1993)
X77384	recA		Billman-Jacobe, H. "Nucleotide sequence of a recA gene from <i>Corynebacterium glutamicum</i> ," <i>DNA Seq.</i> , 4(6):403-404 (1994)
X78491	aceB	Malate synthase	Reinscheid, D.J. et al. "Malate synthase from <i>Corynebacterium glutamicum</i> pta-ack operon encoding phosphotransacetylase: sequence analysis," <i>Microbiology</i> , 140:3099-3108 (1994)
X80629	16S rDNA	16S ribosomal RNA	Rainey, F.A. et al. "Phylogenetic analysis of the genera <i>Rhodococcus</i> and <i>Norcardia</i> and evidence for the evolutionary origin of the genus <i>Norcardia</i> from within the radiation of <i>Rhodococcus</i> species," <i>Microbiol.</i> , 141:523-528 (1995)
X81191	gluA; gluB; gluC; gluD	Glutamate uptake system	Kronmeyer, W. et al. "Structure of the gluABCD cluster encoding the glutamate uptake system of <i>Corynebacterium glutamicum</i> ," <i>J. Bacteriol.</i> , 177(5):1152-1158 (1995)
X81379	dapE	Succinylidiaminopimelate desuccinylase	Wehrmann, A. et al. "Analysis of different DNA fragments of <i>Corynebacterium glutamicum</i> complementing dapE of <i>Escherichia coli</i> ," <i>Microbiology</i> , 40:3349-56 (1994)

Table 2 (continued)

	16S rDNA	16S ribosomal RNA	
X82061			Ruimy, R. et al. "Phylogeny of the genus <i>Corynebacterium</i> deduced from analyses of small-subunit ribosomal DNA sequences," <i>Int. J. Syst. Bacteriol.</i> , 45(4):740-746 (1995)
X82928	asd; lysC	Aspartate-semialdehyde dehydrogenase; ?	Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA in proA mutants," <i>J. Bacteriol.</i> , 177(24):7255-7260 (1995)
X82929	proA	Gamma-glutamyl phosphate reductase	Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA in proA mutants," <i>J. Bacteriol.</i> , 177(24):7255-7260 (1995)
X84257	16S rDNA	16S ribosomal RNA	Pascual, C. et al. "Phylogenetic analysis of the genus <i>Corynebacterium</i> based on 16S rRNA gene sequences," <i>Int. J. Syst. Bacteriol.</i> , 45(4):724-728 (1995)
X85965	aroP; dapE	Aromatic amino acid permease; ?	Wehrmann et al. "Functional analysis of sequences adjacent to dapE of <i>C. glutamicum</i> proline reveals the presence of aroP, which encodes the aromatic amino acid transporter," <i>J. Bacteriol.</i> , 177(20):5991-5993 (1995)
X86157	argB; argC; argD; argF; argJ	Acetylglutamate kinase; N-acetyl-gamma-glutamyl-phosphate reductase; acetylornithine aminotransferase; ornithine carbamoyltransferase; glutamate N-acetyltransferase	Sakanyan, V. et al. "Genes and enzymes of the acetyl cycle of arginine biosynthesis in <i>Corynebacterium glutamicum</i> : enzyme evolution in the early steps of the arginine pathway," <i>Microbiology</i> , 142:99-108 (1996)
X89084	pta; ackA	Phosphate acetyltransferase; acetate kinase	Reinscheid, D.J. et al. "Cloning, sequence analysis, expression and inactivation of the <i>Corynebacterium glutamicum</i> pta-ack operon encoding phosphotransacetylase and acetate kinase," <i>Microbiology</i> , 145:503-513 (1999)
X89850	attB	Attachment site	Le Marrec, C. et al. "Genetic characterization of site-specific integration functions of phi AAU2 infecting 'Arthrobacter aureus C70,' <i>J. Bacteriol.</i> , 178(7):1996-2004 (1996)
X90356		Promoter fragment F1	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90357		Promoter fragment F2	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90358		Promoter fragment F10	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90359		Promoter fragment F13	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)

Table 2 (continued)

X90360		Promoter fragment F22	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90361		Promoter fragment F34	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90362		Promoter fragment F37	Patek, M. et al. "Promoters from <i>C. glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90363		Promoter fragment F45	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90364		Promoter fragment F64	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90365		Promoter fragment F75	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90366		Promoter fragment PF101	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90367		Promoter fragment PF104	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90368		Promoter fragment PF109	Patek, M. et al. "Promoters from <i>Corynebacterium glutamicum</i> : cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X93513	amt	Ammonium transport system	Siewe, R.M. et al. "Functional and genetic characterization of the (methyl) ammonium uptake carrier of <i>Corynebacterium glutamicum</i> ," <i>J. Biol. Chem.</i> , 271(10):5398-5403 (1996)
X93514	betP	Glycine betaine transport system	Peter, H. et al. "Isolation, characterization, and expression of the <i>Corynebacterium glutamicum</i> betP gene, encoding the transport system for the compatible solute glycine betaine," <i>J. Bacteriol.</i> , 178(17):5229-5234 (1996)
X95649	orf4		Patek, M. et al. "Identification and transcriptional analysis of the dapB-ORF2-dapA-ORF4 operon of <i>Corynebacterium glutamicum</i> , encoding two enzymes involved in L-lysine synthesis," <i>Biotechnol. Lett.</i> , 19:1113-1117 (1997)
X96471	lysE; lysG	Lysine exporter protein; Lysine export regulator protein	Vrlić, M. et al. "A new type of transporter with a new type of cellular function: L-lysine export from <i>Corynebacterium glutamicum</i> ," <i>Mol. Microbiol.</i> , 22(5):815-826 (1996)

Table 2 (continued)

X96580	panB; panC; xylB	3-methyl-2-oxobutanoate hydroxymethyltransferase; pantoate-beta-alanine ligase; xylulokinase	Sahm, H. et al. "D-pantothenate synthesis in Corynebacterium glutamicum and use of panBC and genes encoding L-valine synthesis for D-pantothenate overproduction," <i>Appl. Environ. Microbiol.</i> , 65(5):1973-1979 (1999)
X96962		Insertion sequence IS1207 and transposase	
X99289		Elongation factor P	Ramos, A. et al. "Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer Brevibacterium lactofermentum (Corynebacterium glutamicum ATCC 13869)," <i>Gene</i> , 198:217-222 (1997)
Y00140	thrB	Homoserine kinase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine kinase (thrB) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(9):3922 (1987)
Y00151	ddh	Meso-diaminopimelate D-dehydrogenase (EC 1.4.1.16)	Ishino, S. et al. "Nucleotide sequence of the meso-diaminopimelate D-dehydrogenase gene from Corynebacterium glutamicum," <i>Nucleic Acids Res.</i> , 15(9):3917 (1987)
Y00476	thrA	Homoserine dehydrogenase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine dehydrogenase (thrA) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(24):10598 (1987)
Y00546	hom; thrB	Homoserine dehydrogenase; homoserine kinase	Peoples, O.P. et al. "Nucleotide sequence and fine structural analysis of the Corynebacterium glutamicum hom-thrB operon," <i>Mol. Microbiol.</i> , 2(1):63-72 (1988)
Y08964	murC; ftsQ/divD; ftsZ	UPD-N-acetylmuramate-alanine ligase; division initiation protein or cell division protein; cell division protein	Honrubia, M.P. et al. "Identification, characterization, and chromosomal organization of the ftsZ gene from Brevibacterium lactofermentum," <i>Mol. Gen. Genet.</i> , 259(1):97-104 (1998)
Y09163	putP	High affinity proline transport system	Peter, H. et al. "Isolation of the putP gene of Corynebacterium glutamicum proline and characterization of a low-affinity uptake system for compatible solutes," <i>Arch. Microbiol.</i> , 168(2):143-151 (1997)
Y09548	pyc	Pyruvate carboxylase	Peters-Wendisch, P.G. et al. "Pyruvate carboxylase from Corynebacterium glutamicum: characterization, expression and inactivation of the pyc gene," <i>Microbiology</i> , 144:915-927 (1998)
Y09578	leuB	3-isopropylmalate dehydrogenase	Patek, M. et al. "Analysis of the leuB gene from Corynebacterium glutamicum," <i>Appl. Microbiol. Biotechnol.</i> , 50(1):42-47 (1998)
Y12472		Attachment site bacteriophage Phi-16	Moreau, S. et al. "Site-specific integration of corynephage Phi-16: The construction of an integration vector," <i>Microbiol.</i> , 145:539-548 (1999)
Y12537	proP	Proline/ectoine uptake system protein	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," <i>J. Bacteriol.</i> , 180(22):6005-6012 (1998)

Table 2 (continued)

Y13221	glnA	Glutamine synthetase I	Jakoby, M. et al. "Isolation of <i>Corynebacterium glutamicum</i> glnA gene encoding glutamine synthetase I," <i>FEMS Microbiol. Lett.</i> , 154(1):81-88 (1997)
Y16642	lpd	Dihydrolipoamide dehydrogenase	
Y18059		Attachment site Corynepage 304L	
Z21501	argS; lysA	Arginyl-tRNA synthetase; diaminopimelate decarboxylase (partial)	Moreau, S. et al. "Analysis of the integration functions of φ304L: An integrase module among corynephages," <i>Virology</i> , 255(1):150-159 (1999)
Z21502	dapA; dapB	Dihydrodipicolinate synthase; dihydrodipicolinate reductase	Oguiza, J.A. et al. "A gene encoding arginyl-tRNA synthetase is located in the upstream region of the lysA gene in <i>Brevibacterium lactofermentum</i> : Regulation of argS-lysA cluster expression by arginine," <i>J. Bacteriol.</i> , 175(22):7356-7362 (1993)
Z29563	thrC	Threonine synthase	Pisabarro, A. et al. "A cluster of three genes (dapA, orf2, and dapB) of <i>Brevibacterium lactofermentum</i> encodes dihydrodipicolinate reductase, and a third polypeptide of unknown function," <i>J. Bacteriol.</i> , 175(9):2743-2749 (1993)
Z46753	16S rDNA	Gene for 16S ribosomal RNA	Malumbres, M. et al. "Analysis and expression of the thrC gene of the encoded threonine synthase," <i>Appl. Environ. Microbiol.</i> , 60(7):2209-2219 (1994)
Z49822	sigA	SigA sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in <i>Brevibacterium lactofermentum</i> : Characterization of sigA and sigB," <i>J. Bacteriol.</i> , 178(2):550-553 (1996)
Z49823	galE; dtxR	Catalytic activity UDP-galactose 4-epimerase; diphtheria toxin regulatory protein	Oguiza, J.A. et al "The galE gene encoding the UDP-galactose 4-epimerase of <i>Brevibacterium lactofermentum</i> is coupled transcriptionally to the dmdR gene," <i>Gene</i> , 177:103-107 (1996)
Z49824	orf1; sigB	?; SigB sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in <i>Brevibacterium lactofermentum</i> : Characterization of sigA and sigB," <i>J. Bacteriol.</i> , 178(2):550-553 (1996)
Z66534		Transposase	Correia, A. et al. "Cloning and characterization of an IS-like element present in the genome of <i>Brevibacterium lactofermentum</i> ATCC 13869," <i>Gene</i> , 170(1):91-94 (1996)
A sequence for this gene was published in the indicated reference. However, the sequence obtained by the inventors of the present application is significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.			

TABLE 3: Corynebacterium and Brevibacterium Strains Which May be Used in the Practice of the Invention

Genus	species	ATCC	FERM	NRRL	ECT	NCIMB	CBS	NCTC	DSMZ
Brevibacterium	ammoniagenes	21054							
Brevibacterium	ammoniagenes	19350							
Brevibacterium	ammoniagenes	19351							
Brevibacterium	ammoniagenes	19352							
Brevibacterium	ammoniagenes	19353							
Brevibacterium	ammoniagenes	19354							
Brevibacterium	ammoniagenes	19355							
Brevibacterium	ammoniagenes	19356							
Brevibacterium	ammoniagenes	21055							
Brevibacterium	ammoniagenes	21077							
Brevibacterium	ammoniagenes	21553							
Brevibacterium	ammoniagenes	21580							
Brevibacterium	ammoniagenes	39101							
Brevibacterium	butanicum	21196							
Brevibacterium	divaricatum	21792	P928						
Brevibacterium	flavum	21474							
Brevibacterium	flavum	21129							
Brevibacterium	flavum	21518							
Brevibacterium	flavum			B11474					
Brevibacterium	flavum			B11472					
Brevibacterium	flavum	21127							
Brevibacterium	flavum	21128							
Brevibacterium	flavum	21427							
Brevibacterium	flavum	21475							
Brevibacterium	flavum	21517							
Brevibacterium	flavum	21528							
Brevibacterium	flavum	21529							
Brevibacterium	flavum			B11477					
Brevibacterium	flavum			B11478					
Brevibacterium	flavum	21127							
Brevibacterium	flavum			B11474					
Brevibacterium	healii	15527							
Brevibacterium	ketoglutamicum	21004							
Brevibacterium	ketoglutamicum	21089							
Brevibacterium	ketosoreductum	21914							
Brevibacterium	lactofermentum				70				
Brevibacterium	lactofermentum				74				
Brevibacterium	lactofermentum				77				
Brevibacterium	lactofermentum	21798							
Brevibacterium	lactofermentum	21799							
Brevibacterium	lactofermentum	21800							
Brevibacterium	lactofermentum	21801							
Brevibacterium	lactofermentum			B11470					
Brevibacterium	lactofermentum			B11471					

Genus	species	ATCC	FERM	NRRL	CEGT	NCIMB	CBS	CGTC	DSMZ
Brevibacterium	lactofermentum	21086							
Brevibacterium	lactofermentum	21420							
Brevibacterium	lactofermentum	21086							
Brevibacterium	lactofermentum	31269							
Brevibacterium	linens	9174							
Brevibacterium	linens	19391							
Brevibacterium	linens	8377							
Brevibacterium	paraffinolyticum					11160			
Brevibacterium	spec.						717.73		
Brevibacterium	spec.						717.73		
Brevibacterium	spec.	14604							
Brevibacterium	spec.	21860							
Brevibacterium	spec.	21864							
Brevibacterium	spec.	21865							
Brevibacterium	spec.	21866							
Brevibacterium	spec.	19240							
Corynebacterium	acetoacidophilum	21476							
Corynebacterium	acetoacidophilum	13870							
Corynebacterium	acetoglutamicum			B11473					
Corynebacterium	acetoglutamicum			B11475					
Corynebacterium	acetoglutamicum	15806							
Corynebacterium	acetoglutamicum	21491							
Corynebacterium	acetoglutamicum	31270							
Corynebacterium	acetophilum			B3671					
Corynebacterium	ammoniagenes	6872						2399	
Corynebacterium	ammoniagenes	15511							
Corynebacterium	fujikense	21496							
Corynebacterium	glutamicum	14067							
Corynebacterium	glutamicum	39137							
Corynebacterium	glutamicum	21254							
Corynebacterium	glutamicum	21255							
Corynebacterium	glutamicum	31830							
Corynebacterium	glutamicum	13032							
Corynebacterium	glutamicum	14305							
Corynebacterium	glutamicum	15455							
Corynebacterium	glutamicum	13058							
Corynebacterium	glutamicum	13059							
Corynebacterium	glutamicum	13060							
Corynebacterium	glutamicum	21492							
Corynebacterium	glutamicum	21513							
Corynebacterium	glutamicum	21526							
Corynebacterium	glutamicum	21543							
Corynebacterium	glutamicum	13287							
Corynebacterium	glutamicum	21851							
Corynebacterium	glutamicum	21253							
Corynebacterium	glutamicum	21514							
Corynebacterium	glutamicum	21516							
Corynebacterium	glutamicum	21299							

Genus	species	ATCC	FERM	NRRL	CECT	NCIMB	CBS	NCTC	DSMZ
Corynebacterium	glutamicum	21300							
Corynebacterium	glutamicum	39684							
Corynebacterium	glutamicum	21488							
Corynebacterium	glutamicum	21649							
Corynebacterium	glutamicum	21650							
Corynebacterium	glutamicum	19223							
Corynebacterium	glutamicum	13869							
Corynebacterium	glutamicum	21157							
Corynebacterium	glutamicum	21158							
Corynebacterium	glutamicum	21159							
Corynebacterium	glutamicum	21355							
Corynebacterium	glutamicum	31808							
Corynebacterium	glutamicum	21674							
Corynebacterium	glutamicum	21562							
Corynebacterium	glutamicum	21563							
Corynebacterium	glutamicum	21564							
Corynebacterium	glutamicum	21565							
Corynebacterium	glutamicum	21566							
Corynebacterium	glutamicum	21567							
Corynebacterium	glutamicum	21568							
Corynebacterium	glutamicum	21569							
Corynebacterium	glutamicum	21570							
Corynebacterium	glutamicum	21571							
Corynebacterium	glutamicum	21572							
Corynebacterium	glutamicum	21573							
Corynebacterium	glutamicum	21579							
Corynebacterium	glutamicum	19049							
Corynebacterium	glutamicum	19050							
Corynebacterium	glutamicum	19051							
Corynebacterium	glutamicum	19052							
Corynebacterium	glutamicum	19053							
Corynebacterium	glutamicum	19054							
Corynebacterium	glutamicum	19055							
Corynebacterium	glutamicum	19056							
Corynebacterium	glutamicum	19057							
Corynebacterium	glutamicum	19058							
Corynebacterium	glutamicum	19059							
Corynebacterium	glutamicum	19060							
Corynebacterium	glutamicum	19185							
Corynebacterium	glutamicum	13286							
Corynebacterium	glutamicum	21515							
Corynebacterium	glutamicum	21527							
Corynebacterium	glutamicum	21544							
Corynebacterium	glutamicum	21492							
Corynebacterium	glutamicum			B8183					
Corynebacterium	glutamicum			B8182					
Corynebacterium	glutamicum			B12416					
Corynebacterium	glutamicum			B12417					

Genus	species	ATCC	FERM	NRRL	CECT	NCIMB	CBS	NCTC	DSMZ
Corynebacterium	glutamicum			B12418					
Corynebacterium	glutamicum			B11476					
Corynebacterium	glutamicum	21608							
Corynebacterium	lilium		P973						
Corynebacterium	nitrilophilus	21419				11594			
Corynebacterium	spec.		P4445						
Corynebacterium	spec.		P4446						
Corynebacterium	spec.	31088							
Corynebacterium	spec.	31089							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	15954							20145
Corynebacterium	spec.	21857							
Corynebacterium	spec.	21862							
Corynebacterium	spec.	21863							

ATCC: American Type Culture Collection, Rockville, MD, USA

FERM: Fermentation Research Institute, Chiba, Japan

NRRL: ARS Culture Collection, Northern Regional Research Laboratory, Peoria, IL, USA

CECT: Coleccion Espanola de Cultivos Tipo, Valencia, Spain

NCIMB: National Collection of Industrial and Marine Bacteria Ltd., Aberdeen, UK

CBS: Centraalbureau voor Schimmelcultures, Baarn, NL

NCTC: National Collection of Type Cultures, London, UK

DSMZ: Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig, Germany

For reference see Sugawara, H. et al. (1993) World directory of collections of cultures of microorganisms: Bacteria, fungi and yeasts (4th edn), World federation for culture collections world data center on microorganisms, Saimata, Japan.

Table 4: Alignment Results

ID #	length (NT)	Genbank Hit	Length	Accession	Name of Genbank Hit	Source of Genbank Hit	% homology (GAP)	Date of Deposit
rx00023	3579	GB_EST33:AI776129	483	AI776129	EST257217 tomato resistant, Cornell Lycopersicon esculentum cDNA clone cLER17D3, mRNA sequence.	Lycopersicon esculentum	40,956	29-Jun-99
		GB_EST33:AI776129	483	AI776129	EST257217 tomato resistant, Cornell Lycopersicon esculentum cDNA clone cLER17D3, mRNA sequence.	Lycopersicon esculentum	40,956	29-Jun-99
rx00044	1059	EM_PAT:E11760	6911	E11760	Base sequence of sucrose gene.	Corynebacterium glutamicum	42,979	08-OCT- 1997 (Rel. 52, Created)
		GB_PAT:126124	6911	126124	Sequence 4 from patent US 5556776.	Unknown.	42,979	07-OCT- 1996
		GB_BA2:ECOUW89	176195	U00006	E. coli chromosomal region from 89.2 to 92.8 minutes.	Escherichia coli	39,097	17-DEC- 1993
rx00064	1401	GB_PAT:E16763	2517	E16763	gDNA encoding aspartate transferase (AAT).	Corynebacterium glutamicum	95,429	28-Jul-99
		GB_HTG2:AC007892	134257	AC007892	Drosophila melanogaster chromosome 3 clone BACR02O03 (D797) RPCI-98 02.O.3 map 99B-99B strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 113 unordered pieces.	Drosophila melanogaster	31,111	2-Aug-99
		GB_HTG2:AC007892	134257	AC007892	Drosophila melanogaster chromosome 3 clone BACR02O03 (D797) RPCI-98 02.O.3 map 99B-99B strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 113 unordered pieces.	Drosophila melanogaster	31,111	2-Aug-99
rx00072								
rx00105	798	GB_BA1:MTV002	56414	AL008967	Mycobacterium tuberculosis H37Rv complete genome; segment 122/162.	Mycobacterium tuberculosis	37,753	17-Jun-98
		GB_BA1:ECU29581	71128	U29581	Escherichia coli K-12 genome, approximately 63 to 64 minutes.	Escherichia coli	35,669	14-Jan-97
		GB_BA2:AE000366	10405	AE000366	Escherichia coli K-12 MG1655 section 256 of 400 of the complete genome.	Escherichia coli	35,669	12-Nov-98
rx00106	579	GB_EST15:AA494237	367	AA494237	ng83f04.s1 NCI_CGAP_Pf6 Homo sapiens cDNA clone IMAGE:941407 similar to SW:DYR_LACCA P00381 DIHYDROFOLATE REDUCTASE ;, mRNA sequence.	Homo sapiens	42,896	20-Aug-97
		GB_BA2:AF161327	2021	AF161327	Corynebacterium diphtheriae histidine kinase ChrS (chrS) and response regulator ChrA (chrA) genes, complete cds.	Corynebacterium diphtheriae	40,210	9-Sep-99
		GB_PAT:AR041189	654	AR041189	Sequence 4 from patent US 5811286.	Unknown.	41,176	29-Sep-99
rx00115	1170	GB_PR4:AC007110	148336	AC007110	Homo sapiens chromosome 17, clone hRPK.472_J_18, complete sequence.	Homo sapiens	36,783	30-MAR- 1999
		GB_HTG3:AC008537	170030	AC008537	Homo sapiens chromosome 19 clone CIT-HSPC_490E21, *** SEQUENCING IN PROGRESS ***, 93 unordered pieces.	Homo sapiens	40,296	2-Sep-99
		GB_HTG3:AC008537	170030	AC008537	Homo sapiens chromosome 19 clone CIT-HSPC_490E21, *** SEQUENCING IN PROGRESS ***, 93 unordered pieces.	Homo sapiens	40,296	2-Sep-99

Table 4 (continued)

rx00116	1284	GB_BA2:AF062345	16458	AF062345	Caulobacter crescentus Sst1 (sst1), S-layer protein subunit (rsaA), ABC transporter (rsaD), membrane forming unit (rsaE), putative GDP-mannose-4,6-dehydratase (lpsA), putative acetyltransferase (lpsB), putative perosamine synthetase (lpsC), putative mannosyltransferase (lpsD), putative mannosyltransferase (lpsE), outer membrane protein (rsaF), and putative perosamine transferase (lpsE) genes, complete cds. Sequence 6 from patent US 5500353.	Caulobacter crescentus	36,235	19-OCT-1999
		GB_PAT:118647	3300	118647		Unknown.	36,821	07-OCT-1996
		GB_GSS13:AQ446197	751	AQ446197	nbxb0062D16r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0062D16r, genomic survey sequence.	Oryza sativa	38,124	8-Apr-99
rx00131	732	GB_BA1:MTY20B11	36330	Z95121	Mycobacterium tuberculosis H37Rv complete genome; segment 139/162.	Mycobacterium tuberculosis	43,571	17-Jun-98
		GB_BA1:SAR7932	15176	AJ007932	Streptomyces argillaceus mithramycin biosynthetic genes.	Streptomyces argillaceus	41,116	15-Jun-99
		GB_BA1:MTY20B11	36330	Z95121	Mycobacterium tuberculosis H37Rv complete genome; segment 139/162.	Mycobacterium tuberculosis	39,726	17-Jun-98
rx00132	1557	GB_BA1:MTY20B11	36330	Z95121	Mycobacterium tuberculosis H37Rv complete genome; segment 139/162.	Mycobacterium tuberculosis	36,788	17-Jun-98
		GB_IN2:TVU40872	1882	U40872	Trichomonas vaginalis S-adenosyl-L-homocysteine hydrolase gene, complete cds.	Trichomonas vaginalis	61,914	31-OCT-1996
		GB_HTG6:AC010706	169265	AC010706	Drosophila melanogaster chromosome X clone BACR36D15 (D887) RPCI-98 36.D.15 map 13C-13E strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***; 74 unordered pieces.	Drosophila melanogaster	51,325	22-Nov-99
rx00145	1059	GB_BA1:MTCY2B12	20431	Z81011	Mycobacterium tuberculosis H37Rv complete genome; segment 61/162.	Mycobacterium tuberculosis	63,365	18-Jun-98
		GB_BA1:PSEPYRBX	2273	L19649	Pseudomonas aeruginosa aspartate transcarbamoylase (pyrB) and dihydroorotase-like (pyrX) genes, complete cds's.	Pseudomonas aeruginosa	56,080	26-Jul-93
		GB_BA1:LLPYRBDNA	1468	X84262	L.leichmannii pyrB gene.	Lactobacillus leichmannii	47,514	29-Apr-97
rx00146	1464	GB_BA1:MTCY2B12	20431	Z81011	Mycobacterium tuberculosis H37Rv complete genome; segment 61/162.	Mycobacterium tuberculosis	60,714	18-Jun-98
		GB_BA1:MTCY154	13935	Z98209	Mycobacterium tuberculosis H37Rv complete genome; segment 121/162.	Mycobacterium tuberculosis	39,229	17-Jun-98
		GB_BA1:MSGY154	40221	AD000002	Mycobacterium tuberculosis sequence from clone y154.	Mycobacterium tuberculosis	36,618	03-DEC-1996
rx00147	1302	GB_BA1:MTCY2B12	20431	Z81011	Mycobacterium tuberculosis H37Rv complete genome; segment 61/162.	Mycobacterium tuberculosis	61,527	18-Jun-98
		GB_BA1:MSGB937C	38914	L78820	Mycobacterium leprae cosmid B937 DNA sequence.	Mycobacterium leprae	59,538	15-Jun-96
		GB_BA1:PAU81259	7285	U81259	Pseudomonas aeruginosa dihydrodipicolinate reductase (dapB) gene, partial cds, carbamoylphosphate synthetase small subunit (carA) and carbamoylphosphate synthetase large subunit (carB) genes, complete cds, and FtsJ homolog (ftsJ) gene, partial cds.	Pseudomonas aeruginosa	55,396	23-DEC-1996
rx00156	1233	GB_BA1:SC9B10	33320	AL009204	Streptomyces coelicolor cosmid 9B10.	Streptomyces coelicolor	52,666	10-Feb-99

Table 4 (continued)

	GB_BA2:AF002133	15437	AF002133	Mycobacterium avium strain GIR10 transcriptional regulator (mav81) gene, partial cds, aconitase (acn), invasin 1 (inv1), invasin 2 (inv2), transcriptional regulator (moxR), ketoacyl-reductase (fabG), enoyl-reductase (inhA) and ferrochelatase (mav272) genes, complete cds.	Mycobacterium avium	54,191	26-MAR-1998
	GB_BA1:D85417	7984	D85417	Propionibacterium freudenreichii hemY, hemH, hemB, hemX, hemR and hemL genes, complete cds.	Propionibacterium freudenreichii	46,667	6-Feb-99
rx00166	783	GB_HTG3:AC008167	174223	AC008167	Homo sapiens clone NH0172013, *** SEQUENCING IN PROGRESS *** , 7 unordered pieces.	Homo sapiens	21-Aug-99
		GB_HTG3:AC008167	174223	AC008167	Homo sapiens clone NH0172013, *** SEQUENCING IN PROGRESS *** , 7 unordered pieces.	Homo sapiens	21-Aug-99
		GB_HTG4:AC010118	80605	AC010118	Drosophila melanogaster chromosome 3L/62B1 clone RPC198-10D15, *** SEQUENCING IN PROGRESS *** , 51 unordered pieces.	Drosophila melanogaster	16-OCT-1999
rx00198	672	GB_BA1:AB024708	8734	AB024708	Corynebacterium glutamicum gltB and gltD genes for glutamine 2-oxoglutarate aminotransferase large and small subunits, complete cds.	Corynebacterium glutamicum	13-MAR-1999
		GB_BA1:AB024708	8734	AB024708	Corynebacterium glutamicum gltB and gltD genes for glutamine 2-oxoglutarate aminotransferase large and small subunits, complete cds.	Corynebacterium glutamicum	13-MAR-1999
		GB_EST24:AI232702	528	AI232702	EST229390 Normalized rat kidney, Bento Soares Rattus sp. cDNA clone RKICF35 3' end, mRNA sequence.	Rattus sp.	31-Jan-99
rx00216	1113	GB_HTG2:HSDJ850E	117353	AL121758	Homo sapiens chromosome 20 clone RP5-850E9, *** SEQUENCING IN PROGRESS *** , in unordered pieces.	Homo sapiens	03-DEC-1999
		GB_HTG2:HSDJ850E	117353	AL121758	Homo sapiens chromosome 20 clone RP5-850E9, *** SEQUENCING IN PROGRESS *** , in unordered pieces.	Homo sapiens	03-DEC-1999
		GB_PR2:CNS01DSA	159400	AL121766	Human chromosome 14 DNA sequence *** IN PROGRESS *** BAC R-412H8 of RPC1-11 library from chromosome 14 of Homo sapiens (Human), complete sequence.	Homo sapiens	11-Nov-99
rx00219	1065	GB_HTG2:AC005079	110000	AC005079	Homo sapiens clone RG252P22, *** SEQUENCING IN PROGRESS *** , 3 unordered pieces.	Homo sapiens	22-Nov-98
		GB_HTG2:AC005079	110000	AC005079	Homo sapiens clone RG252P22, *** SEQUENCING IN PROGRESS *** , 3 unordered pieces.	Homo sapiens	22-Nov-98
		GB_HTG2:AC005079	110000	AC005079	Homo sapiens clone RG252P22, *** SEQUENCING IN PROGRESS *** , 3 unordered pieces.	Homo sapiens	22-Nov-98
rx00223	1212	GB_BA1:PPEA3NIF	19771	X99694	Plasmid pEA3 nitrogen fixation genes.	Enterobacter agglomerans	2-Aug-96
		GB_BA2:AF128444	2477	AF128444	Rhodobacter capsulatus molybdenum cofactor biosynthetic gene cluster, partial sequence.	Rhodobacter capsulatus	22-MAR-1999
		GB_HTG4:AC010111	138938	AC010111	Drosophila melanogaster chromosome 3L/70C1 clone RPC198-9B18, *** SEQUENCING IN PROGRESS *** , 64 unordered pieces.	Drosophila melanogaster	16-OCT-1999
rx00229	803	GB_BA2:AF124518	1758	AF124518	Corynebacterium glutamicum 3-dehydroquinase (aroD) and shikimate dehydrogenase (aroE) genes, complete cds.	Corynebacterium glutamicum	18-MAY-1999
		GB_PR3:AC004593	150221	AC004593	Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete sequence.	Homo sapiens	18-Apr-98
		GB_HTG2:AC006907	188972	AC006907	Caenorhabditis elegans clone Y76B12, *** SEQUENCING IN PROGRESS *** , 25 unordered pieces.	Caenorhabditis elegans	26-Feb-99
rx00241	1626	GB_BA1:CGLYSI	4232	X60312	C.glutamicum lysI gene for L-lysine permease.	Corynebacterium glutamicum	30-Jan-92

Table 4 (continued)

	GB_HTG1:PFMAL13P 192581	1	AL049180	Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN PROGRESS ***; in unordered pieces.		Plasmodium falciparum	34,947	11-Aug-99
	GB_HTG1:PFMAL13P 192581	1	AL049180	Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN PROGRESS ***; in unordered pieces.		Plasmodium falciparum	34,947	11-Aug-99
rx00262	GB_IN2:EHU89655	1197	U89655	Entamoeba histolytica unconventional myosin IB mRNA, complete cds.		Entamoeba histolytica	36,496	23-MAY-1997
	GB_IN2:EHU89655	3219	U89655	Entamoeba histolytica unconventional myosin IB mRNA, complete cds.		Entamoeba histolytica	37,544	23-MAY-1997
rx00266	GB_RO:AF016190	531	AF016190	Mus musculus connexin-36 (Cx36) gene, complete cds.		Mus musculus	41,856	9-Feb-99
	EM_PAT:E09719	3505	E09719	DNA encoding precursor protein of alkaline cellulase.		Bacillus sp.	34,741	08-OCT-1997 (Rel. 52, Created)
rx00278	GB_PAT:E02133	1155	E02133	gDNA encoding alkaline cellulase.		Bacillus sp.	34,741	29-Sep-97
	GB_IN1:CELK05F6	36912	AF040653	Caenorhabditis elegans cosmid K05F6.		Caenorhabditis elegans	36,943	6-Jan-98
	GB_BA1:CGU43535	2531	U43535	Corynebacterium glutamicum multidrug resistance protein (cmr) gene, complete cds.		Corynebacterium glutamicum	36,658	9-Apr-97
rx00295	GB_RO:RNU30789	1125	U30789	Rattus norvegicus clone N27 mRNA.		Rattus norvegicus	38,190	20-Aug-96
	GB_BA2:CGU31281	1614	U31281	Corynebacterium glutamicum biotin synthase (bioB) gene, complete cds.		Corynebacterium glutamicum	99,111	21-Nov-96
	GB_BA1:BRLBIOBA	1647	D14084	Brevibacterium flavum gene for biotin synthetase, complete cds.		Corynebacterium glutamicum	98,489	3-Feb-99
	GB_PAT:E03937	1005	E03937	DNA sequence encoding Brevibacterium flavum biotin-synthase.		glutamicum	98,207	29-Sep-97
rx00323	GB_BA1:MTCY427	1461	Z70692	Mycobacterium tuberculosis H37Rv complete genome; segment 99/162.		glutamicum	35,615	24-Jun-99
	GB_BA1:MSGB32CS	36404	L78818	Mycobacterium leprae cosmid B32 DNA sequence.		Mycobacterium tuberculosis	60,917	15-Jun-96
	GB_BA1:MTCY427	38110	Z70692	Mycobacterium tuberculosis H37Rv complete genome; segment 99/162.		Mycobacterium tuberculosis	44,606	24-Jun-99
rx00324	GB_BA1:MSGB32CS	3258	L78818	Mycobacterium leprae cosmid B32 DNA sequence.		Mycobacterium leprae	52,516	15-Jun-96
	GB_BA1:MTCY427	38110	Z70692	Mycobacterium tuberculosis H37Rv complete genome; segment 99/162.		Mycobacterium tuberculosis	38,079	24-Jun-99
rx00330	GB_OM:BOVELA	1566	J02717	Bovine elastin a mRNA, complete cds.		Bos taurus	39,351	27-Apr-93
	GB_BA1:CGTHRC	3120	X56037	Corynebacterium glutamicum thrC gene for threonine synthase (EC 4.2.99.2).		Corynebacterium glutamicum	99,808	17-Jun-97
	GB_PAT:IO9078	3146	IO9078	Sequence 4 from Patent WO 8809819.		Unknown.	99,617	02-DEC-1994
	GB_BA1:BLTHRESY	1892	Z29563	Brevibacterium lactofermentum; ATCC 13869; DNA (genomic);		Corynebacterium glutamicum	99,170	20-Sep-95
rx00335	GB_BA1:CGGLNA	1554	Y13221	Corynebacterium glutamicum glnA gene.		Corynebacterium glutamicum	100,000	28-Aug-97

Table 4 (continued)

GB_BA2:AF005635	1690	AF005635	Corynebacterium glutamicum glutamine synthetase (glnA) gene, complete cds.	Corynebacterium glutamicum	98,906	14-Jun-99
GB_BA1:MSGB27CS	38793	L78817	Mycobacterium leprae cosmid B27 DNA sequence.	Mycobacterium leprae	66,345	15-Jun-96
GB_EST27:AI455217	624	AI455217	LD21828.3prime LD Drosophila melanogaster embryo pOT2 Drosophila melanogaster cDNA clone LD21828 3prime, mRNA sequence.	Drosophila melanogaster	34,510	09-MAR-1999
GB_BA2:SSU30252	2891	U30252	Synechococcus PCC7942 nucleoside diphosphate kinase and ORF2 protein genes, complete cds, ORF1 protein gene, partial cds, and neutral site I for vector use.	Synechococcus PCC7942	37,084	29-OCT-1999
GB_EST21:AA911262	581	AA911262	oe75a02.s1 NCL_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1417418 3' similar to gb:A18757 UROKINASE PLASMINOGEN ACTIVATOR SURFACE RECEPTOR, GPI-ANCHORED (HUMAN);, mRNA sequence.	Homo sapiens	37,500	21-Apr-98
GB_BA1:MLU15187	36138	U15187	Mycobacterium leprae cosmid L296.	Mycobacterium leprae	52,972	09-MAR-1995
GB_IN2:AC004373	72722	AC004373	Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.	Drosophila melanogaster	46,341	17-Jul-98
GB_IN2:AF145653	3197	AF145653	Drosophila melanogaster clone GH08860 BcDNA.GH08860 (BcDNA.GH08860) mRNA, complete cds.	Drosophila melanogaster	49,471	14-Jun-99
GB_BA1:AB024708	8734	AB024708	Corynebacterium glutamicum gltB and gltD genes for glutamine 2-oxoglutarate aminotransferase large and small subunits, complete cds.	Corynebacterium glutamicum	96,556	13-MAR-1999
GB_BA1:MTCY1A6	37751	Z83864	Mycobacterium tuberculosis H37Rv complete genome; segment 159/162.	Mycobacterium tuberculosis	39,496	17-Jun-98
GB_BA1:SC3A3	15901	AL109849	Streptomyces coelicolor cosmid 3A3.	Streptomyces coelicolor A3(2)	37,946	16-Aug-99
GB_BA1:AB024708	8734	AB024708	Corynebacterium glutamicum gltB and gltD genes for glutamine 2-oxoglutarate aminotransferase large and small subunits, complete cds.	Corynebacterium glutamicum	99,374	13-MAR-1999
GB_BA1:MTCY1A6	37751	Z83864	Mycobacterium tuberculosis H37Rv complete genome; segment 159/162.	Mycobacterium tuberculosis	41,333	17-Jun-98
GB_BA1:SC3A3	15901	AL109849	Streptomyces coelicolor cosmid 3A3.	Streptomyces coelicolor A3(2)	37,554	16-Aug-99
GB_BA1:AB024708	8734	AB024708	Corynebacterium glutamicum gltB and gltD genes for glutamine 2-oxoglutarate aminotransferase large and small subunits, complete cds.	Corynebacterium glutamicum	99,312	13-MAR-1999
GB_BA1:MTCY1A6	37751	Z83864	Mycobacterium tuberculosis H37Rv complete genome; segment 159/162.	Mycobacterium tuberculosis	36,971	17-Jun-98
GB_BA1:SC3A3	15901	AL109849	Streptomyces coelicolor cosmid 3A3.	Streptomyces coelicolor A3(2)	37,905	16-Aug-99
GB_VI:SBVORFS	7568	M89923	Sugarcane bacilliform virus ORF 1,2,and 3 DNA, complete cds.	Sugarcane bacilliform virus	35,843	12-Jun-93
GB_EST37:AI967505	380	AI967505	Ljirnp03-215-c10 Ljirnp Lambda HybridZap two-hybrid library Lotus japonicus cDNA clone LP215-03-c10 5' similar to 60S ribosomal protein L39, mRNA sequence.	Lotus japonicus	42,593	24-Aug-99
GB_IN1:CELK09H9	37881	AF043700	Caenorhabditis elegans cosmid K09H9.	Caenorhabditis elegans	34,295	22-Jan-98

Table 4 (continued)

rx00377	1245	GB_BA1:CCU13664	1678	U13664	Caulobacter crescentus uroporphyrinogen decarboxylase homolog (hemE) gene, partial cds.	Caulobacter crescentus	36,832	24-MAR-1995
		GB_PL1:ANSDGENE	1299	Y08866	A.nidulans sD gene.	Emericella nidulans	39,603	17-OCT-1996
rx00382	1425	GB_GSS4:AQ730303	483	AQ730303	HS_5505_B1_C04_T7A RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=1081 Col=7 Row=F, genomic survey sequence.	Homo sapiens	36,728	15-Jul-99
		GB_BA1:PAHEML	4444	X82072	P.aeruginosa hemL gene.	Pseudomonas aeruginosa	54,175	18-DEC-1995
		GB_BA1:MTY25D10	40838	Z95558	Mycobacterium tuberculosis H37Rv complete genome; segment 28/162.	Mycobacterium tuberculosis	61,143	17-Jun-98
		GB_BA1:MSGY224	40051	AD000004	Mycobacterium tuberculosis sequence from clone y224.	Mycobacterium tuberculosis	61,143	03-DEC-1996
rx00383	1467	GB_BA1:MLCB1222	34714	AL049491	Mycobacterium leprae cosmid B1222.	Mycobacterium leprae	43,981	27-Aug-99
		GB_HTG2:AC006269	167171	AC006269	Homo sapiens chromosome 17 clone hRPK.515_E_23 map 17, *** SEQUENCING IN PROGRESS ***; 2 ordered pieces.	Homo sapiens	35,444	10-Jun-99
		GB_HTG2:AC007638	178053	AC007638	Homo sapiens chromosome 17 clone hRPK.515_O_17 map 17, *** SEQUENCING IN PROGRESS ***; 8 unordered pieces.	Homo sapiens	34,821	22-MAY-1999
rx00391	843	GB_EST38:AW017053	613	AW017053	EST272398 Schistosoma mansoni male, Phil LoVerde/Joel Merrick	Schistosoma mansoni	40,472	10-Sep-99
		GB_PAT:AR065852	32207	AR065852	Schistosoma mansoni cDNA clone SMMAS14 5' end, mRNA sequence.	Unknown.	38,586	29-Sep-99
		GB_VI:AF148805	28559	AF148805	Sequence 20 from patent US 5849564.	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GPCR, putative phosphoribosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds.	38,509	2-Aug-99
rx00393	1017	GB_BA1:MTY25D10	40838	Z95558	Mycobacterium tuberculosis H37Rv complete genome; segment 28/162.	Mycobacterium tuberculosis	36,308	17-Jun-98
		GB_BA1:MSGY224	40051	AD000004	Mycobacterium tuberculosis sequence from clone y224.	Mycobacterium tuberculosis	39,282	03-DEC-1996
rx00402	623	GB_BA1:MLB1306	7762	Y13803	Mycobacterium leprae cosmid B1306 DNA.	Mycobacterium leprae	39,228	24-Jun-97
		GB_BA2:AF052652	2096	AF052652	Corynebacterium glutamicum homoserine O-acetyltransferase (metA) gene, complete cds.	Corynebacterium glutamicum	99,672	19-MAR-1998
		GB_BA2:AF109162	4514	AF109162	Corynebacterium diphtheriae heme uptake locus, complete sequence.	Corynebacterium diphtheriae	40,830	8-Jun-99
		GB_BA2:AF092918	20758	AF092918	Pseudomonas alcaligenes outer membrane Xcp-secretion system gene cluster.	Pseudomonas alcaligenes	50,161	06-DEC-1998
rx00403	1254	GB_BA2:AF052652	2096	AF052652	Corynebacterium glutamicum homoserine O-acetyltransferase (metA) gene, complete cds.	Corynebacterium glutamicum	99,920	19-MAR-1998
		GB_BA1:MTV016	53662	AL021841	Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.	Mycobacterium tuberculosis	52,898	23-Jun-99
		GB_EST23:AI111288	750	AI111288	SWOVAMCAQ02A05SK Onchocerca volvulus adult male cDNA (SAW98MLW-OvAM) Onchocerca volvulus cDNA clone SWOVAMCAQ02A05 5', mRNA sequence.	Onchocerca volvulus	37,565	31-Aug-98

Table 4 (continued)

rx00405	613	GB_BA1:MTV016	53662	AL021841	Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.	Mycobacterium tuberculosis	57,259	23-Jun-99
		GB_PR4:AC005145	143678	AC005145	Homo sapiens Xp22-166-169 GSHB-523A23 (Genome Systems Human BAC library) complete sequence.	Homo sapiens	34,179	08-DEC-1998
		GB_BA1:MTV016	53662	AL021841	Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.	Mycobacterium tuberculosis	40,169	23-Jun-99
rx00420	1587	GB_BA1:MTY13D12	37085	Z80343	Mycobacterium tuberculosis H37Rv complete genome; segment 156/162.	Mycobacterium tuberculosis	62,031	17-Jun-98
		GB_BA1:MSGY126	37164	AD000012	Mycobacterium tuberculosis sequence from clone y126.	Mycobacterium tuberculosis	61,902	10-DEC-1996
		GB_BA1:MSGB971C	37566	L78821	Mycobacterium leprae cosmid B971 DNA sequence.	Mycobacterium leprae	39,651	15-Jun-96
rx00435	1296	GB_BA1:AFACBBTZ	2760	M68904	Alcaligenes eutrophus chromosomal transketolase (cbbTc) and phosphoglycolate phosphatase (cbbZc) genes, complete cds.	Ralstonia eutropha	38,677	27-Jul-94
		GB_HTG4:AC009541	169583	AC009541	Homo sapiens chromosome 7, *** SEQUENCING IN PROGRESS ***, 25 unordered pieces.	Homo sapiens	36,335	12-OCT-1999
		GB_HTG4:AC009541	169583	AC009541	Homo sapiens chromosome 7, *** SEQUENCING IN PROGRESS ***, 25 unordered pieces.	Homo sapiens	36,335	12-OCT-1999
rx00437	579	GB_PR4:AC005951	155450	AC005951	Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.	Homo sapiens	31,738	18-Nov-98
		GB_BA1:SC2A11	22789	AL031184	Streptomyces coelicolor cosmid 2A11.	Streptomyces coelicolor	43,262	5-Aug-98
		GB_PR4:AC005951	155450	AC005951	Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.	Homo sapiens	37,647	18-Nov-98
rx00439	591	GB_BA1:MTV016	53662	AL021841	Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.	Mycobacterium tuberculosis	37,088	23-Jun-99
		GB_PL2:AF167358	1022	AF167358	Rumex acetosa expansin (EXP3) gene, partial cds.	Rumex acetosa	46,538	17-Aug-99
		GB_HTG3:AC009120	269445	AC009120	Homo sapiens chromosome 16 clone RPC1-11_484E3, *** SEQUENCING IN PROGRESS ***, 34 unordered pieces.	Homo sapiens	43,276	3-Aug-99
rx00440	582	GB_BA2:SKZ86111	7860	Z86111	Streptomyces lividans rpsP, trmD, rplS, sipW, sipX, sipY, sipZ, mutT genes and 4 open reading frames.	Streptomyces lividans	43,080	27-OCT-1999
		GB_BA1:SC2E1	38962	AL023797	Streptomyces coelicolor cosmid 2E1.	Streptomyces coelicolor	42,931	4-Jun-98
		GB_BA1:SC2E1	38962	AL023797	Streptomyces coelicolor cosmid 2E1.	Streptomyces coelicolor	36,702	4-Jun-98
rx00441	1287	GB_PR2:HS173D1	117338	AL031984	Human DNA sequence from clone 173D1 on chromosome 1p36.21-36.33. Contains ESTs, STSs and GSSs, complete sequence.	Homo sapiens	38,027	23-Nov-99
		GB_HTG2:HSDJ719K	267114	AL109931	Homo sapiens chromosome X clone RP4-719K3 map q21.1-21.31, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	34,521	03-DEC-1999
		GB_HTG2:HSDJ719K	267114	AL109931	Homo sapiens chromosome X clone RP4-719K3 map q21.1-21.31, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	34,521	03-DEC-1999
rx00446	987	GB_BA1:SCD78	36224	AL034355	Streptomyces coelicolor cosmid D78.	Streptomyces coelicolor	56,410	26-Nov-98
		GB_HTG4:AC009367	226055	AC009367	Drosophila melanogaster chromosome 3L76A2 clone RPC198-48B15, *** SEQUENCING IN PROGRESS ***, 44 unordered pieces.	Drosophila melanogaster	34,959	16-OCT-1999
		GB_HTG4:AC009367	226055	AC009367	Drosophila melanogaster chromosome 3L76A2 clone RPC198-48B15, *** SEQUENCING IN PROGRESS ***, 44 unordered pieces.	Drosophila melanogaster	34,959	16-OCT-1999

Table 4 (continued)

rx00448	1143	GB_PR3:AC003670	88945	AC003670	Homo sapiens 12q13.1 PAC RPCI1-130F5 (Roswell Park Cancer Institute Human PAC library) complete sequence.	Homo sapiens	35,682	9-Jun-98
rx00450	424	GB_HTG2:AF029367	148676	AF029367	Homo sapiens chromosome 12 clone RPCI-1 130F5 map 12q13.1, *** SEQUENCING IN PROGRESS ***	Homo sapiens	31,373	18-OCT-1997
		GB_HTG2:AF029367	148676	AF029367	Homo sapiens chromosome 12 clone RPCI-1 130F5 map 12q13.1, *** SEQUENCING IN PROGRESS ***	Homo sapiens	31,373	18-OCT-1997
		GB_HTG2:AC007824	133361	AC007824	Drosophila melanogaster chromosome 3 clone BACR02L16 (D715) RPCI-98 02.L.16 map 89E-90A strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***	Drosophila melanogaster	40,000	2-Aug-99
		GB_HTG2:AC007824	133361	AC007824	02.L.16 map 89E-90A strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***	Drosophila melanogaster	40,000	2-Aug-99
rx00461	975	GB_EST35:A1818057	412	A1818057	3' similar to gb:Y00764 UBIQUINOL-CYTOCHROME C REDUCTASE 11 KD PROTEIN (HUMAN); mRNA sequence.	Homo sapiens	35,714	24-Aug-99
		GB_BA1:MLCB1779	43254	Z98271	Mycobacterium leprae cosmid B1779.	Mycobacterium leprae	39,308	8-Aug-97
		GB_IN1:DMC86E4	29352	AL021086	Drosophila melanogaster cosmid clone 86E4.	Drosophila melanogaster	37,487	27-Apr-99
		GB_GSS15:AQ64032	467	AQ640325	927P1-2H3.TP 927P1 Trypanosoma brucei genomic clone 927P1-2H3, genomic survey sequence.	Trypanosoma brucei	38,116	8-Jul-99
rx00465								
rx00487	1692	GB_BA1:BAGUAA	3866	Y10499	B.ammoniaenes guaA gene.	Corynebacterium ammoniaenes	74,259	8-Jan-98
rx00488	1641	GB_BA2:U00015	42325	U00015	Mycobacterium leprae cosmid B1620.	Mycobacterium leprae	37,248	01-MAR-1994
		GB_BA1:MTCY78	33818	Z77165	Mycobacterium tuberculosis H37Rv complete genome; segment 145/162.	Mycobacterium tuberculosis	39,725	17-Jun-98
		GB_BA1:MTCY78	33818	Z77165	Mycobacterium tuberculosis H37Rv complete genome; segment 145/162.	Mycobacterium tuberculosis	39,451	17-Jun-98
		GB_BA2:U00015	42325	U00015	Mycobacterium leprae cosmid B1620.	Mycobacterium leprae	39,178	01-MAR-1994
rx00489	1245	GB_BA1:SCAJ10601	4692	AJ010601	Streptomyces coelicolor A3(2) DNA for whiD and whiK loci.	Streptomyces coelicolor	60,835	17-Sep-98
		GB_BA2:U00015	42325	U00015	Mycobacterium leprae cosmid B1620.	Mycobacterium leprae	38,041	01-MAR-1994
rx00533	1155	GB_HTG2:HS225E12	126464	AL031772	Homo sapiens chromosome 6 clone RP1-225E12 map q24, *** SEQUENCING IN PROGRESS ***	Homo sapiens	36,756	03-DEC-1999
		GB_HTG2:HS225E12	126464	AL031772	Homo sapiens chromosome 6 clone RP1-225E12 map q24, *** SEQUENCING IN PROGRESS ***	Homo sapiens	36,756	03-DEC-1999
		GB_BA1:CGLYS	2803	X57226	C. glutamicum lysC-alpha, lysC-beta and asd genes for aspartokinase-alpha and -beta subunits, and aspartate beta semialdehyde dehydrogenase, respectively (EC 2.7.2.4; EC 1.2.1.11).	Corynebacterium glutamicum	99,913	17-Feb-97

103

	GB_BA1:CGCYSCAS	D	1591	X82928	C.glutamicum aspartate-semialdehyde dehydrogenase gene.	Corynebacterium glutamicum	99,221	17-Feb-97
rxa00534	GB_PAT:A07546	2112	A07546		Recombinant DNA fragment (PstI-XhoI).	synthetic construct	99,391	30-Jul-93
	GB_BA1:CGLYS	2803	X57226		C. glutamicum lysC-alpha, lysC-beta and asd genes for aspartokinase-alpha and -beta subunits, and aspartate beta semialdehyde dehydrogenase, respectively (EC 2.7.2.4; EC 1.2.1.11).	Corynebacterium glutamicum	99,856	17-Feb-97
	GB_BA1:CORASKD	2957	L16848		Corynebacterium flavum aspartokinase (ask), and aspartate-semialdehyde dehydrogenase (asd) genes, complete cds.	Corynebacterium flavesces	98,701	11-Jun-93
	GB_PAT:E14514	1643	E14514		DNA encoding Brevibacterium aspartokinase.	Corynebacterium glutamicum	98,773	28-Jul-99
	GB_BA1:CGLEUA	3492	X70959		C.glutamicum gene leuA for isopropylmalate synthase.	Corynebacterium glutamicum	100,000	10-Feb-99
	GB_BA1:MTV025	121125	AL022121		Mycobacterium tuberculosis H37Rv complete genome; segment 155/162.	Mycobacterium glutamicum	68,003	24-Jun-99
rxa00537	GB_BA1:MTU88526	2412	U88526		Mycobacterium tuberculosis putative alpha-isopropyl malate synthase (leuA) gene, complete cds.	Mycobacterium tuberculosis	68,185	26-Feb-97
	GB_BA2:SCD25	41622	AL118514		Streptomyces coelicolor cosmid D25.	Streptomyces coelicolor A3(2)	63,187	21-Sep-99
	GB_BA1:MTCY7H7A	10451	Z95618		Mycobacterium tuberculosis H37Rv complete genome; segment 39/162.	Mycobacterium tuberculosis	62,401	17-Jun-98
	GB_BA1:MTU34956	2462	U34956		Mycobacterium tuberculosis phosphoribosylformylglycinamide synthase (purL) gene, complete cds.	Mycobacterium tuberculosis	62,205	28-Jan-97
	GB_PAT:I92052	2115	I92052		Sequence 19 from patent US 5726299.	Unknown.	98,359	01-DEC-1998
	GB_BA1:MLCB5	38109	Z95151		Mycobacterium leprae cosmid B5.	Mycobacterium leprae	62,468	24-Jun-97
rxa00558	GB_BA1:MTCY369	36850	Z80226		Mycobacterium tuberculosis H37Rv complete genome; segment 36/162.	Mycobacterium tuberculosis	60,814	17-Jun-98
	GB_BA1:BAPURF	1885	X91252		B.ammoniagenes purF gene.	Corynebacterium ammoniagenes	66,095	5-Jun-97
	GB_BA1:MLU15182	40123	U15182		Mycobacterium leprae cosmid B2266.	Mycobacterium leprae	64,315	09-MAR-1995
	GB_BA1:MTCY7H7A	10451	Z95618		Mycobacterium tuberculosis H37Rv complete genome; segment 39/162.	Mycobacterium tuberculosis	64,863	17-Jun-98
	GB_PAT:AR016483	2104	AR016483		Sequence 1 from patent US 5776740.	Unknown.	98,810	05-DEC-1998
	EM_PAT:E11273	2104	E11273		DNA encoding serine hydroxymethyl transferase.	Corynebacterium glutamicum	98,810	08-OCT-1997 (Rel.)
rxa00580	GB_PAT:E12594	2104	E12594		DNA encoding serine hydroxymethyltransferase from Brevibacterium flavum.	Corynebacterium glutamicum	98,810	52, Created) 24-Jun-98
	GB_PAT:E12594	2104	E12594		DNA encoding serine hydroxymethyltransferase from Brevibacterium flavum.	Corynebacterium glutamicum	99,368	24-Jun-98

Table 4 (continued)

rxa00581	1092	GB_PAT:AR016483	2104	AR016483	Sequence 1 from patent US 5776740.	Unknown.	99,368	05-DEC-1998
		EM_PAT:E11273	2104	E11273	DNA encoding serine hydroxymethyl transferase.	Corynebacterium glutamicum	99,368	08-OCT-1997 (Rel. 52, Created)
		GB_PAT:E12594	2104	E12594	DNA encoding serine hydroxymethyltransferase from Brevibacterium flavum.	Corynebacterium glutamicum	37,071	24-Jun-98
		EM_PAT:E11273	2104	E11273	DNA encoding serine hydroxymethyl transferase.	Corynebacterium glutamicum	37,071	08-OCT-1997 (Rel. 52, Created)
		GB_PAT:AR016483	2104	AR016483	Sequence 1 from patent US 5776740.	Unknown.	37,071	05-DEC-1998
rxa00584	1248	GB_BA1:CORAHPS	2570	L07603	Corynebacterium glutamicum 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene, complete cds.	Corynebacterium glutamicum	98,236	26-Apr-93
		GB_BA1:AOPCZA361	37941	AJ223998	Amycolatopsis orientalis cosmid PCZA361.	Amycolatopsis orientalis	54,553	29-MAR-1999
rxa00618	1230	GB_BA1:D90714	14358	D90714	Escherichia coli genomic DNA. (16.8 - 17.1 min).	Escherichia coli	53,312	7-Feb-99
		GB_EST19:AA802737	280	AA802737	GM06236.5prime GM Drosophila melanogaster ovary BlueScript Drosophila melanogaster cDNA clone GM06236 5prime, mRNA sequence.	Drosophila melanogaster	39,928	25-Nov-98
		GB_EST28:A1534381	581	A1534381	SD07186.5prime SD Drosophila melanogaster Schneider L2 cell culture pOT2 Drosophila melanogaster cDNA clone SD07186 5prime similar to X89858: Ani FBgn0011558 PID:g927407 SPTREMBL:Q24240, mRNA sequence.	Drosophila melanogaster	41,136	18-MAR-1999
rxa00619	1551	GB_IN1:DMANILLIN	4029	X89858	D.melanogaster mRNA for anillin protein.	Drosophila melanogaster	34,398	8-Nov-95
		GB_BA1:MTCY369	36850	Z80226	Mycobacterium tuberculosis H37Rv complete genome; segment 36/162.	Mycobacterium tuberculosis	62,776	17-Jun-98
		GB_BA1:MLCB5	38109	Z95151	Mycobacterium leprae cosmid B5.	Mycobacterium leprae	61,831	24-Jun-97
		GB_PAT:A60305	1845	A60305	Sequence 5 from Patent WO9708323.	unidentified	61,785	06-MAR-1998
rxa00620	1014	GB_PL2:AF063247	1450	AF063247	Pneumocystis carinii f. sp. ratti enolase mRNA, complete cds.	Pneumocystis carinii f. sp. ratti	41,060	5-Jan-99
		GB_BA1:STMAPP	2069	M91546	Streptomyces lividans aminopeptidase P (PepP) gene, complete cds.	Streptomyces lividans	37,126	12-Jun-93
		GB_HTG3:AC008763	214575	AC008763	Homo sapiens chromosome 19 clone CITB-E1_3214H19, *** SEQUENCING IN PROGRESS ***, 21 unordered pieces.	Homo sapiens	40,020	3-Aug-99
rxa00624	810	GB_IN1:CEY41E3	150641	Z95559	Caenorhabditis elegans cosmid Y41E3, complete sequence.	Caenorhabditis elegans	36,986	2-Sep-99
		GB_EST13:AA362167	372	AA362167	EST71561 Macrophage I Homo sapiens cDNA 5' end, mRNA sequence.	Homo sapiens	38,378	21-Apr-97
rxa00626	1386	GB_IN1:CEY41E3	150641	Z95559	Caenorhabditis elegans cosmid Y41E3, complete sequence.	Caenorhabditis elegans	37,694	2-Sep-99
		GB_BA1:MTCY369	36850	Z80226	Mycobacterium tuberculosis H37Rv complete genome; segment 36/162.	Mycobacterium tuberculosis	57,971	17-Jun-98
		GB_BA1:MLCB5	38109	Z95151	Mycobacterium leprae cosmid B5.	Mycobacterium leprae	58,806	24-Jun-97
		GB_BA1:MLU15187	36138	U15187	Mycobacterium leprae cosmid L296.	Mycobacterium leprae	38,007	09-MAR-1995

Table 4 (continued)

rx000632	795	GB_BA1:BRLBIOAD	2272	D14083	Brevibacterium flavum genes for 7,8-diaminopelargonic acid aminotransferase and dethiobiotin synthetase, complete cds.	Corynebacterium glutamicum	97,358	3-Feb-99
		GB_PAT:E04041	675	E04041	DNA sequence coding for dethiobiotinsynthetase.	Corynebacterium glutamicum	98,074	29-Sep-97
		GB_PAT:E04040	1272	E04040	DNA sequence coding for diamino pelargonic acid aminotransferase.	Corynebacterium glutamicum	93,814	29-Sep-97
rx000633	1392	GB_BA1:BRLBIOAD	2272	D14083	Brevibacterium flavum genes for 7,8-diaminopelargonic acid aminotransferase and dethiobiotin synthetase, complete cds.	Corynebacterium glutamicum	95,690	3-Feb-99
		GB_PAT:E04040	1272	E04040	DNA sequence coding for diamino pelargonic acid aminotransferase.	Corynebacterium glutamicum	95,755	29-Sep-97
		GB_BA2:EHU38519	1290	U38519	Erwinia herbicola adenosylmethionine-8-amino-7-oxononanoate transaminase (bioA) gene, complete cds.	Erwinia herbicola	55,564	4-Nov-96
rx000688	666	GB_BA1:MTV041	28826	AL021958	Mycobacterium tuberculosis H37Rv complete genome; segment 35/162.	Mycobacterium tuberculosis	60,030	17-Jun-98
		GB_BA1:BRLSECY	1516	D14162	Brevibacterium flavum gene for SecY protein (complete cds) and gene or adenylate kinase (partial cds).	Corynebacterium glutamicum	99,563	3-Feb-99
		GB_BA2:MBU77912	7163	U77912	Mycobacterium bovis MBE50a gene, partial cds; and MBE50b, MBE50c, preprotein translocase SecY subunit (secY), adenylate kinase (adk), methionine aminopeptidase (map), RNA polymerase ECF sigma factor (sigE50), MBE50d, and MBE50e genes, complete cds.	Mycobacterium bovis	60,030	27-Jan-99
rx000708	930	GB_BA2:AF157493	25454	AF157493	Zymomonas mobilis ZM4 fosmid clone 42D7, complete sequence.	Zymomonas mobilis	39,116	5-Jul-99
		GB_PAT:I00836	1853	I00836	Sequence 1 from Patent US 4758514.	Unknown.	47,419	21-MAY-1993
		GB_PAT:E00311	1853	E00311	DNA coding of 2,5-diketogluconic acid reductase.	unidentified	47,419	29-Sep-97
rx000717	1083	GB_PAT:I78753	1187	I78753	Sequence 9 from patent US 5693781.	Unknown.	37,814	3-Apr-98
		GB_PAT:I92042	1187	I92042	Sequence 9 from patent US 5726299.	Unknown.	37,814	01-DEC-1998
		GB_BA1:MTCI125	37432	Z98268	Mycobacterium tuberculosis H37Rv complete genome; segment 76/162.	Mycobacterium tuberculosis	50,647	17-Jun-98
rx000718	831	GB_BA1:MTCI125	37432	Z98268	Mycobacterium tuberculosis H37Rv complete genome; segment 76/162.	Mycobacterium tuberculosis	55,228	17-Jun-98
		GB_BA1:MTCI125	37432	Z98268	Mycobacterium tuberculosis H37Rv complete genome; segment 76/162.	Mycobacterium tuberculosis	40,300	17-Jun-98
		GB_GSS12:AQ42075	671	AQ420755	RPCI-11-168G18.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-168G18, genomic survey sequence.	Homo sapiens	35,750	23-MAR-1999
rx000727	1035	GB_HTG3:AC008332	118545	AC008332	Drosophila melanogaster chromosome 2 clone BACR48D10 (D867) RPCI-98	Drosophila melanogaster	40,634	6-Aug-99
					48.D.10 map 34A-34A strain y; cn bw sp, *** SEQUENCING IN PROGRESS			
					***, 78 unordered pieces.			
		GB_HTG3:AC008332	118545	AC008332	Drosophila melanogaster chromosome 2 clone BACR48D10 (D867) RPCI-98	Drosophila melanogaster	40,634	6-Aug-99
					48.D.10 map 34A-34A strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 78 unordered pieces.			

106

[illegible]

Table 4 (continued)

1026	1026	GB_PAT:E14520	2001	E14520	DNA encoding Brevibacterium dihydrodipicolinic acid synthase.	Corynebacterium glutamicum	100,000	28-Jul-99
1026	1026	GB_BA1:BLDAPAB	3572	Z21502	B.lactofermentum dapA and dapB genes for dihydrodipicolinate synthase and dihydrodipicolinate reductase.	Corynebacterium glutamicum	100,000	16-Aug-93
650	650	GB_PAT:E16752	1411	E16752	gDNA encoding dihydrodipicolinate reductase (DDPR).	Corynebacterium glutamicum	99,805	28-Jul-99
650	650	GB_PAT:AR038113	1411	AR038113	Sequence 18 from patent US 5804414.	Unknown.	99,805	29-Sep-99
650	650	GB_BA1:MTV002	56414	AL008967	Mycobacterium tuberculosis H37Rv complete genome; segment 122/162.	Mycobacterium tuberculosis	39,179	17-Jun-98
779	779	GB_BA1:MLCB22	40281	Z98741	Mycobacterium leprae cosmid B22.	Mycobacterium leprae	39,482	22-Aug-97
779	779	GB_BA1:SAU19858	2838	U19858	Streptomyces antibioticus guanosine pentaphosphate synthetase (gpsI) gene, complete cds.	Streptomyces antibioticus	69,706	25-OCT-1996
779	779	GB_BA1:SCO001206	9184	AJ001206	Streptomyces coelicolor A3(2), glycogen metabolism cluster II.	Streptomyces coelicolor	63,415	29-MAR-1999
1263	1263	GB_BA1:SCO001205	9589	AJ001205	Streptomyces coelicolor A3(2) glycogen metabolism clusterI.	Streptomyces coelicolor	61,617	29-MAR-1999
1263	1263	GB_BA1:D78198	2304	D78198	Pimelobacter sp. DNA for trehalose synthase, complete cds.	Pimelobacter sp.	60,594	5-Feb-99
1263	1263	GB_BA1:MTCY253	41230	Z81368	Mycobacterium tuberculosis H37Rv complete genome; segment 106/162.	Mycobacterium tuberculosis	37,785	17-Jun-98
1102	1102	GB_BA1:MSGY222	41156	AD000010	Mycobacterium tuberculosis sequence from clone y222.	Mycobacterium tuberculosis	38,006	03-DEC-1996
1102	1102	GB_GSS15:AQ65460	468	AQ654600	Sheared DNA-1014.TF Sheared DNA Trypanosoma brucei genomic clone	Trypanosoma brucei	33,974	22-Jun-99
1102	1102	GB_BA1:MTCI418B	11700	Z96071	Sheared DNA-1014, genomic survey sequence.	Trypanosoma brucei	33,974	22-Jun-99
1102	1102	GB_BA1:MTCI418B	11700	Z96071	Mycobacterium tuberculosis H37Rv complete genome; segment 7/162.	Mycobacterium tuberculosis	63,297	18-Jun-98
963	963	GB_BA1:SCO001206	9184	AJ001206	Streptomyces coelicolor A3(2), glycogen metabolism cluster II.	Streptomyces coelicolor	61,965	29-MAR-1999
963	963	GB_BA1:SCO001205	9589	AJ001205	Streptomyces coelicolor A3(2) glycogen metabolism clusterI.	Streptomyces coelicolor	61,727	29-MAR-1999
963	963	EM_PAT:E10963	3118	E10963	gDNA encoding tryptophan synthase.	Corynebacterium glutamicum	99,688	08-OCT-1997 (Rel. 52, Created)
644	644	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	98,847	10-Feb-99
644	644	GB_PAT:E01688	7725	E01688	Genomic DNA of trp operon of prepibacterium latophelmentamn.	glutamicum	98,428	29-Sep-97
644	644	GB_PAT:E01375	7726	E01375	DNA sequence of tryptophan operon.	Corynebacterium glutamicum	98,758	29-Sep-97
1545	1545	GB_PAT:E01688	7725	E01688	Genomic DNA of trp operon of prepibacterium latophelmentamn.	glutamicum	98,758	29-Sep-97
1545	1545	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	98,758	10-Feb-99
1545	1545	GB_PAT:E01375	7726	E01375	DNA sequence of tryptophan operon.	Corynebacterium glutamicum	98,372	29-Sep-97

Table 4 (continued)

	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	98,372	10-Feb-99
rxa00956	GB_PAT:E01688	7725	E01688	Genomic DNA of trp operon of prepibacterium latophelmentamn.	unidentified	98,242	29-Sep-97
	EM_PAT:E10963	3118	E10963	gDNA encoding tryptophan synthase.	Corynebacterium glutamicum	98,949	08-OCT-1997 (Rel. 52, Created) 10-Feb-99
	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	99,107	29-Sep-97
	GB_PAT:E01375	7726	E01375	DNA sequence of tryptophan operon.	Corynebacterium glutamicum	98,945	29-Sep-97
rxa00957	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	99,165	10-Feb-99
	GB_PAT:E01375	7726	E01375	DNA sequence of tryptophan operon.	Corynebacterium glutamicum	98,927	29-Sep-97
rxa00958	GB_PAT:E01688	7725	E01688	Genomic DNA of trp operon of prepibacterium latophelmentamn.	unidentified	98,867	29-Sep-97
	GB_BA1:BLTRP	7725	X04960	Brevibacterium lactofermentum tryptophan operon.	Corynebacterium glutamicum	98,792	10-Feb-99
	GB_PAT:E01375	7726	E01375	DNA sequence of tryptophan operon.	Corynebacterium glutamicum	98,792	29-Sep-97
rxa00970	GB_PAT:E01688	7725	E01688	Genomic DNA of trp operon of prepibacterium latophelmentamn.	unidentified	98,658	29-Sep-97
	GB_BA1:CGHOMTHR	3685	Y00546	Corynebacterium glutamicum hom-thrB genes for homoserine dehydrogenase and homoserine kinase.	Corynebacterium glutamicum	99,905	12-Sep-93
	GB_PAT:J09077	3685	I09077	Sequence 1 from Patent WO 8809819.	Unknown.	99,810	02-DEC-1994
	GB_PAT:E01358	2615	E01358	DNA encoding for homoserine dehydrogenase(HDH)and homoserine kinase(HK).	Corynebacterium glutamicum	97,524	29-Sep-97
rxa00972	GB_PAT:E16755	3579	E16755	gDNA encoding diaminopimelate decarboxylase (DDC) and arginyl-tRNA synthase.	Corynebacterium glutamicum	99,931	28-Jul-99
	GB_PAT:AR038110	3579	AR038110	Sequence 15 from patent US 5804414.	Unknown.	99,931	29-Sep-99
	GB_PAT:E14508	3579	E14508	DNA encoding Brevibacterium diaminopimelic acid decarboxylase and arginyl-tRNA synthase.	Corynebacterium glutamicum	99,931	28-Jul-99
rxa00981	GB_OV:GGA245664	512	AJ245664	Gallus gallus partial mRNA for ATP-citrate lyase (ACL gene).	Gallus gallus	37,538	28-Sep-99
	GB_PL2:AC007887	159434	AC007887	Genomic sequence for Arabidopsis thaliana BAC F15O4 from chromosome I, complete sequence.	Arabidopsis thaliana	37,600	04-OCT-1999
	GB_GSS1:CNS00RN W	542	AL087338	Arabidopsis thaliana genome survey sequence T7 end of BAC F14D7 of IGF library from strain Columbia of Arabidopsis thaliana, genomic survey sequence.	Arabidopsis thaliana	41,264	28-Jun-99
rxa00989	GB_BA1:MTV008	63033	AL021246	Mycobacterium tuberculosis H37Rv complete genome; segment 108/162.	Mycobacterium tuberculosis	40,773	17-Jun-98
	GB_BA1:SCVALSFP	3619	Y13070	S.coelicolor valS, fpgs, ndk genes.	Streptomyces coelicolor	58,119	03-MAR-1998
	GB_BA1:MTV008	63033	AL021246	Mycobacterium tuberculosis H37Rv complete genome; segment 108/162.	Mycobacterium tuberculosis	38,167	17-Jun-98

Table 4 (continued)

rx00997	705	GB_BA2:CGU31225	1817	U31225	Corynebacterium glutamicum L-proline:NADP+ 5-oxidoreductase (proC) gene, complete cds.	Corynebacterium glutamicum	40,841	2-Aug-96
		GB_HTG1:CEY39C12	282838	AL009026	Caenorhabditis elegans chromosome IV clone Y39C12, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	36,416	26-OCT-1999
		GB_IN1:CEB0001	39416	Z69634	Caenorhabditis elegans cosmid B0001, complete sequence.	Caenorhabditis elegans	36,416	2-Sep-99
rx01019	1110	GB_HTG2:AC005052	144734	AC005052	Homo sapiens clone RG038K21, *** SEQUENCING IN PROGRESS ***, 3 unordered pieces.	Homo sapiens	39,172	12-Jun-98
		GB_HTG2:AC005052	144734	AC005052	Homo sapiens clone RG038K21, *** SEQUENCING IN PROGRESS ***, 3 unordered pieces.	Homo sapiens	39,172	12-Jun-98
		GB_GSS9:AQ171808	512	AQ171808	HS_3179_A1_G03_T7 CIT Approved Human Genomic Sperm Library D	Homo sapiens	34,661	17-OCT-1998
					Homo sapiens genomic clone Plate=3179 Col=5 Row=M, genomic survey sequence.			
rx01026	1782	GB_BA1:SC1C2	42210	AL031124	Streptomyces coelicolor cosmid 1C2.	Streptomyces coelicolor	68,275	15-Jan-99
		GB_BA1:ATLEUCD	2982	X84647	A.teichomyceticus leuC and leuD genes.	Actinoplanes teichomyceticus	65,935	04-OCT-1995
		GB_BA1:MTV012	70287	AL021287	Mycobacterium tuberculosis H37Rv complete genome; segment 132/162.	Mycobacterium tuberculosis	40,454	23-Jun-99
rx01027	1131	GB_BA1:MLCB637	44882	Z99263	Mycobacterium leprae cosmid B637.	Mycobacterium leprae	38,636	17-Sep-97
		GB_BA1:MTCY349	43523	Z83018	Mycobacterium tuberculosis H37Rv complete genome; segment 131/162.	Mycobacterium tuberculosis	51,989	17-Jun-98
		GB_BA1:SPUNG MUT X	1172	Z21702	S.pneumoniae ung gene and muX genes encoding uracil-DNA glycosylase and 8-oxodGTP nucleoside triphosphatase.	Streptococcus pneumoniae	38,088	15-Jun-94
rx01073	954	GB_BA1:BACOUTB	1004	M15811	Bacillus subtilis outB gene encoding a sporulation protein, complete cds.	Bacillus subtilis	53,723	26-Apr-93
		GB_PR4:AC007938	167237	AC007938	Homo sapiens clone UWGC:djs201 from 7q31, complete sequence.	Homo sapiens	34,322	1-Jul-99
		GB_PL2:ATAC006282	92577	AC006282	Arabidopsis thaliana chromosome II BAC F13K3 genomic sequence, complete sequence.	Arabidopsis thaliana	36,181	13-MAR-1999
rx01079	2226	GB_BA2:AF112535	4363	AF112535	Corynebacterium glutamicum putative glutaredoxin NrdH (nrdH), NrdI (nrdI), and ribonucleotide reductase alpha-chain (nrdE) genes, complete cds.	Corynebacterium glutamicum	99,820	5-Aug-99
		GB_BA1:CANRDFGE N	6054	Y09572	Corynebacterium ammoniagenes nrdH, nrdI, nrdE, nrdF genes.	Corynebacterium ammoniagenes	75,966	18-Apr-98
		GB_BA1:MTV012	70287	AL021287	Mycobacterium tuberculosis H37Rv complete genome; segment 132/162.	Mycobacterium tuberculosis	38,296	23-Jun-99
rx01080	567	GB_BA2:AF112535	4363	AF112535	Corynebacterium glutamicum putative glutaredoxin NrdH (nrdH), NrdI (nrdI), and ribonucleotide reductase alpha-chain (nrdE) genes, complete cds.	Corynebacterium glutamicum	100,000	5-Aug-99
		GB_BA1:CANRDFGE N	6054	Y09572	Corynebacterium ammoniagenes nrdH, nrdI, nrdE, nrdF genes.	Corynebacterium ammoniagenes	65,511	18-Apr-98
		GB_BA1:STNRD	4894	X73226	S.typhimurium nrdEF operon.	Salmonella typhimurium	52,477	03-MAR-1997
rx01087	999	GB_IN2:AF063412	1093	AF063412	Limnadia lenticularis elongation factor 1-alpha mRNA, partial cds.	Limnadia lenticularis	43,750	29-MAR-1999
		GB_PR3:HS24M15	134539	Z94055	Human DNA sequence from PAC 24M15 on chromosome 1. Contains tenascin-R (restrictin), EST.	Homo sapiens	37,475	23-Nov-99
		GB_IN2:ARU85702	1240	U85702	Anathix ralla elongation factor-1 alpha (EF-1a) gene, partial cds.	Anathix ralla	37,319	16-Jul-97

Table 4 (continued)

rxa01095	857	GB_BA1:MTCY01B2	35938	Z95554	Mycobacterium tuberculosis H37Rv complete genome; segment 72/162.	Mycobacterium tuberculosis	43,243	17-Jun-98
		GB_HTG5:AC011632	175917	AC011632	Homo sapiens clone RP11-3N13, WORKING DRAFT SEQUENCE, 9 unordered pieces.	Homo sapiens	36,471	19-Nov-99
		GB_HTG5:AC011632	175917	AC011632	Homo sapiens clone RP11-3N13, WORKING DRAFT SEQUENCE, 9 unordered pieces.	Homo sapiens	36,836	19-Nov-99
rxa01097	477	GB_BA2:AF030405	774	AF030405	Corynebacterium glutamicum cyclase (hisF) gene, complete cds.	Corynebacterium glutamicum	100,000	13-Nov-97
		GB_BA2:AF030405	774	AF030405	Corynebacterium glutamicum cyclase (hisF) gene, complete cds.	Corynebacterium glutamicum	41,206	13-Nov-97
rxa01098	897	GB_BA2:AF030405	774	AF030405	Corynebacterium glutamicum cyclase (hisF) gene, complete cds.	Corynebacterium glutamicum	97,933	13-Nov-97
		GB_BA1:MSGY223	42061	AD000019	Mycobacterium tuberculosis sequence from clone y223.	Mycobacterium tuberculosis	40,972	10-DEC-1996
rxa01100	861	GB_BA1:MLCB1610	40055	AL049913	Mycobacterium leprae cosmid B1610.	Mycobacterium leprae	61,366	27-Aug-99
		GB_BA2:AF051846	738	AF051846	Corynebacterium glutamicum phosphoribosylformimino-5-amino-1-phosphoribosyl-4-imidazolecarboxamide isomerase (hisA) gene, complete cds.	Corynebacterium glutamicum	97,154	12-MAR-1998
		GB_BA2:AF060558	636	AF060558	Corynebacterium glutamicum glutamine amidotransferase (hisH) gene, complete cds.	Corynebacterium glutamicum	95,455	29-Apr-98
rxa01101	756	GB_HTG1:HSDJ140A	221755	AL109917	Homo sapiens chromosome 1 clone RP1-140A9, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	30,523	23-Nov-99
		GB_BA2:AF060558	636	AF060558	Corynebacterium glutamicum glutamine amidotransferase (hisH) gene, complete cds.	Corynebacterium glutamicum	94,462	29-Apr-98
		GB_BA1:SC4G6	36917	AL096884	Streptomyces coelicolor cosmid 4G6.	Streptomyces coelicolor A3(2)	38,378	23-Jul-99
rxa01104	729	GB_BA1:STMHISOPA	3981	M31628	S.coelicolor histidine biosynthesis operon encoding hisD, partial cds., and hisC, hisB, hisH, and hisA genes, complete cds.	Streptomyces coelicolor	60,053	26-Apr-93
		GB_BA1:STMHISOPA	3981	M31628	S.coelicolor histidine biosynthesis operon encoding hisD, partial cds., and hisC, hisB, hisH, and hisA genes, complete cds.	Streptomyces coelicolor	58,333	26-Apr-93
		GB_BA1:SC4G6	36917	AL096884	Streptomyces coelicolor cosmid 4G6.	Streptomyces coelicolor A3(2)	39,045	23-Jul-99
rxa01105	1221	GB_BA1:MTCY336	32437	Z95586	Mycobacterium tuberculosis H37Rv complete genome; segment 70/162.	Mycobacterium tuberculosis	60,364	24-Jun-99
		GB_BA1:MTCY336	32437	Z95586	Mycobacterium tuberculosis H37Rv complete genome; segment 70/162.	Mycobacterium tuberculosis	60,931	24-Jun-99
		GB_BA1:MSGY223	42061	AD000019	Mycobacterium tuberculosis sequence from clone y223.	Mycobacterium tuberculosis	36,851	10-DEC-1996
rxa01106	1449	GB_BA1:MLCB1610	40055	AL049913	Mycobacterium leprae cosmid B1610.	Mycobacterium leprae	60,902	27-Aug-99
		GB_BA1:MSGY223	42061	AD000019	Mycobacterium tuberculosis sequence from clone y223.	Mycobacterium tuberculosis	37,233	10-DEC-1996

Table 4 (continued)

	GB_BA1:MSHISC	2298	X65542	M.smegmatis genes hisD and hisC for histidinol dehydrogenase and histidinol-Mycobacterium smegmatis phosphate aminotransferase, respectively.	60,111	30-Jun-93
	GB_BA1:MTCY336	32437	Z95586	Mycobacterium tuberculosis H37Rv complete genome; segment 70/162.	58,420	24-Jun-99
xa01145	1137	GB_BA1:CORAIA	4705	L09232	Corynebacterium glutamicum acetohydroxy acid synthase (ilvB) and (ilvN) genes, and acetohydroxy acid isomeroreductase (ilvC) gene, complete cds.	100,000
		GB_BA1:BRLILVCA	1364	D14551	Brevibacterium flavum ilvC gene for acetohydroxy acid isomeroreductase, complete cds.	99,560
		GB_PAT:E08232	1017	E08232	DNA encoding acetohydroxy-acid isomeroreductase.	99,803
		GB_PAT:A60299	2869	A60299	Sequence 18 from Patent WO9706261.	38,675
xa01162	1449	GB_PR3:HS24E5	35506	Z82185	Human DNA sequence from Fosmid 24E5 on chromosome 22q11.2-qter contains parvalbumin, ESTs, STS.	36,204
xa01208	846	GB_PR3:AC005265	43900	AC005265	Homo sapiens chromosome 19, cosmid F19750, complete sequence.	38,363
		GB_HTG2:AC004965	323792	AC004965	Homo sapiens clone DJ1106H14, *** SEQUENCING IN PROGRESS ***	36,058
		GB_HTG2:AC004965	323792	AC004965	unordered pieces.	12-Jun-98
		GB_PL2:TAU55859	2397	U55859	Triticum aestivum heat shock protein 80 mRNA, complete cds.	37,269
xa01209	1528	GB_HTG3:AC011469	113436	AC011469	Homo sapiens chromosome 19 clone CIT-HSPC_475D23, *** SEQUENCING IN PROGRESS ***	40,000
		GB_HTG3:AC011469	113436	AC011469	unordered pieces.	12-Jun-98
		GB_PL1:AB010077	77380	AB010077	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MYH19, complete sequence.	36,803
		GB_BA1:MTCY10G2	38970	Z92539	Mycobacterium tuberculosis H37Rv complete genome; segment 47/162.	37,047
xa01215	1098	GB_IN1:LEIPRPP	1887	M76553	Leishmania donovani phosphoribosylpyrophosphate synthetase gene, complete cds.	50,738
		GB_HTG2:HSJ799D1	130149	AL050344	Homo sapiens chromosome 1 clone RP4-799D16 map p34.3-36.1, *** SEQUENCING IN PROGRESS ***	38,135
		GB_BA1:MTCY48	35377	Z74020	Mycobacterium tuberculosis H37Rv complete genome; segment 69/162.	38,139
		GB_PR2:AB029032	6377	AB029032	Homo sapiens mRNA for KIAA1109 protein, partial cds.	39,394
xa01239	2556	GB_GSS9:AQ107201	355	AQ107201	HS_3098_A1_C03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3098 Col=5 Row=E, genomic survey sequence.	41,408
		GB_PL2:F5O8	99923	AC005990	Arabidopsis thaliana chromosome 1 BAC F5O8 sequence, complete sequence.	36,118
		GB_PL2:F5O8	99923	AC005990	Arabidopsis thaliana chromosome 1 BAC F5O8 sequence, complete sequence.	35,574
		GB_IN1:CELC06G1	31205	U41014	Caenorhabditis elegans cosmid C06G1.	38,560

Table 4 (continued)

rx01321	1044	GB_GSS14:AQ51884	441	AQ518843	HS_5106_A1_D10_SP6E RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=682 Col=19 Row=G, genomic survey sequence.	Homo sapiens	41,121	05-MAY-1999
		GB_HTG2:AC007473	194859	AC007473	Drosophila melanogaster chromosome 2 clone BACR38D12 (D590) RPCI-98 38.D.12 map 48A-48B strain y; cn bw sp, *** SEQUENCING IN PROGRESS	Drosophila melanogaster	40,634	2-Aug-99
		GB_HTG4:AC011696	115847	AC011696	***, 60 unordered pieces.			
					Drosophila melanogaster chromosome 2 clone BACR35F01 (D1156) RPCI-98 35.F.1 map 48A-48C strain y; cn bw sp, *** SEQUENCING IN PROGRESS	Drosophila melanogaster	38,290	26-OCT-1999
					***, 108 unordered pieces.			
rx01352	706	GB_PL2:ATAC005167	83260	AC005167	Arabidopsis thaliana chromosome II BAC F12A24 genomic sequence, complete sequence.	Arabidopsis thaliana	34,311	15-OCT-1998
		GB_PL2:ATAC005825	97380	AC005825	Arabidopsis thaliana chromosome II BAC T24I21 genomic sequence, complete sequence.	Arabidopsis thaliana	34,311	12-Apr-99
		GB_HTG3:AC011150	127222	AC011150	Homo sapiens clone 4_K_17, LOW-PASS SEQUENCE SAMPLING.	Homo sapiens	37,722	01-OCT-1999
rx01360	259	GB_EST32:A1725583	728	A1725583	BNLGH12371 Six-day Cotton fiber Gossypium hirsutum cDNA 5' similar to (U86081) root hair defective 3 [Arabidopsis thaliana], mRNA sequence.	Gossypium hirsutum	38,492	11-Jun-99
		GB_PR2:HS227P17	82951	Z81007	Human DNA sequence from PAC 227P17, between markers DXS6791 and DXS8038 on chromosome X contains CpG island, EST.	Homo sapiens	39,738	23-Nov-99
		GB_EST34:AV171099	173	AV171099	AV171099 Mus musculus head C57BL/6J 14, 17 day embryo Mus musculus cDNA clone 3200002M11, mRNA sequence.	Mus musculus	46,237	6-Jul-99
rx01361	629	GB_RO:AB008915S1	530	AB008915	Mus musculus mGpi1 gene, exon 1.	Mus musculus	45,574	28-Sep-99
		GB_EST22:A1050532	293	A1050532	uc83d10.y1 Sugano mouse kidney mKia Mus musculus cDNA clone IMAGE:1432243 5' similar to TR:O35120 O35120 MGPI1P., mRNA sequence.	Mus musculus	44,097	9-Jul-98
		GB_RO:AB008895	3062	AB008895	Mus musculus mRNA for mGpi1p, complete cds.	Mus musculus	41,316	23-Nov-97
rx01381	944	GB_PL1:AB005237	87835	AB005237	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MJJ3, complete sequence.	Arabidopsis thaliana	36,606	20-Nov-99
		GB_GSS5:AQ766840	491	AQ766840	HS_2026_A2_C09_T7C CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=18 Row=E, genomic survey sequence.	Homo sapiens	37,916	28-Jul-99
		GB_BA1:MTV043	68848	AL022004	Mycobacterium tuberculosis H37Rv complete genome; segment 40/162.	Mycobacterium tuberculosis	37,419	24-Jun-99
rx01393	993	GB_BA1:CGLYSEG	2374	X96471	C.glutamicum lysE and lysG genes.	Corynebacterium glutamicum	34,831	24-Feb-97
		GB_BA1:SC5A7	40337	AL031107	Streptomyces coelicolor cosmid 5A7.	Streptomyces coelicolor	35,138	27-Jul-98
		GB_PR3:AC004054	112184	AC004054	Homo sapiens chromosome 4 clone B220G8 map 4q21, complete sequence.	Homo sapiens	37,277	9-Jul-98
rx01394	822	GB_BA1:CGLYSEG	2374	X96471	C.glutamicum lysE and lysG genes.	Corynebacterium glutamicum	100,000	24-Feb-97
		GB_GSS5:AQ769223	500	AQ769223	HS_3155_B2_G10_T7C CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3155 Col=20 Row=N, genomic survey sequence.	Homo sapiens	38,400	28-Jul-99

Table 4 (continued)

		GB_BA1:CGLYSEG	2374	X96471	C. glutamicum lysE and lysG genes.			Corynebacterium glutamicum	33,665	24-Feb-97
rx01416	630	GB_BA1:SC3C3	31382	AL031231	Streptomyces coelicolor cosmid 3C3.			Streptomyces coelicolor	62,726	10-Aug-98
		GB_BA1:MLCB22	40281	Z98741	Mycobacterium leprae cosmid B22.			Mycobacterium leprae	39,159	22-Aug-97
		GB_BA1:MTV002	56414	AL008967	Mycobacterium tuberculosis H37Rv complete genome; segment 122/162.			Mycobacterium tuberculosis	37,340	17-Jun-98
rx01442	1347	GB_BA1:D90827	18886	D90827	E. coli genomic DNA, Kohara clone #336(41.2-41.6 min.).			Escherichia coli	58,517	21-MAR-1997
		GB_BA1:D90828	14590	D90828	E. coli genomic DNA, Kohara clone #336gap(41.6-41.9 min.).			Escherichia coli	56,151	21-MAR-1997
rx01446	1413	GB_BA2:AE000279	10855	AE000279	Escherichia coli K-12 MG1655 section 169 of 400 of the complete genome.			Escherichia coli	56,021	12-Nov-98
		GB_BA1:SCH10	39524	AL049754	Streptomyces coelicolor cosmid H10.			Streptomyces coelicolor	39,037	04-MAY-1999
		GB_BA1:MTY13E10	35019	Z95324	Mycobacterium tuberculosis H37Rv complete genome; segment 18/162.			Mycobacterium tuberculosis	40,130	17-Jun-98
rx01483	1395	GB_BA1:MLCB4	36310	AL023514	Mycobacterium leprae cosmid B4.			Mycobacterium leprae	37,752	27-Aug-99
		GB_BA1:MTCY98	31225	Z83860	Mycobacterium tuberculosis H37Rv complete genome; segment 103/162.			Mycobacterium tuberculosis	39,057	17-Jun-98
		GB_BA1:MSG81229C	30670	L78812	Mycobacterium leprae cosmid B1229 DNA sequence.			Mycobacterium leprae	54,382	15-Jun-96
rx01486	757	GB_BA2:AF027507	5168	AF027507	Mycobacterium smegmatis dGTPase (dgt), and primase (dnaG) genes, complete cds; tRNA-Asn gene, complete sequence.			Mycobacterium smegmatis	52,941	16-Jan-98
		GB_BA1:MTV002	56414	AL008967	Mycobacterium tuberculosis H37Rv complete genome; segment 122/162.			Mycobacterium tuberculosis	40,941	17-Jun-98
rx01489	1146	GB_BA1:MLCB22	40281	Z98741	Mycobacterium leprae cosmid B22.			Mycobacterium leprae	38,451	22-Aug-97
		GB_BA1:SC3C3	31382	AL031231	Streptomyces coelicolor cosmid 3C3.			Streptomyces coelicolor	61,194	10-Aug-98
		GB_BA1:CORFADS	1547	D37967	Corynebacterium ammoniagenes gene for FAD synthetase, complete cds.			Corynebacterium ammoniagenes	58,021	8-Feb-99
rx01491	774	GB_BA1:MLCB22	40281	Z98741	Mycobacterium leprae cosmid B22.			Mycobacterium leprae	38,414	22-Aug-97
		GB_BA1:SC10A7	39739	AL078618	Streptomyces coelicolor cosmid 10A7.			Streptomyces coelicolor	36,930	9-Jun-99
		GB_BA1:MTV002	56414	AL008967	Mycobacterium tuberculosis H37Rv complete genome; segment 122/162.			Mycobacterium tuberculosis	37,062	17-Jun-98
		GB_EST13:AA356956	255	AA356956	EST65614 Jurkat T-cells III Homo sapiens cDNA 5' end, mRNA sequence.			Homo sapiens	37,647	21-Apr-97
		GB_OV:OMDNAPROI	7327	X92380	O. mossambicus prolactin I gene.			Tilapia mossambica	38,289	19-OCT-1995
rx01508	1662	GB_IN1:CEF28C12	14653	Z93380	Caenorhabditis elegans cosmid F28C12, complete sequence.			Caenorhabditis elegans	37,984	23-Nov-98
		GB_IN1:CEF28C12	14653	Z93380	Caenorhabditis elegans cosmid F28C12, complete sequence.			Caenorhabditis elegans	38,469	23-Nov-98
rx01512	723	GB_BA1:SCE9	37730	AL049841	Streptomyces coelicolor cosmid E9.			Streptomyces coelicolor	39,021	19-MAY-1999
		GB_BA1:MAU88875	840	U88875	Mycobacterium avium hypoxanthine-guanine phosphoribosyl transferase gene, complete cds.			Mycobacterium avium	57,521	05-MAR-1997

Table 4 (continued)

rxa01514	711	GB_BA1:MTY15C10	33050	Z95436	Mycobacterium tuberculosis H37Rv complete genome; segment 154/162.	Mycobacterium tuberculosis	40,086	17-Jun-98
		GB_BA1:MTCY7H7B	24244	Z95557	Mycobacterium tuberculosis H37Rv complete genome; segment 153/162.	Mycobacterium tuberculosis	43,343	18-Jun-98
		GB_BA1:MLCB2548	38916	AL023093	Mycobacterium leprae cosmid B2548.	Mycobacterium leprae	38,177	27-Aug-99
		GB_PL1:EGGTPCHI	242	Z49757	E.gracilis mRNA for GTP cyclohydrolase I (core region).	Euglena gracilis	64,876	20-OCT-1995
rxa01515	975	GB_BA1:ECOUW93	338534	U14003	Escherichia coli K-12 chromosomal region from 92.8 to 00.1 minutes.	Escherichia coli	38,943	17-Apr-96
		GB_BA1:ECOUW93	338534	U14003	Escherichia coli K-12 chromosomal region from 92.8 to 00.1 minutes.	Escherichia coli	37,500	17-Apr-96
		GB_BA1:MTCY49	39430	Z73966	Mycobacterium tuberculosis H37Rv complete genome; segment 93/162.	Mycobacterium tuberculosis	38,010	24-Jun-99
rxa01516	513	GB_IN1:DME238847	5419	AJ238847	Drosophila melanogaster mRNA for drosophila dodeca-satellite protein 1 (DDP-1).	Drosophila melanogaster	36,346	13-Aug-99
		GB_HTG3:AC009210	103814	AC009210	Drosophila melanogaster chromosome 2 clone BACR01106 (D1054) RPCI-98	Drosophila melanogaster	37,897	20-Aug-99
				01.1.6 map 55D-55D strain y; cn bw sp, *** SEQUENCING IN PROGRESS				
				***, 86 unordered pieces.				
rxa01517	600	GB_IN2:AF132179	4842	AF132179	Drosophila melanogaster clone LD21677 unknown mRNA.	Drosophila melanogaster	36,149	3-Jun-99
		GB_PL2:F6H8	82596	AF178045	Arabidopsis thaliana BAC F6H8.	Arabidopsis thaliana	35,846	19-Aug-99
		GB_PL2:AF038831	647	AF038831	Sorosporium saponariae internal transcribed spacer 1, 5.8S ribosomal RNA gene; and internal transcribed spacer 2, complete sequence.	Sorosporium saponariae	40,566	13-Apr-99
		GB_PL2:ATAC005957	108355	AC005957	Arabidopsis thaliana chromosome II BAC T15J14 genomic sequence, complete sequence.	Arabidopsis thaliana	38,095	7-Jan-99
rxa01521	921	GB_BA1:ANANIFBH	5936	J05111	Anabaena sp. (clone AnH20.1) nitrogen fixation operon nifB, fdxN, nifS, nifU, and nifH genes, complete cds.	Anabaena sp.	38,206	26-Apr-93
		GB_PR2:AC002461	197273	AC002461	Human BAC clone RG204I16 from 7q31, complete sequence.	Homo sapiens	36,623	20-Aug-97
		GB_PR2:AC002461	197273	AC002461	Human BAC clone RG204I16 from 7q31, complete sequence.	Homo sapiens	34,719	20-Aug-97
rxa01528	651	GB_RO:MM437P9	165901	AL049866	Mus musculus chromosome X, clone 437P9.	Mus musculus	37,500	29-Jun-99
		GB_PR3:AC005740	186780	AC005740	Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.	Homo sapiens	37,031	01-OCT-1998
		GB_PR3:AC005740	186780	AC005740	Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.	Homo sapiens	38,035	01-OCT-1998
rxa01551	1998	GB_BA1:MTCY22G10	35420	Z84724	Mycobacterium tuberculosis H37Rv complete genome; segment 21/162.	Mycobacterium tuberculosis	38,371	17-Jun-98
		GB_BA2:ECOUW89	176195	U00006	E. coli chromosomal region from 89.2 to 92.8 minutes.	Escherichia coli	38,064	17-DEC-1993
		GB_BA1:SCQ11	15441	AL096823	Streptomyces coelicolor cosmid Q11.	Streptomyces coelicolor	60,775	8-Jul-99
rxa01561	1053	GB_IN1:CEY62H9A	47396	AL032630	Caenorhabditis elegans cosmid Y62H9A, complete sequence.	Caenorhabditis elegans	38,514	2-Sep-99
		GB_PR4:HSU51003	3202	U51003	Homo sapiens DLX-2 (DLX-2) gene, complete cds.	Homo sapiens	37,730	07-DEC-1999
		GB_OM:PIGDAO1	395	M18444	Pig D-amino acid oxidase (DAO) gene, exon 1.	Sus scrofa	39,340	27-Apr-93
rxa01599	1785	GB_BA1:MTCI125	37432	Z98268	Mycobacterium tuberculosis H37Rv complete genome; segment 76/162.	Mycobacterium tuberculosis	63,300	17-Jun-98
		GB_BA1:U00021	39193	U00021	Mycobacterium leprae cosmid L247.	Mycobacterium leprae	36,756	29-Sep-94

Table 4 (continued)

rx01617	795	GB_BA1:MLCB1351	38936	Z95117	Mycobacterium leprae cosmid B1351.	Mycobacterium leprae	36,756	24-Jun-97
		GB_PR2:HSMTM0	217657	AL034384	Human chromosome Xq28, cosmid clones 7H3, 14D7, C1230, 11E7, F1096, A12197, 12G8, A09100; complete sequence bases 1..217657.	Homo sapiens	40,811	5-Jul-99
		GB_PR2:HS13D10	153147	AL021407	Homo sapiens DNA sequence from PAC 13D10 on chromosome 6p22.3-23. Contains CpG island.	Homo sapiens	38,768	23-Nov-99
		GB_PR2:HSMTM0	217657	AL034384	Human chromosome Xq28, cosmid clones 7H3, 14D7, C1230, 11E7, F1096, A12197, 12G8, A09100; complete sequence bases 1..217657.	Homo sapiens	39,018	5-Jul-99
rx01657	723	GB_BA1:MTCY1A10	25949	Z95387	Mycobacterium tuberculosis H37Rv complete genome; segment 117/162.	Mycobacterium tuberculosis	40,656	17-Jun-98
		GB_EST6:D79278	392	D79278	HUM213D06B Human aorta polyA+ (TFujiwara) Homo sapiens cDNA clone GEN-213D06 5', mRNA sequence.	Homo sapiens	44,262	9-Feb-96
		GB_BA2:AF129925	10243	AF129925	Thiobacillus ferrooxidans carboxysome operon, complete cds.	Thiobacillus ferrooxidans	40,709	17-MAY-1999
rx01660	675	GB_BA1:MTV013	11364	AL021309	Mycobacterium tuberculosis H37Rv complete genome; segment 134/162.	Mycobacterium tuberculosis	40,986	17-Jun-98
		GB_RO:MMFV1	6480	X97719	M.musculus retrovirus restriction gene Fv1.	Mus musculus	35,364	29-Aug-96
		GB_PAT:A67508	6480	A67508	Sequence 1 from Patent WO9743410.	Mus musculus	35,364	05-MAY-1999
rx01678	651	GB_VI:TVU95309	600	U95309	Tula virus O64 nucleocapsid protein gene, partial cds.	Tula virus	41,894	28-OCT-1997
		GB_VI:TVU95303	600	U95303	Tula virus O52 nucleocapsid protein gene, partial cds.	Tula virus	41,712	28-OCT-1997
		GB_VI:TVU95302	600	U95302	Tula virus O24 nucleocapsid protein gene, partial cds.	Tula virus	39,576	28-OCT-1997
rx01679	1359	GB_EST5:H91843	362	H91843	ys81e01.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:221208 3' similar to gb:X63749_rna1 GUANINE NUCLEOTIDE-BINDING PROTEIN G(T), ALPHA-1 (HUMAN);, mRNA sequence.	Homo sapiens	39,157	29-Nov-95
		GB_ST5:G26925	362	G26925	human STS SHGC-30023, sequence tagged site.	Homo sapiens	39,157	14-Jun-96
		GB_PL2:AF139451	1202	AF139451	Gossypium robinsonii CeiA2 pseudogene, partial sequence.	Gossypium robinsonii	38,910	1-Jun-99
rx01690	1224	GB_BA1:SC1C2	42210	AL031124	Streptomyces coelicolor cosmid 1C2.	Streptomyces coelicolor	60,644	15-Jan-99
		GB_EST22:A1064232	493	A1064232	GH04563.5prime GH Drosophila melanogaster head pOT2 Drosophila melanogaster cDNA clone GH04563 5prime, mRNA sequence.	Drosophila melanogaster	38,037	24-Nov-98
		GB_IN2:AF117896	1020	AF117896	Drosophila melanogaster neuropeptide F (npf) gene, complete cds.	Drosophila melanogaster	36,122	2-Jul-99
rx01692	873	GB_BA2:AF067123	1034	AF067123	Lactobacillus reuteri cobalamin biosynthesis protein J (cbiJ) gene, partial cds; and uroporphyrin-III C-methyltransferase (sumT) gene, complete cds.	Lactobacillus reuteri	48,079	3-Jun-98
		GB_RO:RATNFHPEP	3085	M37227	Rat heavy neurofilament (NF-H) polypeptide, partial cds.	Rattus norvegicus	37,093	27-Apr-93
		GB_RO:RSNFH	3085	X13804	Rat mRNA for heavy neurofilament polypeptide NF-H C-terminus.	Rattus sp.	37,093	14-Jul-95
rx01698	1353	GB_BA2:AF124600	4115	AF124600	Corynebacterium glutamicum chorismate synthase (aroC), shikimate kinase (aroK), and 3-dehydroquinase synthase (aroB) genes, complete cds; and putative cytoplasmic peptidase (pepQ) gene, partial cds.	Corynebacterium glutamicum	100,000	04-MAY-1999
		GB_BA1:MTCY159	33818	Z83863	Mycobacterium tuberculosis H37Rv complete genome; segment 111/162.	Mycobacterium tuberculosis	36,323	17-Jun-98

Table 4 (continued)

rx01699	693	GB_BA1:MSG937C	38914	L78820	Mycobacterium leprae cosmid B937 DNA sequence.	Mycobacterium leprae	62,780	15-Jun-96
		GB_BA2:AF124600	4115	AF124600	Corynebacterium glutamicum chorismate synthase (aroC), shikimate kinase (aroK), and 3-dehydroquinase synthase (aroB) genes, complete cds; and putative cytoplasmic peptidase (pepQ) gene, partial cds.	Corynebacterium glutamicum	100,000	04-MAY-1999
		GB_BA2:AF016585	41097	AF016585	Streptomyces caelestis cytochrome P-450 hydroxylase homolog (nidi) gene, partial cds; polyketide synthase modules 1 through 7 (nida) genes, complete cds; and N-methyltransferase homolog gene, partial cds.	Streptomyces caelestis	40,260	07-DEC-1997
		GB_EST9:C19712	399	C19712	C19712 Rice panicle at ripening stage Oryza sativa cDNA clone E10821_1A, mRNA sequence.	Oryza sativa	45,425	24-OCT-1996
rx01712	805	GB_EST21:AA952466	278	AA952466	TENS1404 T. cruzi epimastigote normalized cDNA Library Trypanosoma cruzi cDNA clone 1404 5', mRNA sequence.	Trypanosoma cruzi	40,876	29-OCT-1998
		GB_EST21:AA952466	278	AA952466	TENS1404 T. cruzi epimastigote normalized cDNA Library Trypanosoma cruzi cDNA clone 1404 5', mRNA sequence.	Trypanosoma cruzi	41,367	29-OCT-1998
rx01719	684	GB_HTG1:HSDJ534K	154416	AL109925	Homo sapiens chromosome 1 clone RP4-534K7, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	35,651	23-Nov-99
		GB_HTG1:HSDJ534K	154416	AL109925	Homo sapiens chromosome 1 clone RP4-534K7, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	35,651	23-Nov-99
		GB_EST27:AI447108	431	AI447108	mq91e08.x1 Stratagene mouse heart (#937316) Mus musculus cDNA clone IMAGE:586118 3', mRNA sequence.	Mus musculus	39,671	09-MAR-1999
rx01720	1332	GB_PR4:AC006322	179640	AC006322	Homo sapiens PAC clone DJ1060B11 from 7q11.23-q21.1, complete sequence.	Homo sapiens	35,817	18-MAR-1999
		GB_PL2:TM018A10	106184	AF013294	Arabidopsis thaliana BAC TM018A10.	Arabidopsis thaliana	35,698	12-Jul-97
		GB_PR4:AC006322	179640	AC006322	Homo sapiens PAC clone DJ1060B11 from 7q11.23-q21.1, complete sequence.	Homo sapiens	37,243	18-MAR-1999
rx01746	876	GB_EST3:R46227	443	R46227	yg52a03.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:36000 3', mRNA sequence.	Homo sapiens	42,812	22-MAY-1995
		GB_EST3:R46227	443	R46227	yg52a03.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:36000 3', mRNA sequence.	Homo sapiens	42,655	22-MAY-1995
rx01747	1167	GB_BA1:MTCY190	34150	Z70283	Mycobacterium tuberculosis H37Rv complete genome; segment 98/162.	Mycobacterium tuberculosis	59,294	17-Jun-98
		GB_BA1:MLCB22	40281	Z98741	Mycobacterium leprae cosmid B22.	Mycobacterium leprae	57,584	22-Aug-97
		GB_BA1:SC5F7	40024	AL096872	Streptomyces coelicolor cosmid 5F7.	Streptomyces coelicolor A3(2)	61,810	22-Jul-99
rx01757	924	GB_EST21:AA918454	416	AA918454	om38c02.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1543298 3' similar to WP:F28F8.3 CE09757 SMALL NUCLEAR RIBONUCLEOPROTEIN E.; mRNA sequence.	Homo sapiens	39,655	23-Jun-98
		GB_EST4:H34042	345	H34042	EST110563 Rat PC-12 cells, NGF-treated (9 days) Rattus sp. cDNA clone RPNB181 5' end, mRNA sequence.	Rattus sp.	35,942	2-Apr-98
		GB_EST20:AA899038	450	AA899038	NCP6G8T7 Peritrichal Neurospora crassa cDNA clone NP6G8 3' end, mRNA sequence.	Neurospora crassa	40,000	12-Apr-98

Table 4 (continued)

rx01807	915	GB_BA1:AP000063	185300	AP000063	Aeropyrum pernix genomic DNA, section 6/7.	Aeropyrum pernix	40,067	22-Jun-99
		GB_HTG4:AC010694	115857	AC010694	Drosophila melanogaster clone RPCI98-6H2, *** SEQUENCING IN PROGRESS ***, 75 unordered pieces.	Drosophila melanogaster	35,450	16-OCT-1999
		GB_HTG4:AC010694	115857	AC010694	Drosophila melanogaster clone RPCI98-6H2, *** SEQUENCING IN PROGRESS ***, 75 unordered pieces.	Drosophila melanogaster	35,450	16-OCT-1999
rx01821	401	GB_BA1:CGL007732	4460	AJ007732	Corynebacterium glutamicum 3' ppc gene, amt gene, ocd gene and 5' soxA gene.	Corynebacterium glutamicum	100,000	7-Jan-99
		GB_RO:RATALGL	7601	M24108	Rattus norvegicus (clone A2U42) alpha2u globulin gene, exons 1-7.	Rattus norvegicus	38,692	15-DEC-1994
rx01835	654	GB_OV:APIGY2	1381	X78272	Anas platyrhynchos (Super M) IgY upslon heavy chain gene, exon 2.	Anas platyrhynchos	36,962	15-Feb-99
		GB_EST30:AI629479	353	AI629479	486101D10.x1 486 - leaf primordia cDNA library from Hake lab Zea mays cDNA, mRNA sequence.	Zea mays	38,109	26-Apr-99
		GB_STS:G48245	515	G48245	SHGC-62915 Human Homo sapiens STS genomic, sequence tagged site.	Homo sapiens	37,021	26-MAR-1999
		GB_GSS3:B49052	515	B49052	RPCI11-4112.TV RPCI-11 Homo sapiens genomic clone RPCI-11-4112, genomic survey sequence.	Homo sapiens	37,021	8-Apr-99
rx01850	1470	GB_BA2:ECOUW67_0	110000	U18997	Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes.	Escherichia coli	37,196	U18997
		GB_BA2:AE000392	10345	AE000392	Escherichia coli K-12 MG1655 section 282 of 400 of the complete genome.	Escherichia coli	38,021	12-Nov-98
		GB_BA2:U32715	13136	U32715	Haemophilus influenzae Rd section 30 of 163 of the complete genome.	Haemophilus influenzae Rd	39,860	29-MAY-1998
rx01878	1002	GB_HTG1:CEY64F11	177748	Z99776	Caenorhabditis elegans chromosome IV clone Y64F11, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	37,564	14-OCT-1998
		GB_HTG1:CEY64F11	177748	Z99776	Caenorhabditis elegans chromosome IV clone Y64F11, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	37,564	14-OCT-1998
		GB_HTG1:CEY64F11	177748	Z99776	Caenorhabditis elegans chromosome IV clone Y64F11, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	37,576	14-OCT-1998
rx01892	852	GB_BA1:MTCY274	39991	Z74024	Mycobacterium tuberculosis H37Rv complete genome; segment 126/162.	Mycobacterium tuberculosis	35,910	19-Jun-98
		GB_BA1:MLCB250	40603	Z97369	Mycobacterium leprae cosmid B250.	Mycobacterium leprae	64,260	27-Aug-99
		GB_BA1:MSGB1529C	36985	L78824	Mycobacterium leprae cosmid B1529 DNA sequence.	Mycobacterium leprae	64,260	15-Jun-96
rx01894	978	GB_BA1:MTCY274	39991	Z74024	Mycobacterium tuberculosis H37Rv complete genome; segment 126/162.	Mycobacterium tuberculosis	37,229	19-Jun-98
		GB_IN1:CELLF46H5	38886	U41543	Caenorhabditis elegans cosmid F46H5.	Caenorhabditis elegans	38,525	29-Nov-96
		GB_HTG3:AC009204	115633	AC009204	Drosophila melanogaster chromosome 2 clone BACR03E19 (D1033) RPCI-98 03.E.19 map 36E-37C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 94 unordered pieces.	Drosophila melanogaster	31,579	18-Aug-99
rx01920	1125	GB_BA2:AF112536	1798	AF112536	Corynebacterium glutamicum ribonucleotide reductase beta-chain (nrdF) gene, complete cds.	Corynebacterium glutamicum	99,733	5-Aug-99
		GB_BA1:CANRDFGE	6054	Y09572	Corynebacterium ammoniagenes nrdH, nrdI, nrdE, nrdF genes.	Corynebacterium ammoniagenes	70,321	18-Apr-98

Table 4 (continued)

rx01928	960	GB_BA2:AF050168	1228	AF050168	Corynebacterium ammoniagenes subunit (nrdF) gene, complete cds.	Corynebacterium ammoniagenes	72,082	23-Apr-98
		GB_BA1:CGPAN	2164	X96580	C. glutamicum panB, panC & xylB genes.	Corynebacterium glutamicum	100,000	11-MAY-1999
		GB_PL1:AP000423	154478	AP000423	Arabidopsis thaliana chloroplast genomic DNA, complete sequence, strain: Columbia.	Chloroplast Arabidopsis thaliana	35,917	15-Sep-99
		GB_PL1:AP000423	154478	AP000423	Arabidopsis thaliana chloroplast genomic DNA, complete sequence, strain: Columbia.	Chloroplast Arabidopsis thaliana	33,925	15-Sep-99
rx01929	936	GB_BA1:CGPAN	2164	X96580	C. glutamicum panB, panC & xylB genes.	Corynebacterium glutamicum	100,000	11-MAY-1999
		GB_BA1:XCU33548	8429	U33548	Xanthomonas campestris hrpB pathogenicity locus proteins HrpB1, HrpB2, HrpB3, HrpB4, HrpB5, HrpB6, HrpB7, HrpB8, HrpA1, and ORF62 genes, complete cds.	Xanthomonas campestris pv. vesicatoria	38,749	19-Sep-96
		GB_BA1:XANHRPB6	1329	M99174	Xanthomonas campestris hrpB6 gene, complete cds.	Xanthomonas campestris	39,305	14-Sep-93
rx01940	1059	GB_IN2:CFU43371	1060	U43371	Crithidia fasciculata inosine-uridine preferring nucleoside hydrolase (IUNH) gene, complete cds.	Crithidia fasciculata	61,417	18-Jun-96
		GB_BA2:AE001467	11601	AE001467	Helicobacter pylori, strain J99 section 28 of 132 of the complete genome.	Helicobacter pylori J99	38,560	20-Jan-99
		GB_RO:AF175967	3492	AF175967	Homo sapiens Leman coiled-coil protein (LCCP) mRNA, complete cds.	Mus musculus	40,275	26-Sep-99
rx02022	1230	GB_BA1:CGDAPE	1966	X81379	C. glutamicum dapE gene and orf2.	Corynebacterium glutamicum	100,000	8-Aug-95
		GB_BA1:CGDNAARO	2612	X85965	C. glutamicum ORF3 and aroP gene.	Corynebacterium glutamicum	38,889	30-Nov-97
		GB_BA1:APU47055	6469	U47055	Anabaena PCC7120 nitrogen fixation proteins (nifE, nifN, nifX, nifW) genes, complete cds, and nitrogenase (nifK) and hesA genes, partial cds.	Anabaena PCC7120	36,647	17-Feb-96
rx02024	859	GB_BA1:MTCI364	29540	Z93777	Mycobacterium tuberculosis H37Rv complete genome; segment 52/162.	Mycobacterium tuberculosis	59,415	17-Jun-98
		GB_BA1:MSGB1912C	38503	L01536	M. leprae genomic dna sequence, cosmid b1912.	Mycobacterium leprae	57,093	14-Jun-96
rx02027		GB_BA1:MLU15180	38675	U15180	Mycobacterium leprae cosmid B1756.	Mycobacterium leprae	57,210	09-MAR-1995
rx02031								
rx02072	1464	GB_BA1:CGGDHA	2037	X72855	C. glutamicum GDHA gene.	Corynebacterium glutamicum	99,317	24-MAY-1993
		GB_BA1:CGGDH	2037	X59404	Corynebacterium glutamicum, gdh gen for glutamate dehydrogenase.	Corynebacterium glutamicum	94,387	30-Jul-99
		GB_BA1:PAE18494	1628	Y18494	Pseudomonas aeruginosa gdhA gene, strain PAC1.	Pseudomonas aeruginosa	62,247	6-Feb-99

Table 4 (continued)

rx02085	2358	GB_BA1:MTCY22G8	22550	Z95585	Mycobacterium tuberculosis H37Rv complete genome; segment 49/162.	Mycobacterium tuberculosis	38,442	17-Jun-98
		GB_BA1:MLCB33	42224	Z94723	Mycobacterium leprae cosmid B33.	Mycobacterium leprae	56,486	24-Jun-97
		GB_BA1:ECOUW85	91414	M87049	E. coli genomic sequence of the region from 84.5 to 86.5 minutes.	Escherichia coli	52,127	29-MAY-1995
rx02093	927	GB_EST14:AA448146	452	AA448146	zw82h01.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782737	Homo sapiens	34,163	4-Jun-97
		GB_EST17:AA641937	444	AA641937	5', mRNA sequence.	Homo sapiens	35,586	27-OCT-1997
		GB_PR3:AC003074	143029	AC003074	Human PAC clone DJ0596O09 from 7p15, complete sequence.	Homo sapiens	31,917	6-Nov-97
rx02106	1179	GB_BA1:SC1A6	37620	AL023496	Streptomyces coelicolor cosmid 1A6.	Streptomyces coelicolor	35,818	13-Jan-99
		GB_PR4:AC005553	179651	AC005553	Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.	Homo sapiens	34,274	31-DEC-1998
		GB_EST3:R49746	397	R49746	yg71g10.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:38768 5' similar to gb:V00567 BETA-2-MICROGLOBULIN	Homo sapiens	41,162	18-MAY-1995
					PRECURSOR (HUMAN); mRNA sequence.			
rx02111	1407	GB_BA1:SC6G10	36734	AL049497	Streptomyces coelicolor cosmid 6G10.	Streptomyces coelicolor	50,791	24-MAR-1999
		GB_BA1:U00010	41171	U00010	Mycobacterium leprae cosmid B1170.	Mycobacterium leprae	37,563	01-MAR-1994
		GB_BA1:MTCY336	32437	Z95586	Mycobacterium tuberculosis H37Rv complete genome; segment 70/162.	Mycobacterium tuberculosis	39,504	24-Jun-99
rx02112	960	GB_HTG3:AC010579	157658	AC010579	Drosophila melanogaster chromosome 3 clone BACR09D08 (D1101) RPCI-98	Drosophila melanogaster	37,909	24-Sep-99
					09.D.8 map 96F-96F strain y; cn bw sp, *** SEQUENCING IN PROGRESS			
					***, 121 unordered pieces.			
		GB_GSS3:B09839	1191	B09839	T12A12-Sp6 TAMU Arabidopsis thaliana genomic clone T12A12, genomic survey sequence.	Arabidopsis thaliana	37,843	14-MAY-1997
		GB_HTG3:AC010579	157658	AC010579	Drosophila melanogaster chromosome 3 clone BACR09D08 (D1101) RPCI-98	Drosophila melanogaster	37,909	24-Sep-99
					09.D.8 map 96F-96F strain y; cn bw sp, *** SEQUENCING IN PROGRESS			
					***, 121 unordered pieces.			
rx02134	1044	GB_BA1:SCSECYDN A	6154	X83011	S.coelicolor secY locus DNA.	Streptomyces coelicolor	36,533	02-MAR-1998
		GB_EST32:AI731596	568	AI731596	BNLGH10185 Six-day Cotton fiber Gossypium hirsutum cDNA 5' similar to (AC004005) putative ribosomal protein L7 [Arabidopsis thaliana], mRNA sequence.	Gossypium hirsutum	33,451	11-Jun-99
		GB_BA1:SCSECYDN A	6154	X83011	S.coelicolor secY locus DNA.	Streptomyces coelicolor	36,756	02-MAR-1998
rx02135	1197	GB_PR3:HS525L6	168111	AL023807	Human DNA sequence from clone RP3-525L6 on chromosome 6p22.3-23	Homo sapiens	34,365	23-Nov-99
		GB_PL2:ATF21P8	85785	AL022347	Contains CA repeat, STSs, GSSs and a CpG Island, complete sequence.	Arabidopsis thaliana	34,325	9-Jun-99
					Arabidopsis thaliana DNA chromosome 4, BAC clone F21P8 (ESSA project).	Arabidopsis thaliana	33,874	26-Jun-98

Table 4 (continued)

rx02136	645	GB_PL2:ATAC005819	57752	AC005819	Arabidopsis thaliana chromosome II BAC T3A4 genomic sequence, complete sequence.	Arabidopsis thaliana	34,123	3-Nov-98
		GB_PL2:F15K9	71097	AC005278	Arabidopsis thaliana chromosome 1 BAC F15K9 sequence, complete sequence.	Arabidopsis thaliana	31,260	7-Nov-98
		GB_PL2:U89959	106973	U89959	Arabidopsis thaliana BAC T7123, complete sequence.	Arabidopsis thaliana	34,281	26-Jun-98
rx02139	1962	GB_BA1:MTCY190	34150	Z70283	Mycobacterium tuberculosis H37Rv complete genome; segment 98/162.	Mycobacterium tuberculosis	62,904	17-Jun-98
		GB_BA1:MSG1554C	36548	L78814	Mycobacterium leprae cosmid B1554 DNA sequence.	Mycobacterium leprae	36,648	15-Jun-96
		GB_BA1:MSG1551C	36548	L78813	Mycobacterium leprae cosmid B1551 DNA sequence.	Mycobacterium leprae	36,648	15-Jun-96
rx02153	903	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	99,104	1-Jul-98
		GB_BA1:AF005242	1044	AF005242	Corynebacterium glutamicum N-acetylglutamate-5-semialdehyde dehydrogenase (argC) gene, complete cds.	Corynebacterium glutamicum	99,224	2-Jul-97
		GB_BA1:CGARGCJB	4355	X86157	C.glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	100,000	25-Jul-96
rx02154	414	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	98,551	1-Jul-98
		GB_BA1:AF005242	1044	AF005242	Corynebacterium glutamicum N-acetylglutamate-5-semialdehyde dehydrogenase (argC) gene, complete cds.	Corynebacterium glutamicum	98,477	2-Jul-97
		GB_BA1:CGARGCJB	4355	X86157	C.glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	100,000	25-Jul-96
rx02155	1287	GB_BA1:CGARGCJB	4355	X86157	C.glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	99,767	25-Jul-96
		GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	99,378	1-Jul-98
		GB_BA1:MSG1133C	42106	L78811	Mycobacterium leprae cosmid B1133 DNA sequence.	Mycobacterium leprae	55,504	15-Jun-96
rx02156	1074	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	100,000	1-Jul-98

Table 4 (continued)

1296	rx02157	1296	GB_BA1:CGARGCJB D	4355	X86157	C. glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	100,000	25-Jul-96
			GB_BA2:AE001816	10007	AE001816	Thermotoga maritima section 128 of 136 of the complete genome.	Thermotoga maritima	50,238	2-Jun-99
			GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	99,612	1-Jul-98
			GB_BA1:CGARGCJB D	4355	X86157	C. glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	99,612	25-Jul-96
			GB_BA1:MTCY06H11	38000	Z85982	Mycobacterium tuberculosis H37Rv complete genome; segment 73/162.	Mycobacterium tuberculosis	57,278	17-Jun-98
1080	rx02158	1080	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	100,000	1-Jul-98
			GB_BA2:AF031518	2045	AF031518	Corynebacterium glutamicum ornithine carbamoyltransferase (argF) gene, complete cds.	Corynebacterium glutamicum	99,898	5-Jan-99
			GB_BA1:CGARGCJB D	4355	X86157	C. glutamicum argC, argJ, argB, argD, and argF genes.	Corynebacterium glutamicum	100,000	25-Jul-96
636	rx02159	636	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	99,843	1-Jul-98
			GB_BA2:AF031518	2045	AF031518	Corynebacterium glutamicum ornithine carbamoyltransferase (argF) gene, complete cds.	Corynebacterium glutamicum	88,679	5-Jan-99
			GB_BA2:AF041436	516	AF041436	Corynebacterium glutamicum arginine repressor (argR) gene, complete cds.	Corynebacterium glutamicum	100,000	5-Jan-99
1326	rx02160	1326	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	99,774	1-Jul-98
			GB_BA2:AF030520	1206	AF030520	Corynebacterium glutamicum argininosuccinate synthetase (argG) gene, complete cds.	Corynebacterium glutamicum	99,834	19-Nov-97
			GB_BA1:SCARGGH	1909	Z49111	S. clavuligerus argG gene and argH gene (partial).	Streptomyces clavuligerus	65,913	22-Apr-96
1554	rx02162	1554	GB_BA2:AF049897	9196	AF049897	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum	88,524	1-Jul-98

Table 4 (continued)

1251	rx02176	GB_BA2:AF048764	1437	AF048764	Corynebacterium glutamicum argininosuccinate lyase (argH) gene, complete cds.	Corynebacterium glutamicum	87,561	1-Jul-98
		GB_BA1:MTCY06H11	38000	Z85982	Mycobacterium tuberculosis H37Rv complete genome; segment 73/162.	Mycobacterium tuberculosis	64,732	17-Jun-98
		GB_BA1:MTCY31	37630	Z73101	Mycobacterium tuberculosis H37Rv complete genome; segment 41/162.	Mycobacterium tuberculosis	36,998	17-Jun-98
		GB_BA1:CGGLTG	3013	X66112	C. glutamicum glt gene for citrate synthase and ORF.	Corynebacterium glutamicum	39,910	17-Feb-95
		GB_PL2:PGU65399	2700	U65399	Basidiomycete CECT 20197 phenoloxidase (pox1) gene, complete cds.	basidiomycete CECT 20197	38,474	19-Jul-97
861	rx02189	GB_PR3:AC002468	115888	AC002468	Human Chromosome 15q26.1 PAC clone pDJ417d7, complete sequence.	Homo sapiens	35,941	16-Sep-98
		GB_BA1:MSGB1970C	39399	L78815	Mycobacterium leprae cosmid B1970 DNA sequence.	Mycobacterium leprae	40,286	15-Jun-96
1701	rx02193	GB_PR3:AC002468	115888	AC002468	Human Chromosome 15q26.1 PAC clone pDJ417d7, complete sequence.	Homo sapiens	33,689	16-Sep-98
		GB_BA1:BRLASPA	1987	D25316	Brevibacterium flavum aspA gene for aspartase, complete cds.	Corynebacterium glutamicum	99,353	6-Feb-99
		GB_PAT:E04307	1581	E04307	DNA encoding Brevibacterium flavum aspartase.	Corynebacterium glutamicum	99,367	29-Sep-97
966	rx02194	GB_BA1:ECOUW93	338534	U14003	Escherichia coli K-12 chromosomal region from 92.8 to 00.1 minutes.	Escherichia coli	37,651	17-Apr-96
		GB_BA2:AF050166	840	AF050166	Corynebacterium glutamicum ATP phosphoribosyltransferase (hisG) gene, complete cds.	Corynebacterium glutamicum	98,214	5-Jan-99
		GB_BA1:BRLASPA	1987	D25316	Brevibacterium flavum aspA gene for aspartase, complete cds.	Corynebacterium glutamicum	93,805	6-Feb-99
		GB_PAT:E08649	188	E08649	DNA encoding part of aspartase from coryneform bacteria.	Corynebacterium glutamicum	100,000	29-Sep-97
393	rx02195	GB_BA2:AF086704	264	AF086704	Corynebacterium glutamicum phosphoribosyl-ATP-pyrophosphohydrolase (hisE) gene, complete cds.	Corynebacterium glutamicum	100,000	8-Feb-99
		GB_BA1:EAY17145	6019	Y17145	Eubacterium acidaminophilum grdR, grdI, grdH genes and partial ldc, grdT genes.	Eubacterium acidaminophilum	39,075	5-Aug-98
551	rx02197	GB_STS:G01195	332	G01195	fruit fly STS Dm1930 clone DS06959 T7.	Drosophila melanogaster	35,542	28-Feb-95
		GB_BA1:MTCY261	27322	Z97559	Mycobacterium tuberculosis H37Rv complete genome; segment 95/162.	Mycobacterium tuberculosis	33,938	17-Jun-98
		GB_BA1:MLCB2533	40245	AL035310	Mycobacterium leprae cosmid B2533.	Mycobacterium leprae	65,517	27-Aug-99
		GB_BA1:U00017	42157	U00017	Mycobacterium leprae cosmid B2126.	Mycobacterium leprae	36,770	01-MAR-1994
2599	rx02198	GB_BA1:U00017	42157	U00017	Mycobacterium leprae cosmid B2126.	Mycobacterium leprae	38,674	01-MAR-1994
		GB_BA1:MLCB2533	40245	AL035310	Mycobacterium leprae cosmid B2533.	Mycobacterium leprae	65,465	27-Aug-99
		GB_BA1:MTCY261	27322	Z97559	Mycobacterium tuberculosis H37Rv complete genome; segment 95/162.	Mycobacterium tuberculosis	37,577	17-Jun-98
1025	rx02208	GB_BA1:U00017	42157	U00017	Mycobacterium leprae cosmid B2126.	Mycobacterium leprae	59,823	01-MAR-1994
		GB_BA1:AP000063	185300	AP000063	Aeropyrum pernix genomic DNA, section 6/7.	Aeropyrum pernix	39,442	22-Jun-99

Table 4 (continued)

rx02229	948	GB_PR4:AC006236	127593	AC006236	Homo sapiens chromosome 17, clone hCIT.162_E_12, complete sequence.	Homo sapiens	37,191	29-DEC-1998
		GB_BA1:MSGY154	40221	AD000002	Mycobacterium tuberculosis sequence from clone y154.	Mycobacterium tuberculosis	53,541	03-DEC-1996
		GB_BA1:MTCY154	13935	Z98209	Mycobacterium tuberculosis H37Rv complete genome; segment 121/162.	Mycobacterium tuberculosis	40,407	17-Jun-98
		GB_BA1:U00019	36033	U00019	Mycobacterium leprae cosmid B2235.	Mycobacterium leprae	40,541	01-MAR-1994
rx02234	3462	GB_BA1:MSGB937C	38914	L78820	Mycobacterium leprae cosmid B937 DNA sequence.	Mycobacterium leprae	66,027	15-Jun-96
		GB_BA1:MTCY2B12	20431	Z81011	Mycobacterium tuberculosis H37Rv complete genome; segment 61/162.	Mycobacterium tuberculosis	71,723	18-Jun-98
		GB_BA2:U01072	4393	U01072	Mycobacterium bovis BCG oritidine-5'-monophosphate decarboxylase (uraA) gene.	Mycobacterium bovis	67,101	22-DEC-1993
rx02235	727	GB_BA1:MSU91572	960	U91572	Mycobacterium smegmatis carbamoyl phosphate synthetase (pyrAB) gene, partial cds and oritidine 5'-monophosphate decarboxylase (pyrF) gene, complete cds.	Mycobacterium smegmatis	60,870	22-MAR-1997
		GB_HTG3:AC009364	192791	AC009364	Homo sapiens chromosome 7, *** SEQUENCING IN PROGRESS ***	Homo sapiens	37,994	1-Sep-99
		GB_HTG3:AC009364	192791	AC009364	unordered pieces.	Homo sapiens	37,994	1-Sep-99
rx02237	693	GB_BA1:MTCY21B4	39150	Z80108	Mycobacterium tuberculosis H37Rv complete genome; segment 62/162.	Mycobacterium tuberculosis	55,844	23-Jun-98
		GB_BA2:AF077324	5228	AF077324	Rhodococcus equi strain 103 plasmid RE-VP1 fragment f.	Rhodococcus equi	41,185	5-Nov-98
		GB_EST22:AU017763	586	AU017763	AU017763 Mouse two-cell stage embryo cDNA Mus musculus cDNA clone J0744A04 3', mRNA sequence.	Mus musculus	38,616	19-OCT-1998
rx02239	1389	GB_BA1:MTCY21B4	39150	Z80108	Mycobacterium tuberculosis H37Rv complete genome; segment 62/162.	Mycobacterium tuberculosis	56,282	23-Jun-98
		GB_HTG3:AC010745	193862	AC010745	Homo sapiens clone NH0549D18, *** SEQUENCING IN PROGRESS ***	Homo sapiens	36,772	21-Sep-99
		GB_HTG3:AC010745	193862	AC010745	unordered pieces.	Homo sapiens	36,772	21-Sep-99
rx02240	1344	EM_PAT:E09855	1239	E09855	gDNA encoding S-adenosylmethionine synthetase.	Corynebacterium glutamicum	99,515	07-OCT-1997 (Rel. 52, Created)
		GB_PAT:A37831	5392	A37831	Sequence 1 from Patent WO9408014.	Streptomyces pristinaespiralis	63,568	05-MAR-1997
		GB_BA2:AF117274	2303	AF117274	Streptomyces spectabilis flavoprotein homolog Dfp (dfp) gene, partial cds; and Streptomyces spectabilis S-adenosylmethionine synthetase (metK) gene, complete cds.	Streptomyces spectabilis	65,000	31-MAR-1999
rx02246	1107	EM_BA1:AB003693	5589	AB003693	Corynebacterium ammoniagenes DNA for rib operon, complete cds.	Corynebacterium ammoniagenes	52,909	03-OCT-1997 (Rel. 52, Created)

Table 4 (continued)

		GB_PAT:E07957	5589	E07957	gDNA encoding at least guanosine triphosphate cyclohydrolase and riboflavin synthase.	Corynebacterium ammoniagenes	52,909	29-Sep-97
		GB_PAT:I32742	5589	I32742	Sequence 1 from patent US 5589355.	Unknown.	52,909	6-Feb-97
rx02247	756	GB_PAT:I32743	2689	I32743	Sequence 2 from patent US 5589355.	Unknown.	57,937	6-Feb-97
		EM_BA1:AB003693	5589	AB003693	Corynebacterium ammoniagenes DNA for rib operon, complete cds.	Corynebacterium ammoniagenes	57,937	03-OCT-1997 (Rel. 52, Created)
		GB_PAT:I32742	5589	I32742	Sequence 1 from patent US 5589355.	Unknown.	57,937	6-Feb-97
rx02248	1389	GB_PAT:I32742	5589	I32742	Sequence 1 from patent US 5589355.	Unknown.	61,843	6-Feb-97
		EM_BA1:AB003693	5589	AB003693	Corynebacterium ammoniagenes DNA for rib operon, complete cds.	Corynebacterium ammoniagenes	61,843	03-OCT-1997 (Rel. 52, Created)
		GB_PAT:E07957	5589	E07957	gDNA encoding at least guanosine triphosphate cyclohydrolase and riboflavin synthase.	Corynebacterium ammoniagenes	61,843	29-Sep-97
rx02249	600	GB_PAT:E07957	5589	E07957	gDNA encoding at least guanosine triphosphate cyclohydrolase and riboflavin synthase.	Corynebacterium ammoniagenes	64,346	29-Sep-97
		GB_PAT:I32742	5589	I32742	Sequence 1 from patent US 5589355.	Unknown.	64,346	6-Feb-97
		GB_PAT:I32743	2689	I32743	Sequence 2 from patent US 5589355.	Unknown.	64,346	6-Feb-97
rx02250	643	GB_PAT:E07957	5589	E07957	gDNA encoding at least guanosine triphosphate cyclohydrolase and riboflavin synthase.	Corynebacterium ammoniagenes	56,318	29-Sep-97
		GB_PAT:I32742	5589	I32742	Sequence 1 from patent US 5589355.	Unknown.	56,318	6-Feb-97
		EM_BA1:AB003693	5589	AB003693	Corynebacterium ammoniagenes DNA for rib operon, complete cds.	Corynebacterium ammoniagenes	56,318	03-OCT-1997 (Rel. 52, Created)
rx02262	1269	GB_BA1:CGL007732	4460	AJ007732	Corynebacterium glutamicum 3' ppc gene, secG gene, amt gene, ocd gene and 5' soxA gene.	Corynebacterium glutamicum	100,000	7-Jan-99
		GB_BA1:CGAMTGEN E	2028	X93513	C-glutamicum amt gene.	Corynebacterium glutamicum	100,000	29-MAY-1996
		GB_VI:HEHCMVCG	229354	X17403	Human cytomegalovirus strain AD169 complete genome.	human herpesvirus 5	38,651	10-Feb-99
rx02263	488	GB_BA1:CGL007732	4460	AJ007732	Corynebacterium glutamicum 3' ppc gene, secG gene, amt gene, ocd gene and 5' soxA gene.	Corynebacterium glutamicum	100,000	7-Jan-99
		GB_BA1:CGL007732	4460	AJ007732	Corynebacterium glutamicum 3' ppc gene, secG gene, amt gene, ocd gene and 5' soxA gene.	Corynebacterium glutamicum	37,526	7-Jan-99
rx02272	1368	EM_PAT:E09373	1591	E09373	Creatinine deiminase gene.	Bacillus sp.	96,928	08-OCT-1997 (Rel. 52, Created)
		GB_BA1:D38505	1591	D38505	Bacillus sp. gene for creatinine deaminase, complete cds.	Bacillus sp.	96,781	7-Aug-98
		GB_HTG2:AC006595	146070	AC006595	Homo sapiens, *** SEQUENCING IN PROGRESS *** , 4 unordered pieces.	Homo sapiens	36,264	20-Feb-99
rx02281	1545	GB_GSS12:AQ41101	551	AQ411010	HS_2257_B1_H02_MR CIT Approved Human Genomic Sperm Library D	Homo sapiens	36,197	17-MAR-1999
		0			Homo sapiens genomic clone Plate=2257 Col=3 Row=P, genomic survey sequence.			

Table 4 (continued)

531	rx02299	GB_EST23:AI128623	363	AI128623	qa62c01.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1691328 3', mRNA sequence.	Homo sapiens	37,017	05-OCT-1998
		GB_PL2:ATAC007019	102335	AC007019	Arabidopsis thaliana chromosome II BAC F7D8 genomic sequence, complete sequence.	Arabidopsis thaliana	33,988	16-MAR-1999
		GB_BA2:AF116184	540	AF116184	Corynebacterium glutamicum L-aspartate-alpha-decarboxylase precursor (panD) gene, complete cds.	Corynebacterium glutamicum	100,000	02-MAY-1999
		GB_GSS9:AQ164310	507	AQ164310	HS_2171_A2_E01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2171 Col=2 Row=I, genomic survey sequence.	Homo sapiens	37,278	16-OCT-1998
813	rx02311	GB_VI:MH68TKH	4557	X93468	Murine herpesvirus type 68 thymidine kinase and glycoprotein H genes.	murine herpesvirus 68	40,288	3-Sep-96
		GB_HTG4:AC006091	176878	AC006091	Drosophila melanogaster chromosome 3 clone BACR48G05 (D475) RPCI-98 48.G.5 map 91F1-91F13 strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***; 4 unordered pieces.	Drosophila melanogaster	36,454	27-OCT-1999
		GB_HTG4:AC006091	176878	AC006091	Drosophila melanogaster chromosome 3 clone BACR48G05 (D475) RPCI-98 48.G.5 map 91F1-91F13 strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***; 4 unordered pieces.	Drosophila melanogaster	36,454	27-OCT-1999
		GB_BA2:RRU65510	16259	U65510	Rhodospirillum rubrum CO-induced hydrogenase operon (cooM, cooK, cooL, cooX, cooU, cooH) genes, iron sulfur protein (cooF) gene, carbon monoxide dehydrogenase (cooS) gene, carbon monoxide dehydrogenase accessory proteins (cooC, cooT, cooJ) genes, putative transcriptional activator (cooA) gene, nicotinate-nucleotide pyrophosphorylase (nadC) gene, complete cds, L-aspartate oxidase (nadB) gene, and alkyl hydroperoxide reductase (ahpC) gene, partial cds.	Rhodospirillum rubrum	37,828	9-Apr-97
1752	rx02315	GB_BA1:MSGY224	40051	AD000004	Mycobacterium tuberculosis sequence from clone y224.	Mycobacterium tuberculosis	49,418	03-DEC-1996
		GB_BA1:MTY25D10	40838	Z95558	Mycobacterium tuberculosis H37Rv complete genome; segment 28/162.	Mycobacterium tuberculosis	49,360	17-Jun-98
		GB_BA1:MSGY224	40051	AD000004	Mycobacterium tuberculosis sequence from clone y224.	Mycobacterium tuberculosis	38,150	03-DEC-1996
402	rx02318	GB_HTG3:AC011348	111083	AC011348	Homo sapiens chromosome 5 clone CIT-HSPC_303E13, *** SEQUENCING IN PROGRESS ***; 3 ordered pieces.	Homo sapiens	35,821	06-OCT-1999
		GB_HTG3:AC011348	111083	AC011348	Homo sapiens chromosome 5 clone CIT-HSPC_303E13, *** SEQUENCING IN PROGRESS ***; 3 ordered pieces.	Homo sapiens	35,821	06-OCT-1999
		GB_HTG3:AC011412	89234	AC011412	Homo sapiens chromosome 5 clone CIT978SKB_81K21, *** SEQUENCING IN PROGRESS ***; 3 ordered pieces.	Homo sapiens	36,181	06-OCT-1999
1080	rx02319	GB_BA1:MSGY224	40051	AD000004	Mycobacterium tuberculosis sequence from clone y224.	Mycobacterium tuberculosis	37,792	03-DEC-1996
		GB_BA1:MTY25D10	40838	Z95558	Mycobacterium tuberculosis H37Rv complete genome; segment 28/162.	Mycobacterium tuberculosis	37,792	17-Jun-98
		GB_EST23:AI117213	476	AI117213	ub83h02.r1 Soares 2NbMT Mus musculus cDNA clone IMAGE:1395123 5', mRNA sequence.	Mus musculus	35,084	2-Sep-98

Table 4 (continued)

rx02345	1320	GB_BA1:BAPURKE	2582	X91189	B.ammoniaenes purK and purE genes.	Corynebacterium ammoniagenes	61,731	14-Jan-97
		GB_BA1:MTCY71	42729	Z92771	Mycobacterium tuberculosis H37Rv complete genome; segment 141/162.	Mycobacterium tuberculosis	39,624	10-Feb-99
		GB_BA1:MTCY71	42729	Z92771	Mycobacterium tuberculosis H37Rv complete genome; segment 141/162.	Mycobacterium tuberculosis	39,847	10-Feb-99
rx02350	618	GB_BA1:BAPURKE	2582	X91189	B.ammoniaenes purK and purE genes.	Corynebacterium ammoniagenes	64,286	14-Jan-97
		GB_PL1:SC130KBXV	129528	X94335	S.cerevisiae 130kb DNA fragment from chromosome XV.	Saccharomyces cerevisiae	36,617	15-Jul-97
		GB_PL1:SCXVORFS	50984	X90518	S.cerevisiae DNA of 51 Kb from chromosome XV right arm.	Saccharomyces cerevisiae	36,617	1-Nov-95
rx02373	1038	GB_PAT:E00311	1853	E00311	DNA coding of 2,5-diketogluconic acid reductase.	unidentified	56,123	29-Sep-97
		GB_PAT:I06030	1853	I06030	Sequence 4 from Patent EP 0305608.	Unknown.	56,220	02-DEC-1994
		GB_PAT:I00836	1853	I00836	Sequence 1 from Patent US 4758514.	Unknown.	56,220	21-MAY-1993
rx02375	1350	GB_BA2:CGU31230	3005	U31230	Corynebacterium glutamicum Obg protein homolog gene, partial cds, gamma glutamyl kinase (proB) gene, complete cds, and (unkdh) gene, complete cds.	Corynebacterium glutamicum	99,332	2-Aug-96
		GB_HTG3:AC009946	169072	AC009946	Homo sapiens clone NH0012C17, *** SEQUENCING IN PROGRESS ***; 1 unordered pieces.	Homo sapiens	36,115	8-Sep-99
		GB_HTG3:AC009946	169072	AC009946	Homo sapiens clone NH0012C17, *** SEQUENCING IN PROGRESS ***; 1 unordered pieces.	Homo sapiens	36,115	8-Sep-99
rx02380	777	GB_BA1:MTCY253	41230	Z81368	Mycobacterium tuberculosis H37Rv complete genome; segment 106/162.	Mycobacterium tuberculosis	38,088	17-Jun-98
		GB_HTG4:AC010658	120754	AC010658	Drosophila melanogaster chromosome 3L/75C1 clone RPC198-3B20, *** SEQUENCING IN PROGRESS ***; 78 unordered pieces.	Drosophila melanogaster	35,817	16-OCT-1999
		GB_HTG4:AC010658	120754	AC010658	Drosophila melanogaster chromosome 3L/75C1 clone RPC198-3B20, *** SEQUENCING IN PROGRESS ***; 78 unordered pieces.	Drosophila melanogaster	35,817	16-OCT-1999
rx02382	1419	GB_BA1:CGPROAGE N	1783	X82929	C.glutamicum proA gene.	Corynebacterium glutamicum	98,802	23-Jan-97
		GB_BA1:MTCY428	26914	Z81451	Mycobacterium tuberculosis H37Rv complete genome; segment 107/162.	Mycobacterium tuberculosis	38,054	17-Jun-98
		GB_BA2:CGU31230	3005	U31230	Corynebacterium glutamicum Obg protein homolog gene, partial cds, gamma glutamyl kinase (proB) gene, complete cds, and (unkdh) gene, complete cds.	Corynebacterium glutamicum	98,529	2-Aug-96
rx02400	693	GB_BA1:CGACEA	2427	X75504	C.glutamicum aceA gene and thiX genes (partial).	Corynebacterium glutamicum	100,000	9-Sep-94
		GB_PAT:I86191	2135	I86191	Sequence 3 from patent US 5700661.	Unknown.	100,000	10-Jun-98
		GB_PAT:I13693	2135	I13693	Sequence 3 from patent US 5439822.	Unknown.	100,000	26-Sep-95
rx02432	1098	GB_GSS15:AQ60684	574	AQ606842	HS_5404_B2_E07_T7A RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=980 Col=14 Row=J, genomic survey sequence.	Homo sapiens	39,716	10-Jun-99

127

rxa02458	1413	GB_EST1:T05804	406	T05804	EST03693 Fetal brain, Stratagene (cat#936206) Homo sapiens cDNA clone HFBDG63 similar to EST containing Alu repeat, mRNA sequence.	Homo sapiens	37,915	30-Jun-93
		GB_PL1:AB006699	77363	AB006699	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MDJ22, complete sequence.	Arabidopsis thaliana	35,526	20-Nov-99
		GB_BA2:AF114233	1852	AF114233	Corynebacterium glutamicum 5-enolpyruvylshikimate 3-phosphate synthase (aroA) gene, complete cds.	Corynebacterium glutamicum	100,000	7-Feb-99
		GB_EST37:AW013061	578	AW013061	ODT-0033 Winter flounder ovary Pleuronectes americanus cDNA clone ODT-0033 5' similar to FRUCTOSE-BISPHOSPHATE ALDOLASE B (LIVER), mRNA sequence.	Pleuronectes americanus	39,175	10-Sep-99
		GB_GSS15:AQ650027	728	AQ650027	Sheared DNA-5L2.TF Sheared DNA Trypanosoma brucei genomic clone	Trypanosoma brucei	39,281	22-Jun-99
		GB_BA1:MTCY359	36021	Z83859	Sheared DNA-5L2, genomic survey sequence.			
		GB_BA1:MLCB1788	39228	AL008609	Mycobacterium tuberculosis H37Rv complete genome; segment 84/162.	Mycobacterium tuberculosis	39,634	17-Jun-98
		GB_BA1:SCAJ10601	4692	AJ010601		Mycobacterium leprae	59,343	27-Aug-99
		GB_BA2:CGU31224	422	U31224	Streptomyces coelicolor A3(2) DNA for whiD and whiK loci.	Streptomyces coelicolor	48,899	17-Sep-98
		GB_BA1:MTCY20G9	37218	Z77162	Corynebacterium glutamicum (ppx) gene, partial cds.	Corynebacterium glutamicum	96,445	2-Aug-96
		GB_BA1:SCE7	16911	AL049819	Mycobacterium tuberculosis H37Rv complete genome; segment 25/162.	Mycobacterium tuberculosis	59,429	17-Jun-98
		GB_BA2:CGU31225	1817	U31225	Streptomyces coelicolor cosmid E7.	Streptomyces coelicolor	39,510	10-MAY-1999
		GB_BA1:NG17PILA	1920	X13965	Corynebacterium glutamicum H37Rv complete genome; segment 25/162.	Corynebacterium glutamicum	97,749	2-Aug-96
		GB_HTG2:AC007984	129715	AC007984	complete cds.			
		GB_BA1:MTCY20G9	37218	Z77162	Neisseria gonorrhoeae pilA gene.	Neisseria gonorrhoeae	43,249	30-Sep-93
		GB_BA1:U00018	42991	U00018	Drosophila melanogaster chromosome 3 clone BACR05C10 (D781) RPCI-98	Drosophila melanogaster	33,406	2-Aug-99
		GB_VI:HE1CG	152261	X14112	05.C.10 map 97D-97E strain Y; cn bw sp, *** SEQUENCING IN PROGRESS *** , 87 unordered pieces.			
		GB_PR3:AC005328	35414	AC005328	Mycobacterium tuberculosis H37Rv complete genome; segment 25/162.	Mycobacterium tuberculosis	39,357	17-Jun-98
		GB_PR3:AC005545	43514	AC005545				
		GB_PR3:AC005328	35414	AC005328	Mycobacterium leprae cosmid B2168.	Mycobacterium leprae	51,768	01-MAR-1994
		GB_BA1:MTCY20G9	37218	Z77162	Herpes simplex virus (HSV) type 1 complete genome.	human herpesvirus 1	39,378	17-Apr-97
		GB_PR3:AC005328	35414	AC005328	Homo sapiens chromosome 19, cosmid R26660, complete sequence.	Homo sapiens	39,922	28-Jul-98
		GB_PR3:AC005545	43514	AC005545	Homo sapiens chromosome 19, cosmid R26634, complete sequence.	Homo sapiens	39,922	3-Sep-98
		GB_PR3:AC005328	35414	AC005328	Homo sapiens chromosome 19, cosmid R26660, complete sequence.	Homo sapiens	34,911	28-Jul-98
		GB_BA1:MTCY20G9	37218	Z77162	Mycobacterium tuberculosis H37Rv complete genome; segment 25/162.	Mycobacterium tuberculosis	54,940	17-Jun-98
		GB_PR3:AC005328	35414	AC005328				
		GB_PR3:AC005545	43514	AC005545	Homo sapiens chromosome 19, cosmid R26660, complete sequence.	Homo sapiens	41,265	28-Jul-98
		GB_BA1:MLCL536	36224	Z99125	Homo sapiens chromosome 19, cosmid R26634, complete sequence.	Homo sapiens	41,265	3-Sep-98
		GB_BA1:U00013	35881	U00013	Mycobacterium leprae cosmid L536.	Mycobacterium leprae	37,723	04-DEC-1998
		GB_BA1:U00013	35881	U00013				
		GB_BA1:U00013	35881	U00013	Mycobacterium leprae cosmid B1496.	Mycobacterium leprae	37,723	01-MAR-1994

Table 4 (continued)

rx02517	570	GB_BA1:MTV007	32806	AL021184	Mycobacterium tuberculosis H37Rv complete genome; segment 64/162.	Mycobacterium tuberculosis	61,335	17-Jun-98
		GB_BA1:MLCL536	36224	Z99125	Mycobacterium leprae cosmid L536.	Mycobacterium leprae	37,018	04-DEC-1998
		GB_BA1:U00013	35881	U00013	Mycobacterium leprae cosmid B1496.	Mycobacterium leprae	37,018	01-MAR-1994
rx02532	1170	GB_BA1:SCC22	22115	AL096839	Streptomyces coelicolor cosmid C22.	Streptomyces coelicolor	37,071	12-Jul-99
		GB_OV:AF137219	831	AF137219	Amia calva mixed lineage leukemia-like protein (MIL) gene, partial cds.	Amia calva	36,853	7-Sep-99
		GB_EST30:AI645057	301	AI645057	vs52a10.y1 Stratagene mouse Tcell 937311 Mus musculus cDNA clone IMAGE:1149882 5', mRNA sequence.	Mus musculus	41,860	29-Apr-99
		GB_EST20:AA822595	429	AA822595	vs52a10.r1 Stratagene mouse Tcell 937311 Mus musculus cDNA clone IMAGE:1149882 5', mRNA sequence.	Mus musculus	42,353	17-Feb-98
rx02536	879	GB_HTG2:AF130866	118874	AF130866	Homo sapiens chromosome 8 clone PAC 172N13 map 8q24, *** SEQUENCING IN PROGRESS *** , in unordered pieces.	Homo sapiens	40,754	21-MAR-1999
		GB_HTG2:AF130866	118874	AF130866	Homo sapiens chromosome 8 clone PAC 172N13 map 8q24, *** SEQUENCING IN PROGRESS *** , in unordered pieces.	Homo sapiens	40,754	21-MAR-1999
		GB_PL1:ATT12J5	84499	AL035522	Arabidopsis thaliana DNA chromosome 4, BAC clone T12J5 (ESSAII project). Arabidopsis thaliana	Arabidopsis thaliana	35,063	24-Feb-99
rx02550	1434	GB_BA1:MTCY279	9150	Z97991	Mycobacterium tuberculosis H37Rv complete genome; segment 17/162.	Mycobacterium tuberculosis	37,773	17-Jun-98
		GB_BA1:MSGB1970C	39399	L78815	Mycobacterium leprae cosmid B1970 DNA sequence.	Mycobacterium leprae	39,024	15-Jun-96
		GB_BA2:SC2H4	25970	AL031514	Streptomyces coelicolor cosmid 2H4.	Streptomyces coelicolor A3(2)	37,906	19-OCT-1999
rx02559	1026	GB_BA1:MTV004	69350	AL009198	Mycobacterium tuberculosis H37Rv complete genome; segment 144/162.	Mycobacterium tuberculosis	47,358	18-Jun-98
		GB_PAT:I28684	5100	I28684	Sequence 1 from patent US 5573915.	Unknown.	39,138	6-Feb-97
		GB_BA1:MTU27357	5100	U27357	Mycobacterium tuberculosis cyclopropane mycolic acid synthase (cma1) gene, complete cds.	Mycobacterium tuberculosis	39,138	26-Sep-95
rx02622	1683	GB_BA2:AE001780	11997	AE001780	Thermotoga maritima section 92 of 136 of the complete genome.	Thermotoga maritima	44,914	2-Jun-99
		GB_OV:AF064564	49254	AF064564	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds.	Fugu rubripes	39,732	17-Aug-99
		GB_OV:AF064564	49254	AF064564	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds.	Fugu rubripes	36,703	17-Aug-99
rx02623	714	GB_GSS5:AQ818728	444	AQ818728	HS_5268_A1_G09_SP6E RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=844 Col=17 Row=M, genomic survey sequence.	Homo sapiens	38,801	26-Aug-99
		GB_HTG5:AC011083	198586	AC011083	Homo sapiens chromosome 9 clone RP11-111M7 map 9, WORKING DRAFT SEQUENCE, 51 unordered pieces.	Homo sapiens	35,714	19-Nov-99
		GB_GSS6:AQ826948	544	AQ826948	HS_5014_A2_C12_T7A RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=590 Col=24 Row=E, genomic survey sequence.	Homo sapiens	39,146	27-Aug-99

Table 4 (continued)

rx02629	708	GB_VI:BRSMGP	462	M86652	Bovine respiratory syncytial virus membrane glycoprotein mRNA, complete cds.	Bovine respiratory syncytial 37,013 virus	28-Apr-93
		GB_VI:BRSMGP	462	M86652	Bovine respiratory syncytial virus membrane glycoprotein mRNA, complete cds.	Bovine respiratory syncytial 37,013 virus	28-Apr-93
rx02645	1953	GB_PAT:A45577	1925	A45577	Sequence 1 from Patent WO9519442.	Corynebacterium glutamicum	07-MAR-1997
		GB_PAT:A45581	1925	A45581	Sequence 5 from Patent WO9519442.	Corynebacterium glutamicum	07-MAR-1997
		GB_BA1:CORILVA	1925	L01508	Corynebacterium glutamicum threonine dehydratase (ilvA) gene, complete cds.	Corynebacterium glutamicum	26-Apr-93
rx02646	1392	GB_BA1:CORILVA	1925	L01508	Corynebacterium glutamicum threonine dehydratase (ilvA) gene, complete cds.	Corynebacterium glutamicum	26-Apr-93
		GB_PAT:A45585	1925	A45585	Sequence 9 from Patent WO9519442.	Corynebacterium glutamicum	07-MAR-1997
		GB_PAT:A45583	1925	A45583	Sequence 7 from Patent WO9519442.	Corynebacterium glutamicum	07-MAR-1997
rx02648	1326	GB_OV:ICTCNC	2049	M83111	Ictalurus punctatus cyclic nucleotide-gated channel RNA sequence.	Ictalurus punctatus	24-MAY-1993
		GB_EST11:AA265464	345	AA265464	mx91c06.r1 Soares mouse NML Mus musculus cDNA clone IMAGE:693706 5' mRNA sequence.	Mus musculus	20-MAR-1997
rx02653		GB_GSS8:AQ006950	480	AQ006950	CIT-HSP-2294E14, TR CIT-HSP Homo sapiens genomic clone 2294E14, genomic survey sequence.	Homo sapiens	27-Jun-98
rx02687	1068	GB_BA1:CORPHEA	1088	M13774	C:glutamicum pheA gene encoding prephenate dehydratase, complete cds.	Corynebacterium glutamicum	26-Apr-93
		GB_PAT:E04483	948	E04483	DNA encoding prephenate dehydratase.	Corynebacterium glutamicum	29-Sep-97
		GB_PAT:E06110	948	E06110	DNA encoding prephenate dehydratase.	Corynebacterium glutamicum	29-Sep-97
rx02717	1005	GB_PL1:HVCH4H	59748	Y14573	Hordeum vulgare DNA for chromosome 4H.	Hordeum vulgare	25-MAR-1999
		GB_PR2:HS310H5	29718	Z69705	Human DNA sequence from cosmid 310H5 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Contains EST and CpG island.	Homo sapiens	22-Nov-99
		GB_PR3:AC004754	39188	AC004754	Homo sapiens chromosome 16, cosmid clone RT286 (LANL), complete sequence.	Homo sapiens	28-MAY-1998
rx02754	1461	GB_HTG2:AC008223	130212	AC008223	Drosophila melanogaster chromosome 3 clone BACR16118 (D815) RPCI-98 16.1.18 map 95A-95A strain y: cn bw sp, *** SEQUENCING IN PROGRESS***, 101 unordered pieces.	Drosophila melanogaster	2-Aug-99

Table 4 (continued)

GB_HTG2:AC008223	130212	AC008223	Drosophila melanogaster chromosome 3 clone BACR16118 (D815) RPCI-98 16.1.18 map 95A-95A strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 101 unordered pieces.	Drosophila melanogaster	32,757	2-Aug-99
GB_BA1:MTCY71	42729	Z92771	Mycobacterium tuberculosis H37Rv complete genome; segment 141/162.	Mycobacterium tuberculosis	37,838	10-Feb-99
GB_HTG5:AC011678	171967	AC011678	Homo sapiens clone 14_B_7, *** SEQUENCING IN PROGRESS ***; 20 unordered pieces.	Homo sapiens	35,331	5-Nov-99
GB_HTG5:AC011678	171967	AC011678	Homo sapiens clone 14_B_7, *** SEQUENCING IN PROGRESS ***; 20 unordered pieces.	Homo sapiens	33,807	5-Nov-99
GB_BA2:AF064070	23183	AF064070	Burkholderia pseudomallei putative dihydroorotase (pyrC) gene, partial cds; putative 1-acyl-sn-glycerol-3-phosphate acyltransferase (plsC), putative diadenosine tetraphosphatase (apaH), complete cds; type II O-antigen biosynthesis gene cluster, complete sequence; putative undecaprenyl phosphate N-acetylglucosaminyltransferase, and putative UDP-glucose 4- epimerase genes, complete cds; and putative galactosyl transferase gene, partial cds.	Burkholderia pseudomallei	36,929	20-Jan-99
GB_BA2:AF038651	4077	AF038651	Corynebacterium glutamicum dipeptide-binding protein (dciAE) gene, partial cds; adenine phosphoribosyltransferase (apt) and GTP pyrophosphokinase (rel) genes, complete cds; and unknown gene.	Corynebacterium glutamicum	99,852	14-Sep-98
GB_IN1:CELT19B4	37121	U80438	Caenorhabditis elegans cosmid T19B4.	Caenorhabditis elegans	43,836	04-DEC-1996
GB_EST36:AV193572	360	AV193572	AV193572 Yuji Kohara unpublished cDNA:Strain N2 hermaphrodite embryo Caenorhabditis elegans cDNA clone yk618h8 5', mRNA sequence.	Caenorhabditis elegans	48,588	22-Jul-99
GB_BA2:AF038651	4077	AF038651	Corynebacterium glutamicum dipeptide-binding protein (dciAE) gene, partial cds; adenine phosphoribosyltransferase (apt) and GTP pyrophosphokinase (rel) genes, complete cds; and unknown gene.	Corynebacterium glutamicum	99,914	14-Sep-98
GB_BA1:MTCY227	35946	Z77724	Mycobacterium tuberculosis H37Rv complete genome; segment 114/162.	Mycobacterium tuberculosis	38,339	17-Jun-98
GB_BA1:U00011	40429	U00011	Mycobacterium leprae cosmid B1177.	Mycobacterium leprae	38,996	01-MAR-1994
GB_BA1:MTCY159	33818	Z83863	Mycobacterium tuberculosis H37Rv complete genome; segment 111/162.	Mycobacterium tuberculosis	37,640	17-Jun-98
GB_PR4:AC006581	172931	AC006581	Homo sapiens 12p21 BAC RPC111-259O18 (Roswell Park Cancer Institute Human BAC Library) complete sequence.	Homo sapiens	37,906	3-Jun-99
GB_PR4:AC006581	172931	AC006581	Homo sapiens 12p21 BAC RPC111-259O18 (Roswell Park Cancer Institute Human BAC Library) complete sequence.	Homo sapiens	35,280	3-Jun-99
GB_BA1:MTCY159	33818	Z83863	Mycobacterium tuberculosis H37Rv complete genome; segment 111/162.	Mycobacterium tuberculosis	39,765	17-Jun-98
GB_OV:CHKCEK2	3694	M35195	Chicken tyrosine kinase (cek2) mRNA, complete cds.	Gallus gallus	38,937	28-Apr-93
GB_BA1:MSASDASK	5037	Z17372	M.smegmatis asd, ask-alpha, and ask-beta genes.	Mycobacterium smegmatis	38,495	9-Aug-94
GB_EST24:AI223401	169	AI223401	qg48g01.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838448 3' similar to WP:C25D7.8 CE08394.; mRNA sequence.	Homo sapiens	40,828	27-OCT-1998

Table 4 (continued)

	GB_EST24:AI223401	169	AI223401	qg48g01.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838448 3' similar to WP:C25D7.8 CE08394 ; mRNA sequence.	Homo sapiens	40,828	27-OCT-1998	
rxa02814	494	GB_BA1:MTCY7D11	22070	Z95120	Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.	Mycobacterium tuberculosis	58,418	17-Jun-98
		GB_BA1:MTCY7D11	22070	Z95120	Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.	Mycobacterium tuberculosis	40,496	17-Jun-98
		GB_PR1:HSAJ2962	778	AJ002962	Homo sapiens mRNA for hB-FABP.	Homo sapiens	39,826	8-Jan-98
rxa02843	608	GB_BA1:CGAJ4934	1160	AJ004934	Corynebacterium glutamicum dapD gene, complete CDS.	Corynebacterium glutamicum	100,000	17-Jun-98
		GB_BA1:MTCI364	29540	Z93777	Mycobacterium tuberculosis H37Rv complete genome; segment 52/162.	Mycobacterium tuberculosis	37,710	17-Jun-98
		GB_BA1:MLU15180	38675	U15180	Mycobacterium leprae cosmid B1756.	Mycobacterium leprae	39,626	09-MAR-1995
rxs03205	963	GB_BA1:BLSIGBGN	2906	Z49824	B.lactofermentum orf1 gene and sigB gene.	Corynebacterium glutamicum	88,854	25-Apr-96
		GB_EST21:AA980237	377	AA980237	ua32a12.r1 Soares_mammary_gland_NbMMG Mus musculus cDNA clone IMAGE:1348414 5' similar to TR:Q61025 Q61025 HYPOTHETICAL 15.2 KD PROTEIN. ; mRNA sequence.	Mus musculus	41,489	27-MAY-1998
		GB_EST23:AI158316	371	AI158316	ud27c05.r1 Soares_thymus_2NbMT Mus musculus cDNA clone IMAGE:1447112 5' mRNA sequence.	Mus musculus	38,005	30-Sep-98
rxs03223	1237	GB_IN1:LMFL2743	38368	AL031910	Leishmania major Friedlin chromosome 4 cosmid L2743.	Leishmania major	39,869	15-DEC-1999
		GB_PR3:HSDJ61B2	119666	AL096710	Human DNA sequence from clone RP1-61B2 on chromosome 6p11.2-12.3 Contains isoforms 1 and 3 of BPAG1 (bullous pemphigoid antigen 1 (230/240kD), an exon of a gene similar to murine MACF cytoskeletal protein, STSs and GSSs, complete sequence.	Homo sapiens	34,930	17-DEC-1999
		GB_PR3:HSDJ61B2	119666	AL096710	Human DNA sequence from clone RP1-61B2 on chromosome 6p11.2-12.3 Contains isoforms 1 and 3 of BPAG1 (bullous pemphigoid antigen 1 (230/240kD), an exon of a gene similar to murine MACF cytoskeletal protein, STSs and GSSs, complete sequence.	Homo sapiens	34,634	17-DEC-1999

Exemplification

Example 1: Preparation of total genomic DNA of *Corynebacterium glutamicum* ATCC 13032

5 A culture of *Corynebacterium glutamicum* (ATCC 13032) was grown overnight at 30°C with vigorous shaking in BHI medium (Difco). The cells were harvested by centrifugation, the supernatant was discarded and the cells were resuspended in 5 ml buffer-I (5% of the original volume of the culture — all indicated volumes have been calculated for 100 ml of culture volume). Composition of buffer-I: 140.34 g/l sucrose,
10 2.46 g/l $\text{MgSO}_4 \times 7\text{H}_2\text{O}$, 10 ml/l KH_2PO_4 solution (100 g/l, adjusted to pH 6.7 with KOH), 50 ml/l M12 concentrate (10 g/l $(\text{NH}_4)_2\text{SO}_4$, 1 g/l NaCl, 2 g/l $\text{MgSO}_4 \times 7\text{H}_2\text{O}$, 0.2 g/l CaCl_2 , 0.5 g/l yeast extract (Difco), 10 ml/l trace-elements-mix (200 mg/l $\text{FeSO}_4 \times \text{H}_2\text{O}$, 10 mg/l $\text{ZnSO}_4 \times 7 \text{H}_2\text{O}$, 3 mg/l $\text{MnCl}_2 \times 4 \text{H}_2\text{O}$, 30 mg/l H_3BO_3 , 20 mg/l $\text{CoCl}_2 \times 6 \text{H}_2\text{O}$, 1 mg/l $\text{NiCl}_2 \times 6 \text{H}_2\text{O}$, 3 mg/l $\text{Na}_2\text{MoO}_4 \times 2 \text{H}_2\text{O}$, 500 mg/l complexing agent
15 (EDTA or critic acid), 100 ml/l vitamins-mix (0.2 mg/l biotin, 0.2 mg/l folic acid, 20 mg/l p-amino benzoic acid, 20 mg/l riboflavin, 40 mg/l ca-panthothenate, 140 mg/l nicotinic acid, 40 mg/l pyridoxole hydrochloride, 200 mg/l myo-inositol). Lysozyme was added to the suspension to a final concentration of 2.5 mg/ml. After an approximately 4 h incubation at 37°C, the cell wall was degraded and the resulting
20 protoplasts are harvested by centrifugation. The pellet was washed once with 5 ml buffer-I and once with 5 ml TE-buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8). The pellet was resuspended in 4 ml TE-buffer and 0.5 ml SDS solution (10%) and 0.5 ml NaCl solution (5 M) are added. After adding of proteinase K to a final concentration of 200 µg/ml, the suspension is incubated for ca. 18 h at 37°C. The DNA was purified by
25 extraction with phenol, phenol-chloroform-isoamylalcohol and chloroform-isoamylalcohol using standard procedures. Then, the DNA was precipitated by adding 1/50 volume of 3 M sodium acetate and 2 volumes of ethanol, followed by a 30 min incubation at -20°C and a 30 min centrifugation at 12,000 rpm in a high speed centrifuge using a SS34 rotor (Sorvall). The DNA was dissolved in 1 ml TE-buffer containing 20
30 µg/ml RNaseA and dialysed at 4°C against 1000 ml TE-buffer for at least 3 hours. During this time, the buffer was exchanged 3 times. To aliquots of 0.4 ml of the dialysed DNA solution, 0.4 ml of 2 M LiCl and 0.8 ml of ethanol are added. After a 30

min incubation at -20°C, the DNA was collected by centrifugation (13,000 rpm, Biofuge Fresco, Heraeus, Hanau, Germany). The DNA pellet was dissolved in TE-buffer. DNA prepared by this procedure could be used for all purposes, including southern blotting or construction of genomic libraries.

5

Example 2: Construction of genomic libraries in *Escherichia coli* of *Corynebacterium glutamicum* ATCC13032.

Using DNA prepared as described in Example 1, cosmid and plasmid libraries were constructed according to known and well established methods (*see e.g.*, Sambrook, J. *et al.* (1989) "Molecular Cloning : A Laboratory Manual", Cold Spring Harbor Laboratory Press, or Ausubel, F.M. *et al.* (1994) "Current Protocols in Molecular Biology", John Wiley & Sons.)

Any plasmid or cosmid could be used. Of particular use were the plasmids pBR322 (Sutcliffe, J.G. (1979) *Proc. Natl. Acad. Sci. USA*, 75:3737-3741); pACYC177 (Change & Cohen (1978) *J. Bacteriol* 134:1141-1156), plasmids of the pBS series (pBSSK+, pBSSK- and others; Stratagene, LaJolla, USA), or cosmids as SuperCos1 (Stratagene, LaJolla, USA) or Lorist6 (Gibson, T.J., Rosenthal A. and Waterson, R.H. (1987) *Gene* 53:283-286. Gene libraries specifically for use in *C. glutamicum* may be constructed using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

20

Example 3: DNA Sequencing and Computational Functional Analysis

Genomic libraries as described in Example 2 were used for DNA sequencing according to standard methods, in particular by the chain termination method using ABI377 sequencing machines (*see e.g.*, Fleischman, R.D. *et al.* (1995) "Whole-genome Random Sequencing and Assembly of Haemophilus Influenzae Rd., *Science*, 269:496-512). Sequencing primers with the following nucleotide sequences were used: 5'-GGAAACAGTATGACCATG-3' or 5'-GTAAAACGACGGCCAGT-3'.

25

Example 4: *In vivo* Mutagenesis

In vivo mutagenesis of *Corynebacterium glutamicum* can be performed by passage of plasmid (or other vector) DNA through *E. coli* or other microorganisms (*e.g.* *Bacillus* spp. or yeasts such as *Saccharomyces cerevisiae*) which are impaired in their capabilities to maintain

30

the integrity of their genetic information. Typical mutator strains have mutations in the genes for the DNA repair system (e.g., mutHLS, mutD, mutT, etc.; for reference, see Rupp, W.D. (1996) DNA repair mechanisms, in: *Escherichia coli* and *Salmonella*, p. 2277-2294, ASM: Washington.) Such strains are well known to those of ordinary skill in the art. The use of such strains is illustrated, for example, in Greener, A. and Callahan, M. (1994) *Strategies* 7: 32-34.

Example 5: DNA Transfer Between *Escherichia coli* and *Corynebacterium glutamicum*

Several *Corynebacterium* and *Brevibacterium* species contain endogenous plasmids (as e.g., pHM1519 or pBL1) which replicate autonomously (for review see, e.g., Martin, J.F. *et al.* (1987) *Biotechnology*, 5:137-146). Shuttle vectors for *Escherichia coli* and *Corynebacterium glutamicum* can be readily constructed by using standard vectors for *E. coli* (Sambrook, J. *et al.* (1989), "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press or Ausubel, F.M. *et al.* (1994) "Current Protocols in Molecular Biology", John Wiley & Sons) to which a origin or replication for and a suitable marker from *Corynebacterium glutamicum* is added. Such origins of replication are preferably taken from endogenous plasmids isolated from *Corynebacterium* and *Brevibacterium* species. Of particular use as transformation markers for these species are genes for kanamycin resistance (such as those derived from the Tn5 or Tn903 transposons) or chloramphenicol (Winnacker, E.L. (1987) "From Genes to Clones — Introduction to Gene Technology, VCH, Weinheim). There are numerous examples in the literature of the construction of a wide variety of shuttle vectors which replicate in both *E. coli* and *C. glutamicum*, and which can be used for several purposes, including gene over-expression (for reference, see e.g., Yoshihama, M. *et al.* (1985) *J. Bacteriol.* 162:591-597, Martin J.F. *et al.* (1987) *Biotechnology*, 5:137-146 and Eikmanns, B.J. *et al.* (1991) *Gene*, 102:93-98).

Using standard methods, it is possible to clone a gene of interest into one of the shuttle vectors described above and to introduce such a hybrid vectors into strains of *Corynebacterium glutamicum*. Transformation of *C. glutamicum* can be achieved by protoplast transformation (Kastsumata, R. *et al.* (1984) *J. Bacteriol.* 159:306-311), electroporation (Liebl, E. *et al.* (1989) *FEMS Microbiol. Letters*, 53:399-303) and in cases where special vectors are used, also by conjugation (as described e.g. in Schäfer, A *et al.*

(1990) *J. Bacteriol.* 172:1663-1666). It is also possible to transfer the shuttle vectors for *C. glutamicum* to *E. coli* by preparing plasmid DNA from *C. glutamicum* (using standard methods well-known in the art) and transforming it into *E. coli*. This transformation step can be performed using standard methods, but it is advantageous to use an Mcr-deficient
5 *E. coli* strain, such as NM522 (Gough & Murray (1983) *J. Mol. Biol.* 166:1-19).

Genes may be overexpressed in *C. glutamicum* strains using plasmids which comprise pCG1 (U.S. Patent No. 4,617,267) or fragments thereof, and optionally the gene for kanamycin resistance from TN903 (Grindley, N.D. and Joyce, C.M. (1980) *Proc. Natl. Acad. Sci. USA* 77(12): 7176-7180). In addition, genes may be
10 overexpressed in *C. glutamicum* strains using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

Aside from the use of replicative plasmids, gene overexpression can also be achieved by integration into the genome. Genomic integration in *C. glutamicum* or other *Corynebacterium* or *Brevibacterium* species may be accomplished by well-known
15 methods, such as homologous recombination with genomic region(s), restriction endonuclease mediated integration (REMI) (see, e.g., DE Patent 19823834), or through the use of transposons. It is also possible to modulate the activity of a gene of interest by modifying the regulatory regions (e.g., a promoter, a repressor, and/or an enhancer) by sequence modification, insertion, or deletion using site-directed methods (such as
20 homologous recombination) or methods based on random events (such as transposon mutagenesis or REMI). Nucleic acid sequences which function as transcriptional terminators may also be inserted 3' to the coding region of one or more genes of the invention; such terminators are well-known in the art and are described, for example, in Winnacker, E.L. (1987) *From Genes to Clones – Introduction to Gene Technology*. VCH:
25 Weinheim.

Example 6: Assessment of the Expression of the Mutant Protein

Observations of the activity of a mutated protein in a transformed host cell rely on the fact that the mutant protein is expressed in a similar fashion and in a similar quantity
30 to that of the wild-type protein. A useful method to ascertain the level of transcription of the mutant gene (an indicator of the amount of mRNA available for translation to the gene product) is to perform a Northern blot (for reference see, for example, Ausubel *et al.*

(1988) Current Protocols in Molecular Biology, Wiley: New York), in which a primer designed to bind to the gene of interest is labeled with a detectable tag (usually radioactive or chemiluminescent), such that when the total RNA of a culture of the organism is extracted, run on gel, transferred to a stable matrix and incubated with this probe, the binding and quantity of binding of the probe indicates the presence and also the quantity of mRNA for this gene. This information is evidence of the degree of transcription of the mutant gene. Total cellular RNA can be prepared from *Corynebacterium glutamicum* by several methods, all well-known in the art, such as that described in Bormann, E.R. *et al.* (1992) *Mol. Microbiol.* 6: 317-326.

To assess the presence or relative quantity of protein translated from this mRNA, standard techniques, such as a Western blot, may be employed (see, for example, Ausubel *et al.* (1988) Current Protocols in Molecular Biology, Wiley: New York). In this process, total cellular proteins are extracted, separated by gel electrophoresis, transferred to a matrix such as nitrocellulose, and incubated with a probe, such as an antibody, which specifically binds to the desired protein. This probe is generally tagged with a chemiluminescent or colorimetric label which may be readily detected. The presence and quantity of label observed indicates the presence and quantity of the desired mutant protein present in the cell.

Example 7: Growth of Genetically Modified *Corynebacterium glutamicum* — Media and Culture Conditions

Genetically modified *Corynebacteria* are cultured in synthetic or natural growth media. A number of different growth media for *Corynebacteria* are both well-known and readily available (Lieb *et al.* (1989) *Appl. Microbiol. Biotechnol.*, 32:205-210; von der Osten *et al.* (1998) *Biotechnology Letters*, 11:11-16; Patent DE 4,120,867; Liebl (1992) "The Genus *Corynebacterium*, in: The Prokaryotes, Volume II, Balows, A. *et al.*, eds. Springer-Verlag). These media consist of one or more carbon sources, nitrogen sources, inorganic salts, vitamins and trace elements. Preferred carbon sources are sugars, such as mono-, di-, or polysaccharides. For example, glucose, fructose, mannose, galactose, ribose, sorbose, ribulose, lactose, maltose, sucrose, raffinose, starch or cellulose serve as very good carbon sources. It is also possible to supply sugar to the media via complex compounds such as molasses or other by-products from sugar refinement. It can also be

advantageous to supply mixtures of different carbon sources. Other possible carbon sources are alcohols and organic acids, such as methanol, ethanol, acetic acid or lactic acid. Nitrogen sources are usually organic or inorganic nitrogen compounds, or materials which contain these compounds. Exemplary nitrogen sources include ammonia gas or
5 ammonia salts, such as NH_4Cl or $(\text{NH}_4)_2\text{SO}_4$, NH_4OH , nitrates, urea, amino acids or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract and others.

Inorganic salt compounds which may be included in the media include the chloride-, phosphorous- or sulfate- salts of calcium, magnesium, sodium, cobalt,
10 molybdenum, potassium, manganese, zinc, copper and iron. Chelating compounds can be added to the medium to keep the metal ions in solution. Particularly useful chelating compounds include dihydroxyphenols, like catechol or protocatechuate, or organic acids, such as citric acid. It is typical for the media to also contain other growth factors, such as vitamins or growth promoters, examples of which include biotin, riboflavin, thiamin, folic
15 acid, nicotinic acid, pantothenate and pyridoxin. Growth factors and salts frequently originate from complex media components such as yeast extract, molasses, corn steep liquor and others. The exact composition of the media compounds depends strongly on the immediate experiment and is individually decided for each specific case. Information about media optimization is available in the textbook "Applied Microbiol. Physiology, A
20 Practical Approach (*eds.* P.M. Rhodes, P.F. Stanbury, IRL Press (1997) pp. 53-73, ISBN 0 19 963577 3). It is also possible to select growth media from commercial suppliers, like standard 1 (Merck) or BHI (grain heart infusion, DIFCO) or others.

All medium components are sterilized, either by heat (20 minutes at 1.5 bar and 121°C) or by sterile filtration. The components can either be sterilized together or, if
25 necessary, separately. All media components can be present at the beginning of growth, or they can optionally be added continuously or batchwise.

Culture conditions are defined separately for each experiment. The temperature should be in a range between 15°C and 45°C. The temperature can be kept constant or can be altered during the experiment. The pH of the medium should be in the range of 5 to
30 8.5, preferably around 7.0, and can be maintained by the addition of buffers to the media. An exemplary buffer for this purpose is a potassium phosphate buffer. Synthetic buffers such as MOPS, HEPES, ACES and others can alternatively or simultaneously be used. It

is also possible to maintain a constant culture pH through the addition of NaOH or NH₄OH during growth. If complex medium components such as yeast extract are utilized, the necessity for additional buffers may be reduced, due to the fact that many complex compounds have high buffer capacities. If a fermentor is utilized for culturing the micro-organisms, the pH can also be controlled using gaseous ammonia.

The incubation time is usually in a range from several hours to several days. This time is selected in order to permit the maximal amount of product to accumulate in the broth. The disclosed growth experiments can be carried out in a variety of vessels, such as microtiter plates, glass tubes, glass flasks or glass or metal fermentors of different sizes.

For screening a large number of clones, the microorganisms should be cultured in microtiter plates, glass tubes or shake flasks, either with or without baffles. Preferably 100 ml shake flasks are used, filled with 10% (by volume) of the required growth medium. The flasks should be shaken on a rotary shaker (amplitude 25 mm) using a speed-range of 100 – 300 rpm. Evaporation losses can be diminished by the maintenance of a humid atmosphere; alternatively, a mathematical correction for evaporation losses should be performed.

If genetically modified clones are tested, an unmodified control clone or a control clone containing the basic plasmid without any insert should also be tested. The medium is inoculated to an OD₆₀₀ of 0.5 – 1.5 using cells grown on agar plates, such as CM plates (10 g/l glucose, 2,5 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l agar, pH 6.8 with 2M NaOH) that had been incubated at 30°C. Inoculation of the media is accomplished by either introduction of a saline suspension of *C. glutamicum* cells from CM plates or addition of a liquid preculture of this bacterium.

25

Example 8 – *In vitro* Analysis of the Function of Mutant Proteins

The determination of activities and kinetic parameters of enzymes is well established in the art. Experiments to determine the activity of any given altered enzyme must be tailored to the specific activity of the wild-type enzyme, which is well within the ability of one of ordinary skill in the art. Overviews about enzymes in general, as well as specific details concerning structure, kinetics, principles, methods, applications and examples for the determination of many enzyme activities may be

30

found, for example, in the following references: Dixon, M., and Webb, E.C., (1979) Enzymes. Longmans: London; Fersht, (1985) Enzyme Structure and Mechanism. Freeman: New York; Walsh, (1979) Enzymatic Reaction Mechanisms. Freeman: San Francisco; Price, N.C., Stevens, L. (1982) Fundamentals of Enzymology. Oxford Univ. Press: Oxford; Boyer, P.D., ed. (1983) The Enzymes, 3rd ed. Academic Press: New York; Bisswanger, H., (1994) Enzymkinetik, 2nd ed. VCH: Weinheim (ISBN 3527300325); Bergmeyer, H.U., Bergmeyer, J., Graßl, M., eds. (1983-1986) Methods of Enzymatic Analysis, 3rd ed., vol. I-XII, Verlag Chemie: Weinheim; and Ullmann's Encyclopedia of Industrial Chemistry (1987) vol. A9, "Enzymes". VCH: Weinheim, p. 352-363.

The activity of proteins which bind to DNA can be measured by several well-established methods, such as DNA band-shift assays (also called gel retardation assays). The effect of such proteins on the expression of other molecules can be measured using reporter gene assays (such as that described in Kolmar, H. *et al.* (1995) *EMBO J.* 14: 3895-3904 and references cited therein). Reporter gene test systems are well known and established for applications in both pro- and eukaryotic cells, using enzymes such as beta-galactosidase, green fluorescent protein, and several others.

The determination of activity of membrane-transport proteins can be performed according to techniques such as those described in Gennis, R.B. (1989) "Pores, Channels and Transporters", in Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 85-137; 199-234; and 270-322.

Example 9: Analysis of Impact of Mutant Protein on the Production of the Desired Product

The effect of the genetic modification in *C. glutamicum* on production of a desired compound (such as an amino acid) can be assessed by growing the modified microorganism under suitable conditions (such as those described above) and analyzing the medium and/or the cellular component for increased production of the desired product (*i.e.*, an amino acid). Such analysis techniques are well known to one of ordinary skill in the art, and include spectroscopy, thin layer chromatography, staining methods of various kinds, enzymatic and microbiological methods, and analytical chromatography such as high performance liquid chromatography (see, for example,

Ullman, Encyclopedia of Industrial Chemistry, vol. A2, p. 89-90 and p. 443-613, VCH: Weinheim (1985); Fallon, A. *et al.*, (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17; Rehm *et al.* (1993) Biotechnology, vol. 3, Chapter III: "Product recovery and purification", page 5 469-714, VCH: Weinheim; Belter, P.A. *et al.* (1988) Bioseparations: downstream processing for biotechnology, John Wiley and Sons; Kennedy, J.F. and Cabral, J.M.S. (1992) Recovery processes for biological materials, John Wiley and Sons; Shaeiwitz, J.A. and Henry, J.D. (1988) Biochemical separations, in: Ulmann's Encyclopedia of Industrial Chemistry, vol. B3, Chapter 11, page 1-27, VCH: Weinheim; and Dechow, 10 F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.)

In addition to the measurement of the final product of fermentation, it is also possible to analyze other components of the metabolic pathways utilized for the production of the desired compound, such as intermediates and side-products, to 15 determine the overall efficiency of production of the compound. Analysis methods include measurements of nutrient levels in the medium (*e.g.*, sugars, hydrocarbons, nitrogen sources, phosphate, and other ions), measurements of biomass composition and growth, analysis of the production of common metabolites of biosynthetic pathways, and measurement of gasses produced during fermentation. Standard methods for these 20 measurements are outlined in Applied Microbial Physiology, A Practical Approach, P.M. Rhodes and P.F. Stanbury, eds., IRL Press, p. 103-129; 131-163; and 165-192 (ISBN: 0199635773) and references cited therein.

Example 10: Purification of the Desired Product from *C. glutamicum* Culture

25 Recovery of the desired product from the *C. glutamicum* cells or supernatant of the above-described culture can be performed by various methods well known in the art. If the desired product is not secreted from the cells, the cells can be harvested from the culture by low-speed centrifugation, the cells can be lysed by standard techniques, such as mechanical force or sonication. The cellular debris is removed by centrifugation, and 30 the supernatant fraction containing the soluble proteins is retained for further purification of the desired compound. If the product is secreted from the *C. glutamicum*

cells, then the cells are removed from the culture by low-speed centrifugation, and the supernate fraction is retained for further purification.

The supernatant fraction from either purification method is subjected to chromatography with a suitable resin, in which the desired molecule is either retained on a chromatography resin while many of the impurities in the sample are not, or where the impurities are retained by the resin while the sample is not. Such chromatography steps may be repeated as necessary, using the same or different chromatography resins. One of ordinary skill in the art would be well-versed in the selection of appropriate chromatography resins and in their most efficacious application for a particular molecule to be purified. The purified product may be concentrated by filtration or ultrafiltration, and stored at a temperature at which the stability of the product is maximized.

There are a wide array of purification methods known to the art and the preceding method of purification is not meant to be limiting. Such purification techniques are described, for example, in Bailey, J.E. & Ollis, D.F. *Biochemical Engineering Fundamentals*, McGraw-Hill: New York (1986).

The identity and purity of the isolated compounds may be assessed by techniques standard in the art. These include high-performance liquid chromatography (HPLC), spectroscopic methods, staining methods, thin layer chromatography, NIRS, enzymatic assay, or microbiologically. Such analysis methods are reviewed in: Patek *et al.* (1994) *Appl. Environ. Microbiol.* 60: 133-140; Malakhova *et al.* (1996) *Biotekhnologiya* 11: 27-32; and Schmidt *et al.* (1998) *Bioprocess Engineer.* 19: 67-70. Ulmann's Encyclopedia of Industrial Chemistry, (1996) vol. A27, VCH: Weinheim, p. 89-90, p. 521-540, p. 540-547, p. 559-566, 575-581 and p. 581-587; Michal, G. (1999) *Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology*, John Wiley and Sons; Fallon, A. *et al.* (1987) *Applications of HPLC in Biochemistry in: Laboratory Techniques in Biochemistry and Molecular Biology*, vol. 17.

Example 11: Analysis of the Gene Sequences of the Invention

The comparison of sequences and determination of percent homology between two sequences are art-known techniques, and can be accomplished using a mathematical algorithm, such as the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci. USA* 87:2264-68, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci. USA*

90:5873-77. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, *et al.* (1990) *J. Mol. Biol.* 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to MP nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to MP protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul *et al.*, (1997) *Nucleic Acids Res.* 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, one of ordinary skill in the art will know how to optimize the parameters of the program (*e.g.*, XBLAST and NBLAST) for the specific sequence being analyzed.

Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Meyers and Miller ((1988) *Comput. Appl. Biosci.* 4: 11-17). Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art, and include ADVANCE and ADAM. described in Torelli and Robotti (1994) *Comput. Appl. Biosci.* 10:3-5; and FASTA, described in Pearson and Lipman (1988) *P.N.A.S.* 85:2444-8.

The percent homology between two amino acid sequences can also be accomplished using the GAP program in the GCG software package (available at <http://www.gcg.com>), using either a Blosum 62 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. The percent homology between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using standard parameters, such as a gap weight of 50 and a length weight of 3.

A comparative analysis of the gene sequences of the invention with those present in Genbank has been performed using techniques known in the art (see, *e.g.*, Bexevanis and Ouellette, eds. (1998) *Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins.* John Wiley and Sons: New York). The gene sequences of the invention

were compared to genes present in Genbank in a three-step process. In a first step, a BLASTN analysis (*e.g.*, a local alignment analysis) was performed for each of the sequences of the invention against the nucleotide sequences present in Genbank, and the top 500 hits were retained for further analysis. A subsequent FASTA search (*e.g.*, a
5 combined local and global alignment analysis, in which limited regions of the sequences are aligned) was performed on these 500 hits. Each gene sequence of the invention was subsequently globally aligned to each of the top three FASTA hits, using the GAP program in the GCG software package (using standard parameters). In order to obtain correct results, the length of the sequences extracted from Genbank were adjusted to the
10 length of the query sequences by methods well-known in the art. The results of this analysis are set forth in Table 4. The resulting data is identical to that which would have been obtained had a GAP (global) analysis alone been performed on each of the genes of the invention in comparison with each of the references in Genbank, but required significantly reduced computational time as compared to such a database-wide GAP
15 (global) analysis. Sequences of the invention for which no alignments above the cutoff values were obtained are indicated on Table 4 by the absence of alignment information. It will further be understood by one of ordinary skill in the art that the GAP alignment homology percentages set forth in Table 4 under the heading "% homology (GAP)" are listed in the European numerical format, wherein a ',' represents a decimal point. For
20 example, a value of "40,345" in this column represents "40.345%".

Example 12: Construction and Operation of DNA Microarrays

The sequences of the invention may additionally be used in the construction and application of DNA microarrays (the design, methodology, and uses of DNA arrays are
25 well known in the art, and are described, for example, in Schena, M. *et al.* (1995) *Science* 270: 467-470; Wodicka, L. *et al.* (1997) *Nature Biotechnology* 15: 1359-1367; DeSaizieu, A. *et al.* (1998) *Nature Biotechnology* 16: 45-48; and DeRisi, J.L. *et al.* (1997) *Science* 278: 680-686).

DNA microarrays are solid or flexible supports consisting of nitrocellulose,
30 nylon, glass, silicone, or other materials. Nucleic acid molecules may be attached to the surface in an ordered manner. After appropriate labeling, other nucleic acids or nucleic acid mixtures can be hybridized to the immobilized nucleic acid molecules, and the label

may be used to monitor and measure the individual signal intensities of the hybridized molecules at defined regions. This methodology allows the simultaneous quantification of the relative or absolute amount of all or selected nucleic acids in the applied nucleic acid sample or mixture. DNA microarrays, therefore, permit an analysis of the
5 expression of multiple (as many as 6800 or more) nucleic acids in parallel (see, *e.g.*, Schena, M. (1996) *BioEssays* 18(5): 427-431).

The sequences of the invention may be used to design oligonucleotide primers which are able to amplify defined regions of one or more *C. glutamicum* genes by a nucleic acid amplification reaction such as the polymerase chain reaction. The choice
10 and design of the 5' or 3' oligonucleotide primers or of appropriate linkers allows the covalent attachment of the resulting PCR products to the surface of a support medium described above (and also described, for example, Schena, M. *et al.* (1995) *Science* 270: 467-470).

Nucleic acid microarrays may also be constructed by *in situ* oligonucleotide
15 synthesis as described by Wodicka, L. *et al.* (1997) *Nature Biotechnology* 15: 1359-1367. By photolithographic methods, precisely defined regions of the matrix are exposed to light. Protective groups which are photolabile are thereby activated and undergo nucleotide addition, whereas regions that are masked from light do not undergo any modification. Subsequent cycles of protection and light activation permit the
20 synthesis of different oligonucleotides at defined positions. Small, defined regions of the genes of the invention may be synthesized on microarrays by solid phase oligonucleotide synthesis.

The nucleic acid molecules of the invention present in a sample or mixture of nucleotides may be hybridized to the microarrays. These nucleic acid molecules can be
25 labeled according to standard methods. In brief, nucleic acid molecules (*e.g.*, mRNA molecules or DNA molecules) are labeled by the incorporation of isotopically or fluorescently labeled nucleotides, *e.g.*, during reverse transcription or DNA synthesis. Hybridization of labeled nucleic acids to microarrays is described (*e.g.*, in Schena, M. *et al.* (1995) *supra*; Wodicka, L. *et al.* (1997), *supra*; and DeSaizieu A. *et al.* (1998),
30 *supra*). The detection and quantification of the hybridized molecule are tailored to the specific incorporated label. Radioactive labels can be detected, for example, as

described in Schena, M. *et al.* (1995) *supra*) and fluorescent labels may be detected, for example, by the method of Shalon *et al.* (1996) *Genome Research* 6: 639-645).

The application of the sequences of the invention to DNA microarray technology, as described above, permits comparative analyses of different strains of *C. glutamicum* or other Corynebacteria. For example, studies of inter-strain variations based on individual transcript profiles and the identification of genes that are important for specific and/or desired strain properties such as pathogenicity, productivity and stress tolerance are facilitated by nucleic acid array methodologies. Also, comparisons of the profile of expression of genes of the invention during the course of a fermentation reaction are possible using nucleic acid array technology.

Example 13: Analysis of the Dynamics of Cellular Protein Populations (Proteomics)

The genes, compositions, and methods of the invention may be applied to study the interactions and dynamics of populations of proteins, termed 'proteomics'. Protein populations of interest include, but are not limited to, the total protein population of *C. glutamicum* (e.g., in comparison with the protein populations of other organisms), those proteins which are active under specific environmental or metabolic conditions (e.g., during fermentation, at high or low temperature, or at high or low pH), or those proteins which are active during specific phases of growth and development.

Protein populations can be analyzed by various well-known techniques, such as gel electrophoresis. Cellular proteins may be obtained, for example, by lysis or extraction, and may be separated from one another using a variety of electrophoretic techniques. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) separates proteins largely on the basis of their molecular weight. Isoelectric focusing polyacrylamide gel electrophoresis (IEF-PAGE) separates proteins by their isoelectric point (which reflects not only the amino acid sequence but also posttranslational modifications of the protein). Another, more preferred method of protein analysis is the consecutive combination of both IEF-PAGE and SDS-PAGE, known as 2-D-gel electrophoresis (described, for example, in Hermann *et al.* (1998) *Electrophoresis* 19: 3217-3221; Fountoulakis *et al.* (1998) *Electrophoresis* 19: 1193-1202; Langen *et al.* (1997) *Electrophoresis* 18: 1184-1192; Antelmann *et al.* (1997) *Electrophoresis* 18:

1451-1463). Other separation techniques may also be utilized for protein separation, such as capillary gel electrophoresis; such techniques are well known in the art.

Proteins separated by these methodologies can be visualized by standard techniques, such as by staining or labeling. Suitable stains are known in the art, and
5 include Coomassie Brilliant Blue, silver stain, or fluorescent dyes such as Sypro Ruby (Molecular Probes). The inclusion of radioactively labeled amino acids or other protein precursors (*e.g.*, ^{35}S -methionine, ^{35}S -cysteine, ^{14}C -labelled amino acids, ^{15}N -amino acids, $^{15}\text{NO}_3$ or $^{15}\text{NH}_4^+$ or ^{13}C -labelled amino acids) in the medium of *C. glutamicum* permits the labeling of proteins from these cells prior to their separation. Similarly,
10 fluorescent labels may be employed. These labeled proteins can be extracted, isolated and separated according to the previously described techniques.

Proteins visualized by these techniques can be further analyzed by measuring the amount of dye or label used. The amount of a given protein can be determined quantitatively using, for example, optical methods and can be compared to the amount
15 of other proteins in the same gel or in other gels. Comparisons of proteins on gels can be made, for example, by optical comparison, by spectroscopy, by image scanning and analysis of gels, or through the use of photographic films and screens. Such techniques are well-known in the art.

To determine the identity of any given protein, direct sequencing or other
20 standard techniques may be employed. For example, N- and/or C-terminal amino acid sequencing (such as Edman degradation) may be used, as may mass spectrometry (in particular MALDI or ESI techniques (see, *e.g.*, Langen *et al.* (1997) *Electrophoresis* 18: 1184-1192)). The protein sequences provided herein can be used for the identification of *C. glutamicum* proteins by these techniques.

25 The information obtained by these methods can be used to compare patterns of protein presence, activity, or modification between different samples from various biological conditions (*e.g.*, different organisms, time points of fermentation, media conditions, or different biotopes, among others). Data obtained from such experiments alone, or in combination with other techniques, can be used for various applications,
30 such as to compare the behavior of various organisms in a given (*e.g.*, metabolic) situation, to increase the productivity of strains which produce fine chemicals or to increase the efficiency of the production of fine chemicals.

Equivalents

Those of ordinary skill in the art will recognize, or will be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the

5 following claims.

What is claimed:

1. An isolated nucleic acid molecule from *Corynebacterium glutamicum* encoding a metabolic pathway protein, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
2. The isolated nucleic acid molecule of claim 1, wherein said metabolic pathway protein is selected from the group consisting of proteins involved in the metabolism of an amino acid, a vitamin, a cofactor, a nutraceutical, a nucleotide, a nucleoside, or trehalose.
3. An isolated *Corynebacterium glutamicum* nucleic acid molecule selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
4. An isolated nucleic acid molecule which encodes a polypeptide sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
5. An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide selected from the group of amino acid sequences consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
6. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or

a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

- 5 7. An isolated nucleic acid molecule comprising a fragment of at least 15 nucleotides of a nucleic acid comprising a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 10 8. An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1-7 under stringent conditions.
9. An isolated nucleic acid molecule comprising the nucleic acid molecule of any one of claims 1-8 or a portion thereof and a nucleotide sequence encoding a heterologous
15 polypeptide.
10. A vector comprising the nucleic acid molecule of any one of claims 1-9.
11. The vector of claim 10, which is an expression vector.
20
12. A host cell transfected with the expression vector of claim 11.
13. The host cell of claim 12, wherein said cell is a microorganism.
- 25 14. The host cell of claim 13, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
15. The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the modulation in production of a fine chemical from said cell.
- 30 16. The host cell of claim 15, wherein said fine chemical is selected from the group consisting of: organic acids, nonproteinogenic amino acids, purine and pyrimidine

bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

17. A method of producing a polypeptide comprising culturing the host cell of claim 12
5 in an appropriate culture medium to, thereby, produce the polypeptide.
18. An isolated metabolic pathway polypeptide from *Corynebacterium glutamicum*, or a portion thereof.
- 10 19. The protein of claim 18, wherein said polypeptide is selected from the group of metabolic pathway proteins which participate in the metabolism of an amino acid, a vitamin, a cofactor, a nutraceutical, a nucleotide, a nucleoside, or trehalose.
- 15 20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 20 21. An isolated polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 25 22. The isolated polypeptide of any of claims 18-21, further comprising heterologous amino acid sequences.
- 30 23. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleic acid selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated nucleic acid molecules set forth in Table 1.

24. An isolated polypeptide comprising an amino acid sequence which is at least 50% homologous to an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing,
5 provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
25. A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 12 such that the fine chemical is produced.
10
26. The method of claim 25, wherein said method further comprises the step of recovering the fine chemical from said culture.
27. The method of claim 25, wherein said method further comprises the step of
15 transfecting said cell with the vector of claim 11 to result in a cell containing said vector.
28. The method of claim 25, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
20
29. The method of claim 25, wherein said cell is selected from the group consisting of: *Corynebacterium glutamicum*, *Corynebacterium herculis*, *Corynebacterium lilium*, *Corynebacterium acetoacidophilum*, *Corynebacterium acetoglutamicum*, *Corynebacterium acetophilum*, *Corynebacterium ammoniagenes*, *Corynebacterium fujiokense*, *Corynebacterium nitrilophilus*, *Brevibacterium ammoniagenes*,
25 *Brevibacterium butanicum*, *Brevibacterium divaricatum*, *Brevibacterium flavum*, *Brevibacterium healii*, *Brevibacterium ketoglutamicum*, *Brevibacterium ketosoreductum*, *Brevibacterium lactofermentum*, *Brevibacterium linens*, *Brevibacterium paraffinolyticum*, and those strains set forth in Table 3.
30. The method of claim 25, wherein expression of the nucleic acid molecule from said vector results in modulation of production of said fine chemical.
30

31. The method of claim 25, wherein said fine chemical is selected from the group consisting of: organic acids, nonproteinogenic amino acids, purine and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols,
5 carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.
32. The method of claim 25, wherein said fine chemical is an amino acid.
33. The method of claim 32, wherein said amino acid is drawn from the group consisting
10 of: lysine, glutamate, glutamine, alanine, aspartate, glycine, serine, threonine, methionine, cysteine, valine, leucine, isoleucine, arginine, proline, histidine, tyrosine, phenylalanine, and tryptophan.
34. A method for producing a fine chemical, comprising culturing a cell whose genomic
15 DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1-9.
35. A method for diagnosing the presence or activity of *Corynebacterium diphtheriae* in a subject, comprising detecting the presence of one or more of SEQ ID NOs 1
20 through 1156 of the Sequence Listing in the subject, provided that the sequences are not or are not encoded by any of the F-designated sequences set forth in Table 1, thereby diagnosing the presence or activity of *Corynebacterium diphtheriae* in the subject.
- 25 36. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the nucleic acid molecule is disrupted.
- 30 37. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs in the Sequence Listing, wherein the nucleic acid molecule comprises one or more nucleic acid

- 153 -

modifications from the sequence set forth as odd-numbered SEQ ID NOs of the Sequence Listing s.

38. A host cell comprising a nucleic acid molecule selected from the group consisting of
5 the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing , wherein the regulatory region of the nucleic acid molecule is modified relative to the wild-type regulatory region of the molecule.

SEQUENCE LISTING

<110> BASF Aktiengesellschaft
 <120> CORYNEBACTERIUM GLUTAMICUM GENES ENCODING
 METABOLIC PATHWAY PROTEINS
 <130> BGI-121CPPC
 <140>
 <141>
 <160> 1156

<210> 1
 <211> 948
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(925)
 <223> RXA02229

<400> 1
 gctgggtcaa cagagaccac cgcgtgtcct gggtcgacgc ctctggcgat cccaccgcac 60
 aagccttgga gattttgggt ctacaatagc gaggggtgaat ttg acc atc ccc ttt 115
 Leu Thr Ile Pro Phe
 1 5
 gcc aaa ggc cac gcc acc gaa aac gac ttc atc atc atc ccc gat gag 163
 Ala Lys Gly His Ala Thr Glu Asn Asp Phe Ile Ile Ile Pro Asp Glu
 10 15 20
 gat gcg cgc cta gat tta act cca gaa atg gtg gtc acg ctg tgt gac 211
 Asp Ala Arg Leu Asp Leu Thr Pro Glu Met Val Val Thr Leu Cys Asp
 25 30 35
 cgc cgc gcc ggg atc ggt gct gat ggt atc ctc cgc gtg gtt aaa gct 259
 Arg Arg Ala Gly Ile Gly Ala Asp Gly Ile Leu Arg Val Val Lys Ala
 40 45 50
 gca gac gta gaa ggc tcc acg gtc gac cca tcg ctg tgg ttc atg gat 307
 Ala Asp Val Glu Gly Ser Thr Val Asp Pro Ser Leu Trp Phe Met Asp
 55 60 65
 tac cgc aac gcc gat gga tct ttg gct gaa atg tgc ggc aat ggt gtg 355
 Tyr Arg Asn Ala Asp Gly Ser Leu Ala Glu Met Cys Gly Asn Gly Val
 70 75 80 85
 cgc ctg ttc gcg cac tgg ctg tac tcc cgc ggt ctt gtt gat aat acg 403
 Arg Leu Phe Ala His Trp Leu Tyr Ser Arg Gly Leu Val Asp Asn Thr
 90 95 100
 agc ttt gat atc ggt acc cgc gcc ggt gtc cgc cac gtt gat att ttg 451
 Ser Phe Asp Ile Gly Thr Arg Ala Gly Val Arg His Val Asp Ile Leu
 105 110 115
 cag gca gat caa cat tct gcg cag gtc cgc gtt gat atg ggc atc cct 499
 Gln Ala Asp Gln His Ser Ala Gln Val Arg Val Asp Met Gly Ile Pro
 120 125 130
 gac gtc acg gga tta tcc acc tgc gac atc aac ggc caa gta ttc gct 547
 Asp Val Thr Gly Leu Ser Thr Cys Asp Ile Asn Gly Gln Val Phe Ala

135	140	145	
ggc ctt ggc gtt gat atg ggt aac cca cac cta gcg tgc gtt gtg ccg			595
Gly Leu Gly Val Asp Met Gly Asn Pro His Leu Ala Cys Val Val Pro			
150	155	160	165
ggc tta agt gcg tcg gct ctt gcc gat atg gaa ctg cgc gca cct acg			643
Gly Leu Ser Ala Ser Ala Leu Ala Asp Met Glu Leu Arg Ala Pro Thr			
	170	175	180
ttt gat cag gaa ttc ttc ccc cac ggt gtg aac gta gaa atc gtc aca			691
Phe Asp Gln Glu Phe Phe Pro His Gly Val Asn Val Glu Ile Val Thr			
	185	190	195
gaa tta gaa gat gac gca gta tcg atg cgc gtg tgg gaa cgc gga gtg			739
Glu Leu Glu Asp Asp Ala Val Ser Met Arg Val Trp Glu Arg Gly Val			
	200	205	210
ggc gaa acc cgc tcc tgt ggc acg gga acc gtt gct gca gcg tgt gct			787
Gly Glu Thr Arg Ser Cys Gly Thr Gly Thr Val Ala Ala Ala Cys Ala			
	215	220	225
gct tta gct gat gct gga ttg gga gaa ggc aca gct aaa gtg tgc gtt			835
Ala Leu Ala Asp Ala Gly Leu Gly Glu Gly Thr Ala Lys Val Cys Val			
	230	235	240
cca cgt ggg gaa gta gaa gtc cag atc ttt gac gac ggc tcc aca ctc			883
Pro Arg Gly Glu Val Glu Val Gln Ile Phe Asp Asp Gly Ser Thr Leu			
	250	255	260
acc ggc cca agc gcc atc atc gca ctc ggt gag gtg cag atc			925
Thr Gly Pro Ser Ala Ile Ile Ala Leu Gly Glu Val Gln Ile			
	265	270	275
taagattcgc gattgtagtt cgg			948

<210> 2

<211> 275

<212> PRT

<213> Corynebacterium glutamicum

<400> 2

Leu Thr Ile Pro Phe Ala Lys Gly His Ala Thr Glu Asn Asp Phe Ile
 1 5 10 15

Ile Ile Pro Asp Glu Asp Ala Arg Leu Asp Leu Thr Pro Glu Met Val
 20 25 30

Val Thr Leu Cys Asp Arg Arg Ala Gly Ile Gly Ala Asp Gly Ile Leu
 35 40 45

Arg Val Val Lys Ala Ala Asp Val Glu Gly Ser Thr Val Asp Pro Ser
 50 55 60

Leu Trp Phe Met Asp Tyr Arg Asn Ala Asp Gly Ser Leu Ala Glu Met
 65 70 75 80

Cys Gly Asn Gly Val Arg Leu Phe Ala His Trp Leu Tyr Ser Arg Gly
 85 90 95

Leu Val Asp Asn Thr Ser Phe Asp Ile Gly Thr Arg Ala Gly Val Arg
 100 105 110
 His Val Asp Ile Leu Gln Ala Asp Gln His Ser Ala Gln Val Arg Val
 115 120 125
 Asp Met Gly Ile Pro Asp Val Thr Gly Leu Ser Thr Cys Asp Ile Asn
 130 135 140
 Gly Gln Val Phe Ala Gly Leu Gly Val Asp Met Gly Asn Pro His Leu
 145 150 155 160
 Ala Cys Val Val Pro Gly Leu Ser Ala Ser Ala Leu Ala Asp Met Glu
 165 170 175
 Leu Arg Ala Pro Thr Phe Asp Gln Glu Phe Phe Pro His Gly Val Asn
 180 185 190
 Val Glu Ile Val Thr Glu Leu Glu Asp Asp Ala Val Ser Met Arg Val
 195 200 205
 Trp Glu Arg Gly Val Gly Glu Thr Arg Ser Cys Gly Thr Gly Thr Val
 210 215 220
 Ala Ala Ala Cys Ala Ala Leu Ala Asp Ala Gly Leu Gly Glu Gly Thr
 225 230 235 240
 Ala Lys Val Cys Val Pro Arg Gly Glu Val Glu Val Gln Ile Phe Asp
 245 250 255
 Asp Gly Ser Thr Leu Thr Gly Pro Ser Ala Ile Ile Ala Leu Gly Glu
 260 265 270
 Val Gln Ile
 275

<210> 3
 <211> 1491
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1468)
 <223> RXS02970

<400> 3
 aaccgacaaa acagccgttc acgtgctaaa gcagctcggc ttgatctagg gtgagggtgag 60
 ttattttaag acttcataat attttgggga gtgaactggt ttg gca ttg aag ggt 115
 Leu Ala Leu Lys Gly
 1 5
 tac acc aac ttt gac ggt gaa ttc atc gaa ttc gga tct gtg caa gca 163
 Tyr Thr Asn Phe Asp Gly Glu Phe Ile Glu Phe Gly Ser Val Gln Ala
 10 15 20
 aaa gaa gag gaa aaa cgg gca ttc gac aac gat cgc gcg cac gtt ttc 211
 Lys Glu Glu Glu Lys Arg Ala Phe Asp Asn Asp Arg Ala His Val Phe
 25 30 35

cac tcc tgg tcc gcg cag gac aaa atc agc ccc aaa gta tgg gca gct	259
His Ser Trp Ser Ala Gln Asp Lys Ile Ser Pro Lys Val Trp Ala Ala	
40 45 50	
gcc gaa ggt tcc acg ctg tac gac ttc gac ggc aac gcc ttc atc gac	307
Ala Glu Gly Ser Thr Leu Tyr Asp Phe Asp Gly Asn Ala Phe Ile Asp	
55 60 65	
atg ggt tcc caa ctt gtc tcg gca aac tta ggc cac aac aac cct cga	355
Met Gly Ser Gln Leu Val Ser Ala Asn Leu Gly His Asn Asn Pro Arg	
70 75 80 85	
tta gtt gag gcg atc cag cgc caa gca gcc cgg ttg acc aac atc aac	403
Leu Val Glu Ala Ile Gln Arg Gln Ala Ala Arg Leu Thr Asn Ile Asn	
90 95 100	
ccg gcc ttc ggc aat gat gtg cgc tct gat gtt gct gca aag atc gtg	451
Pro Ala Phe Gly Asn Asp Val Arg Ser Asp Val Ala Ala Lys Ile Val	
105 110 115	
tcg atg gcc cgt ggc gaa ttc tcc cac gtg ttt ttc acc aac ggc ggc	499
Ser Met Ala Arg Gly Glu Phe Ser His Val Phe Phe Thr Asn Gly Gly	
120 125 130	
gcc gac gcc atc gag cac tcc atc cgc atg gct cgc ctg cac acc gga	547
Ala Asp Ala Ile Glu His Ser Ile Arg Met Ala Arg Leu His Thr Gly	
135 140 145	
cgc aac aaa att ctg tcc gca tac cgc agc tac cac ggc gca acc gga	595
Arg Asn Lys Ile Leu Ser Ala Tyr Arg Ser Tyr His Gly Ala Thr Gly	
150 155 160 165	
tcc gcg atg atg ctc acc ggc gaa cac cgc cgc ctg ggc aac ccc acc	643
Ser Ala Met Met Leu Thr Gly Glu His Arg Arg Leu Gly Asn Pro Thr	
170 175 180	
acc gac cca gat atc tac cac ttc tgg gca cca ttc ctg cac cac tcc	691
Thr Asp Pro Asp Ile Tyr His Phe Trp Ala Pro Phe Leu His His Ser	
185 190 195	
tca ttc ttt gcc acc acc caa gaa gaa gaa tgc gaa cgc gca ctc aag	739
Ser Phe Phe Ala Thr Thr Gln Glu Glu Glu Cys Glu Arg Ala Leu Lys	
200 205 210	
cac ttg gaa gat gtc atc gcg ttt gaa ggt gct ggc atg atc gca gcg	787
His Leu Glu Asp Val Ile Ala Phe Glu Gly Ala Gly Met Ile Ala Ala	
215 220 225	
atc gtc ctg gag cca gtg gtg gga tca tca gga atc atc ctg cca cca	835
Ile Val Leu Glu Pro Val Val Gly Ser Ser Gly Ile Ile Leu Pro Pro	
230 235 240 245	
gca ggt tac tta aat ggc gtg cgc gaa ctt tgc aac aag cac ggc atc	883
Ala Gly Tyr Leu Asn Gly Val Arg Glu Leu Cys Asn Lys His Gly Ile	
250 255 260	
ctc ttc atc gcc gac gaa gtc atg gtc gga ttc gga cgc acc gga aaa	931
Leu Phe Ile Ala Asp Glu Val Met Val Gly Phe Gly Arg Thr Gly Lys	
265 270 275	

ctg ttt gct tac gag cat gct ggc gac gat ttc cag cca gac atg atc 979
 Leu Phe Ala Tyr Glu His Ala Gly Asp Asp Phe Gln Pro Asp Met Ile
 280 285 290

acc ttc gcc aag ggt gtt aac gca ggt tac gcc cca ctc ggt ggc atc
 1027
 Thr Phe Ala Lys Gly Val Asn Ala Gly Tyr Ala Pro Leu Gly Gly Ile
 295 300 305

gtg atg acc caa tca atc cgc gat acc ttc gga tca gag gca tac tcc
 1075
 Val Met Thr Gln Ser Ile Arg Asp Thr Phe Gly Ser Glu Ala Tyr Ser
 310 315 320 325

ggc gga ctc acc tac tcc gga cac cca ctt gca gta gca ccc gcc aag
 1123
 Gly Gly Leu Thr Tyr Ser Gly His Pro Leu Ala Val Ala Pro Ala Lys
 330 335 340

gca gcg ctg gag att tac gcg gaa gga gag atc att cca cgc gta gct
 1171
 Ala Ala Leu Glu Ile Tyr Ala Glu Gly Glu Ile Ile Pro Arg Val Ala
 345 350 355

cga ctt ggc gct gaa ctg atc gaa cct cgc ctt cgt gaa cta gcg gaa
 1219
 Arg Leu Gly Ala Glu Leu Ile Glu Pro Arg Leu Arg Glu Leu Ala Glu
 360 365 370

gaa aac gta gcg atc gct gac gtg cgg ggc atc gga ttc ttc tgg gca
 1267
 Glu Asn Val Ala Ile Ala Asp Val Arg Gly Ile Gly Phe Phe Trp Ala
 375 380 385

gtg gag ttc aat gca gac gcc act gcc atg gct gcc ggt gct gca gaa
 1315
 Val Glu Phe Asn Ala Asp Ala Thr Ala Met Ala Ala Gly Ala Ala Glu
 390 395 400 405

ttc aag gaa cgc ggc gtg tgg ccg atg atc tcc ggc aac cga ttc cac
 1363
 Phe Lys Glu Arg Gly Val Trp Pro Met Ile Ser Gly Asn Arg Phe His
 410 415 420

atc gcg ccg ccg ctg acc acc act gat gac gaa ttg gta gca ctg ctg
 1411
 Ile Ala Pro Pro Leu Thr Thr Thr Asp Asp Glu Leu Val Ala Leu Leu
 425 430 435

gac gcg gtg gaa gct gca gcc caa gct gtc gag ctg acc ttc gct ggg
 1459
 Asp Ala Val Glu Ala Ala Ala Gln Ala Val Glu Leu Thr Phe Ala Gly
 440 445 450

gcg ttg ttc taagttttct agataacaag gcc
 1491
 Ala Leu Phe
 455

<211> 456

<212> PRT

<213> Corynebacterium glutamicum

<400> 4

```

Leu Ala Leu Lys Gly Tyr Thr Asn Phe Asp Gly Glu Phe Ile Glu Phe
 1          5          10          15

Gly Ser Val Gln Ala Lys Glu Glu Glu Lys Arg Ala Phe Asp Asn Asp
 20          25          30

Arg Ala His Val Phe His Ser Trp Ser Ala Gln Asp Lys Ile Ser Pro
 35          40          45

Lys Val Trp Ala Ala Ala Glu Gly Ser Thr Leu Tyr Asp Phe Asp Gly
 50          55          60

Asn Ala Phe Ile Asp Met Gly Ser Gln Leu Val Ser Ala Asn Leu Gly
 65          70          75          80

His Asn Asn Pro Arg Leu Val Glu Ala Ile Gln Arg Gln Ala Ala Arg
 85          90          95

Leu Thr Asn Ile Asn Pro Ala Phe Gly Asn Asp Val Arg Ser Asp Val
 100          105          110

Ala Ala Lys Ile Val Ser Met Ala Arg Gly Glu Phe Ser His Val Phe
 115          120          125

Phe Thr Asn Gly Gly Ala Asp Ala Ile Glu His Ser Ile Arg Met Ala
 130          135          140

Arg Leu His Thr Gly Arg Asn Lys Ile Leu Ser Ala Tyr Arg Ser Tyr
 145          150          155          160

His Gly Ala Thr Gly Ser Ala Met Met Leu Thr Gly Glu His Arg Arg
 165          170          175

Leu Gly Asn Pro Thr Thr Asp Pro Asp Ile Tyr His Phe Trp Ala Pro
 180          185          190

Phe Leu His His Ser Ser Phe Phe Ala Thr Thr Gln Glu Glu Glu Cys
 195          200          205

Glu Arg Ala Leu Lys His Leu Glu Asp Val Ile Ala Phe Glu Gly Ala
 210          215          220

Gly Met Ile Ala Ala Ile Val Leu Glu Pro Val Val Gly Ser Ser Gly
 225          230          235          240

Ile Ile Leu Pro Pro Ala Gly Tyr Leu Asn Gly Val Arg Glu Leu Cys
 245          250          255

Asn Lys His Gly Ile Leu Phe Ile Ala Asp Glu Val Met Val Gly Phe
 260          265          270

Gly Arg Thr Gly Lys Leu Phe Ala Tyr Glu His Ala Gly Asp Asp Phe
 275          280          285

Gln Pro Asp Met Ile Thr Phe Ala Lys Gly Val Asn Ala Gly Tyr Ala
 290          295          300

```

Pro Leu Gly Gly Ile Val Met Thr Gln Ser Ile Arg Asp Thr Phe Gly
 305 310 315 320
 Ser Glu Ala Tyr Ser Gly Gly Leu Thr Tyr Ser Gly His Pro Leu Ala
 325 330 335
 Val Ala Pro Ala Lys Ala Ala Leu Glu Ile Tyr Ala Glu Gly Glu Ile
 340 345 350
 Ile Pro Arg Val Ala Arg Leu Gly Ala Glu Leu Ile Glu Pro Arg Leu
 355 360 365
 Arg Glu Leu Ala Glu Glu Asn Val Ala Ile Ala Asp Val Arg Gly Ile
 370 375 380
 Gly Phe Phe Trp Ala Val Glu Phe Asn Ala Asp Ala Thr Ala Met Ala
 385 390 395 400
 Ala Gly Ala Ala Glu Phe Lys Glu Arg Gly Val Trp Pro Met Ile Ser
 405 410 415
 Gly Asn Arg Phe His Ile Ala Pro Pro Leu Thr Thr Thr Asp Asp Glu
 420 425 430
 Leu Val Ala Leu Leu Asp Ala Val Glu Ala Ala Ala Gln Ala Val Glu
 435 440 445
 Leu Thr Phe Ala Gly Ala Leu Phe
 450 455

<210> 5
 <211> 1330
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1330)
 <223> FRXA01009

<400> 5
 aaccgacaaa acagccgttc acgtgctaaa gcagctcggc ttgatctagg gtgaggtgag 60
 ttattttaag acttcataat attttgggga gtgaactggt ttg gca ttg aag ggt 115
 Leu Ala Leu Lys Gly
 1 5
 tac acc aac ttt gac ggt gaa ttc atc gaa ttc gga tct gtg caa gca 163
 Tyr Thr Asn Phe Asp Gly Glu Phe Ile Glu Phe Gly Ser Val Gln Ala
 10 15 20
 aaa gaa gag gaa aaa cgg gca ttc gac aac gat cgc gcg cac gtt ttc 211
 Lys Glu Glu Glu Lys Arg Ala Phe Asp Asn Asp Arg Ala His Val Phe
 25 30 35
 cac tcc tgg tcc gcg cag gac aaa atc agc ccc aaa gta tgg gca gct 259
 His Ser Trp Ser Ala Gln Asp Lys Ile Ser Pro Lys Val Trp Ala Ala
 40 45 50

gcc gaa ggt tcc acg ctg tac gac ttc gac ggc aac gcc ttc atc gac	307
Ala Glu Gly Ser Thr Leu Tyr Asp Phe Asp Gly Asn Ala Phe Ile Asp	
55 60 65	
atg ggt tcc caa ctt gtc tcg gca aac tta ggc cac aac aac cct cga	355
Met Gly Ser Gln Leu Val Ser Ala Asn Leu Gly His Asn Asn Pro Arg	
70 75 80 85	
tta gtt gag gcg atc cag cgc caa gca gcc cgg ttg acc aac atc aac	403
Leu Val Glu Ala Ile Gln Arg Gln Ala Ala Arg Leu Thr Asn Ile Asn	
90 95 100	
ccg gcc ttc ggc aat gat gtg cgc tct gat gtt gct gca aag atc gtg	451
Pro Ala Phe Gly Asn Asp Val Arg Ser Asp Val Ala Ala Lys Ile Val	
105 110 115	
tcg atg gcc cgt ggc gaa ttc tcc cac gtg ttt ttc acc aac ggc ggc	499
Ser Met Ala Arg Gly Glu Phe Ser His Val Phe Phe Thr Asn Gly Gly	
120 125 130	
gcc gac gcc atc gag cac tcc atc cgc atg gct cgc ctg cac acc gga	547
Ala Asp Ala Ile Glu His Ser Ile Arg Met Ala Arg Leu His Thr Gly	
135 140 145	
cgc aac aaa att ctg tcc gca tac cgc agc tac cac ggc gca acc gga	595
Arg Asn Lys Ile Leu Ser Ala Tyr Arg Ser Tyr His Gly Ala Thr Gly	
150 155 160 165	
tcc gcg atg atg ctc acc ggc gaa cac cgc cgc ctg ggc aac ccc acc	643
Ser Ala Met Met Leu Thr Gly Glu His Arg Arg Leu Gly Asn Pro Thr	
170 175 180	
acc gac cca gat atc tac cac ttc tgg gca cca ttc ctg cac cac tcc	691
Thr Asp Pro Asp Ile Tyr His Phe Trp Ala Pro Phe Leu His His Ser	
185 190 195	
tca ttc ttt gcc acc acc caa gaa gaa gaa tgc gaa cgc gca ctc aag	739
Ser Phe Phe Ala Thr Thr Gln Glu Glu Glu Cys Glu Arg Ala Leu Lys	
200 205 210	
cac ttg gaa gat gtc atc gcg ttt gaa ggt gct ggc atg atc gca gcg	787
His Leu Glu Asp Val Ile Ala Phe Glu Gly Ala Gly Met Ile Ala Ala	
215 220 225	
atc gtc ctg gag cca gtg gtg gga tca tca gga atc atc ctg cca cca	835
Ile Val Leu Glu Pro Val Val Gly Ser Ser Gly Ile Ile Leu Pro Pro	
230 235 240 245	
gca ggt tac tta aat ggc gtg cgc gaa ctt tgc aac aag cac ggc atc	883
Ala Gly Tyr Leu Asn Gly Val Arg Glu Leu Cys Asn Lys His Gly Ile	
250 255 260	
ctc ttc atc gcc gac gaa gtc atg gtc gga ttc gga cgc acc gga aaa	931
Leu Phe Ile Ala Asp Glu Val Met Val Gly Phe Gly Arg Thr Gly Lys	
265 270 275	
ctg ttt gct tac gag cat gct ggc gac gat ttc cag cca gac atg atc	979
Leu Phe Ala Tyr Glu His Ala Gly Asp Asp Phe Gln Pro Asp Met Ile	
280 285 290	

acc ttc gcc aag ggt gtt aac gca ggt tac gcc cca ctc ggt ggc atc
1027

Thr Phe Ala Lys Gly Val Asn Ala Gly Tyr Ala Pro Leu Gly Gly Ile
295 300 305

gtg atg acc caa tca atc cgc gat acc ttc gga tca gag gca tac tcc
1075

Val Met Thr Gln Ser Ile Arg Asp Thr Phe Gly Ser Glu Ala Tyr Ser
310 315 320 325

ggc gga ctc acc tac tcc gga cac cca ctt gca gta gca ccc gcc aag
1123

Gly Gly Leu Thr Tyr Ser Gly His Pro Leu Ala Val Ala Pro Ala Lys
330 335 340

gca gcg ctg gag att tac gcg gaa gga gag atc att cca cgc gta gct
1171

Ala Ala Leu Glu Ile Tyr Ala Glu Gly Glu Ile Ile Pro Arg Val Ala
345 350 355

cga ctt ggc gct gaa ctg atc gaa cct cgc ctt cgt gaa cta gcg gaa
1219

Arg Leu Gly Ala Glu Leu Ile Glu Pro Arg Leu Arg Glu Leu Ala Glu
360 365 370

gaa aac gta gcg atc gct gac gtg cgg ggc atc gga ttc ttc tgg gca
1267

Glu Asn Val Ala Ile Ala Asp Val Arg Gly Ile Gly Phe Phe Trp Ala
375 380 385

gtg gag ttc aat gca gac gcc act gcc atg gct gcc ggt gct gca gaa
1315

Val Glu Phe Asn Ala Asp Ala Thr Ala Met Ala Ala Gly Ala Ala Glu
390 395 400 405

ttc aag gaa cgc ggc
1330

Phe Lys Glu Arg Gly
410

<210> 6

<211> 410

<212> PRT

<213> Corynebacterium glutamicum

<400> 6

Leu Ala Leu Lys Gly Tyr Thr Asn Phe Asp Gly Glu Phe Ile Glu Phe
1 5 10 15

Gly Ser Val Gln Ala Lys Glu Glu Glu Lys Arg Ala Phe Asp Asn Asp
20 25 30

Arg Ala His Val Phe His Ser Trp Ser Ala Gln Asp Lys Ile Ser Pro
35 40 45

Lys Val Trp Ala Ala Ala Glu Gly Ser Thr Leu Tyr Asp Phe Asp Gly
50 55 60

Asn Ala Phe Ile Asp Met Gly Ser Gln Leu Val Ser Ala Asn Leu Gly
65 70 75 80

His Asn Asn Pro Arg Leu Val Glu Ala Ile Gln Arg Gln Ala Ala Arg
 85 90 95
 Leu Thr Asn Ile Asn Pro Ala Phe Gly Asn Asp Val Arg Ser Asp Val
 100 105 110
 Ala Ala Lys Ile Val Ser Met Ala Arg Gly Glu Phe Ser His Val Phe
 115 120 125
 Phe Thr Asn Gly Gly Ala Asp Ala Ile Glu His Ser Ile Arg Met Ala
 130 135 140
 Arg Leu His Thr Gly Arg Asn Lys Ile Leu Ser Ala Tyr Arg Ser Tyr
 145 150 155 160
 His Gly Ala Thr Gly Ser Ala Met Met Leu Thr Gly Glu His Arg Arg
 165 170 175
 Leu Gly Asn Pro Thr Thr Asp Pro Asp Ile Tyr His Phe Trp Ala Pro
 180 185 190
 Phe Leu His His Ser Ser Phe Phe Ala Thr Thr Gln Glu Glu Glu Cys
 195 200 205
 Glu Arg Ala Leu Lys His Leu Glu Asp Val Ile Ala Phe Glu Gly Ala
 210 215 220
 Gly Met Ile Ala Ala Ile Val Leu Glu Pro Val Val Gly Ser Ser Gly
 225 230 235 240
 Ile Ile Leu Pro Pro Ala Gly Tyr Leu Asn Gly Val Arg Glu Leu Cys
 245 250 255
 Asn Lys His Gly Ile Leu Phe Ile Ala Asp Glu Val Met Val Gly Phe
 260 265 270
 Gly Arg Thr Gly Lys Leu Phe Ala Tyr Glu His Ala Gly Asp Asp Phe
 275 280 285
 Gln Pro Asp Met Ile Thr Phe Ala Lys Gly Val Asn Ala Gly Tyr Ala
 290 295 300
 Pro Leu Gly Gly Ile Val Met Thr Gln Ser Ile Arg Asp Thr Phe Gly
 305 310 315 320
 Ser Glu Ala Tyr Ser Gly Gly Leu Thr Tyr Ser Gly His Pro Leu Ala
 325 330 335
 Val Ala Pro Ala Lys Ala Ala Leu Glu Ile Tyr Ala Glu Gly Glu Ile
 340 345 350
 Ile Pro Arg Val Ala Arg Leu Gly Ala Glu Leu Ile Glu Pro Arg Leu
 355 360 365
 Arg Glu Leu Ala Glu Glu Asn Val Ala Ile Ala Asp Val Arg Gly Ile
 370 375 380
 Gly Phe Phe Trp Ala Val Glu Phe Asn Ala Asp Ala Thr Ala Met Ala
 385 390 395 400

Ala Gly Ala Ala Glu Phe Lys Glu Arg Gly
 405 410

<210> 7
 <211> 792
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(769)
 <223> RXC02390

<400> 7
 gctggtggtg ctgacccata cgctggaact ccaactgctg ttgataccgc caagatgttt 60

ggccgcgagg atctcgtagc tcgcttcgag tcataggccg gtg gag tgg acc gct 115
 Val Glu Trp Thr Ala
 1 5

ttt ggc acc ctg att ctg ctc aat ttg gtg ggc agt tta tcc ccg ggg 163
 Phe Gly Thr Leu Ile Leu Leu Asn Leu Val Gly Ser Leu Ser Pro Gly
 10 15 20

cct gat acc ttt ttc ctc ctc cgc tta gcc acc cgc tcc aga gcg cac 211
 Pro Asp Thr Phe Phe Leu Leu Arg Leu Ala Thr Arg Ser Arg Ala His
 25 30 35

gcg atc gct ggc gtc gcc ggc atc gtc acc gga ctc acg gtg tgg gtg 259
 Ala Ile Ala Gly Val Ala Gly Ile Val Thr Gly Leu Thr Val Trp Val
 40 45 50

acg ctg acg gtc gtg gga gca gcg gcg ctg ctc acc act tat ccg tcg 307
 Thr Leu Thr Val Val Gly Ala Ala Ala Leu Leu Thr Thr Tyr Pro Ser
 55 60 65

att ctc gga atc atc cag ctc gtc ggc ggc acg tac cta agc ttc att 355
 Ile Leu Gly Ile Ile Gln Leu Val Gly Gly Thr Tyr Leu Ser Phe Ile
 70 75 80 85

ggg tac aag ttg ctg cgc tcg gcg tcg aga gag ctt atc gac gcc cgc 403
 Gly Tyr Lys Leu Leu Arg Ser Ala Ser Arg Glu Leu Ile Asp Ala Arg
 90 95 100

cag ttc cgt ttc aac gcc gat gcc cga cct atc ccg gat gcg gta gaa 451
 Gln Phe Arg Phe Asn Ala Asp Ala Arg Pro Ile Pro Asp Ala Val Glu
 105 110 115

gca ctg gga acc cgc act cag gta tat cga caa ggt ttg gcc acc aac 499
 Ala Leu Gly Thr Arg Thr Gln Val Tyr Arg Gln Gly Leu Ala Thr Asn
 120 125 130

ctg tca aac cct aaa gtt gtc atg tac ttc gcg gca att ctg gct ccg 547
 Leu Ser Asn Pro Lys Val Val Met Tyr Phe Ala Ala Ile Leu Ala Pro
 135 140 145

ttg atg cca gcg cac cca tca ccg gtg ctg gcg ttc tct atc atc gtg 595
 Leu Met Pro Ala His Pro Ser Pro Val Leu Ala Phe Ser Ile Ile Val
 150 155 160 165

gcg att tta gtg cag acc ttt gtt acc ttc tct gct gtg tgc ctc att 643
 Ala Ile Leu Val Gln Thr Phe Val Thr Phe Ser Ala Val Cys Leu Ile
 170 175 180

gtc tct acg gag cgt gtg cgc aaa gca atg ctg cgt gca ggt ccc tgg 691
 Val Ser Thr Glu Arg Val Arg Lys Ala Met Leu Arg Ala Gly Pro Trp
 185 190 195

ttt gac ctg ctt gct ggc gtt gtc ttc ctc gtt gtg ggt gtg act ctg 739
 Phe Asp Leu Leu Ala Gly Val Val Phe Leu Val Val Gly Val Thr Leu
 200 205 210

ctg tat gaa ggc ctg acc ggt tta ctc ggg taaaggcata aaaaatggct 789
 Leu Tyr Glu Gly Leu Thr Gly Leu Leu Gly
 215 220

tcc 792

<210> 8

<211> 223

<212> PRT

<213> Corynebacterium glutamicum

<400> 8

Val Glu Trp Thr Ala Phe Gly Thr Leu Ile Leu Leu Asn Leu Val Gly
 1 5 10 15

Ser Leu Ser Pro Gly Pro Asp Thr Phe Phe Leu Leu Arg Leu Ala Thr
 20 25 30

Arg Ser Arg Ala His Ala Ile Ala Gly Val Ala Gly Ile Val Thr Gly
 35 40 45

Leu Thr Val Trp Val Thr Leu Thr Val Val Gly Ala Ala Ala Leu Leu
 50 55 60

Thr Thr Tyr Pro Ser Ile Leu Gly Ile Ile Gln Leu Val Gly Gly Thr
 65 70 75 80

Tyr Leu Ser Phe Ile Gly Tyr Lys Leu Leu Arg Ser Ala Ser Arg Glu
 85 90 95

Leu Ile Asp Ala Arg Gln Phe Arg Phe Asn Ala Asp Ala Arg Pro Ile
 100 105 110

Pro Asp Ala Val Glu Ala Leu Gly Thr Arg Thr Gln Val Tyr Arg Gln
 115 120 125

Gly Leu Ala Thr Asn Leu Ser Asn Pro Lys Val Val Met Tyr Phe Ala
 130 135 140

Ala Ile Leu Ala Pro Leu Met Pro Ala His Pro Ser Pro Val Leu Ala
 145 150 155 160

Phe Ser Ile Ile Val Ala Ile Leu Val Gln Thr Phe Val Thr Phe Ser
 165 170 175

Ala Val Cys Leu Ile Val Ser Thr Glu Arg Val Arg Lys Ala Met Leu
 180 185 190

Arg Ala Gly Pro Trp Phe Asp Leu Leu Ala Gly Val Val Phe Leu Val
 195 200 205

Val Gly Val Thr Leu Leu Tyr Glu Gly Leu Thr Gly Leu Leu Gly
 210 215 220

<210> 9

<211> 897

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101) .. (874)

<223> RXC01796

<400> 9

atgtaactcg atcaggtgga aatgcccgcga aaagtggcgg cggtggccga gggatggccg 60

ttggtgcggc atcgggtggcc tgctactagt cgggctcttc ttg ctc ctt ggc ggt 115
 Leu Leu Leu Gly Gly
 1 5

aac cct gcc gag atc gac cag gtt tta ggt ggc gat caa acc cag atc 163
 Asn Pro Ala Glu Ile Asp Gln Val Leu Gly Gly Asp Gln Thr Gln Ile
 10 15 20

gag tct gga gag tcc acc gga gcc ggc gac ttt gat cac tgc caa acc 211
 Glu Ser Gly Glu Ser Thr Gly Ala Gly Asp Phe Asp His Cys Gln Thr
 25 30 35

ggc gca gat gcc aac gcc agt gat gat tgt cgc ctt tac tac acc tca 259
 Gly Ala Asp Ala Asn Ala Ser Asp Asp Cys Arg Leu Tyr Tyr Thr Ser
 40 45 50

ttc tcc gtc aat gaa atg tgg cag act ttg ctt cca gct cag gct ggt 307
 Phe Ser Val Asn Glu Met Trp Gln Thr Leu Leu Pro Ala Gln Ala Gly
 55 60 65

atc gaa tac acc gag ccg aca ttg act ctt ttc aaa aac tcc acc caa 355
 Ile Glu Tyr Thr Glu Pro Thr Leu Thr Leu Phe Lys Asn Ser Thr Gln
 70 75 80 85

acc ggc tgc ggt ttc gct tct gcg tcc act ggg ccg ttt tac tgt ccg 403
 Thr Gly Cys Gly Phe Ala Ser Ala Ser Thr Gly Pro Phe Tyr Cys Pro
 90 95 100

tca gac caa gat gct tat ttt gac ttg act ttc ttc gat cag atg cgt 451
 Ser Asp Gln Asp Ala Tyr Phe Asp Leu Thr Phe Phe Asp Gln Met Arg
 105 110 115

cag ttc ggt gca gaa aac gcc ccg ctt gcc cag atg tac atc gtg gcg 499
 Gln Phe Gly Ala Glu Asn Ala Pro Leu Ala Gln Met Tyr Ile Val Ala
 120 125 130

cac gag tac ggc cac cac gtc caa aac ctc gag ggc aca ctc gga ctg 547
 His Glu Tyr Gly His His Val Gln Asn Leu Glu Gly Thr Leu Gly Leu
 135 140 145

tcc aat tac aac gat ccg ggc gct gat tcc aac gcc gtc aag atc gag 595

Ser Asn Tyr Asn Asp Pro Gly Ala Asp Ser Asn Ala Val Lys Ile Glu
 150 155 160 165
 ttg cag gcc gat tgc tac gca ggc att tgg gct aat cac tcc agc gaa 643
 Leu Gln Ala Asp Cys Tyr Ala Gly Ile Trp Ala Asn His Ser Ser Glu
 170 175 180
 ggc ccg gat ccg cta ctc caa ccc atc acc gaa tct gag cta gat tcc 691
 Gly Pro Asp Pro Leu Leu Gln Pro Ile Thr Glu Ser Glu Leu Asp Ser
 185 190 195
 gct ctc ctt gct gca agc gcc gtg ggc gac gac aat atc cag caa cga 739
 Ala Leu Leu Ala Ala Ser Ala Val Gly Asp Asp Asn Ile Gln Gln Arg
 200 205 210
 tcc ggt ggc gat gtc aat cct gaa agc tgg act cac ggc tca tcg cag 787
 Ser Gly Gly Asp Val Asn Pro Glu Ser Trp Thr His Gly Ser Ser Gln
 215 220 225
 cag cgc aaa gac gcg ttc ctc gcc ggc tac aac acc ggc cag atg agc 835
 Gln Arg Lys Asp Ala Phe Leu Ala Gly Tyr Asn Thr Gly Gln Met Ser
 230 235 240 245
 gcc tgc gac ttc ctc ggc cgg ggc gtc tac aac gac gct taaagcattg 884
 Ala Cys Asp Phe Leu Gly Arg Gly Val Tyr Asn Asp Ala
 250 255
 cttttcgacg tct 897

<210> 10
 <211> 258
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 10
 Leu Leu Leu Gly Gly Asn Pro Ala Glu Ile Asp Gln Val Leu Gly Gly
 1 5 10 15
 Asp Gln Thr Gln Ile Glu Ser Gly Glu Ser Thr Gly Ala Gly Asp Phe
 20 25 30
 Asp His Cys Gln Thr Gly Ala Asp Ala Asn Ala Ser Asp Asp Cys Arg
 35 40 45
 Leu Tyr Tyr Thr Ser Phe Ser Val Asn Glu Met Trp Gln Thr Leu Leu
 50 55 60
 Pro Ala Gln Ala Gly Ile Glu Tyr Thr Glu Pro Thr Leu Thr Leu Phe
 65 70 75 80
 Lys Asn Ser Thr Gln Thr Gly Cys Gly Phe Ala Ser Ala Ser Thr Gly
 85 90 95
 Pro Phe Tyr Cys Pro Ser Asp Gln Asp Ala Tyr Phe Asp Leu Thr Phe
 100 105 110
 Phe Asp Gln Met Arg Gln Phe Gly Ala Glu Asn Ala Pro Leu Ala Gln
 115 120 125
 Met Tyr Ile Val Ala His Glu Tyr Gly His His Val Gln Asn Leu Glu

130		135		140
Gly Thr Leu Gly Leu Ser Asn Tyr Asn Asp Pro Gly Ala Asp Ser Asn				
145		150		155
Ala Val Lys Ile Glu Leu Gln Ala Asp Cys Tyr Ala Gly Ile Trp Ala				
	165		170	175
Asn His Ser Ser Glu Gly Pro Asp Pro Leu Leu Gln Pro Ile Thr Glu				
	180		185	190
Ser Glu Leu Asp Ser Ala Leu Leu Ala Ala Ser Ala Val Gly Asp Asp				
	195		200	205
Asn Ile Gln Gln Arg Ser Gly Gly Asp Val Asn Pro Glu Ser Trp Thr				
210		215		220
His Gly Ser Ser Gln Gln Arg Lys Asp Ala Phe Leu Ala Gly Tyr Asn				
225		230		235
Thr Gly Gln Met Ser Ala Cys Asp Phe Leu Gly Arg Gly Val Tyr Asn				
	245		250	255

Asp Ala

<210> 11
 <211> 771
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(748)
 <223> RXC01207

<400> 11
 cttcatgatc tcaccggcag agcgcgtttt gttacagcgc gtaaactgtg actttgaaaa 60
 atttttgaac aatccgtaca ccaacttcag gagaaaaaca gtg agc aga atc tat 115
 Val Ser Arg Ile Tyr
 1 5
 gac tgt gcc gac caa gac tcc cgt gca gca ggc cta aag gcg gct gtc 163
 Asp Cys Ala Asp Gln Asp Ser Arg Ala Ala Gly Leu Lys Ala Ala Val
 10 15 20
 gat gca gtc aaa gcc ggt cag ctc gtt gtc ctt ccc acg gat acc ctt 211
 Asp Ala Val Lys Ala Gly Gln Leu Val Val Leu Pro Thr Asp Thr Leu
 25 30 35
 tat gga ctc ggc tgc gac gct ttc aac aac gag gca gta gcc aac ctt 259
 Tyr Gly Leu Gly Cys Asp Ala Phe Asn Asn Glu Ala Val Ala Asn Leu
 40 45 50
 ctg gcc acc aaa cac cgt ggc ccc gat atg ccc gtt cca gtg ctc gtc 307
 Leu Ala Thr Lys His Arg Gly Pro Asp Met Pro Val Pro Val Leu Val
 55 60 65
 ggc agc tgg gac acc att caa gga ctt gtg cac tcc tat tct gcg cag 355

Gly Ser Trp Asp Thr Ile Gln Gly Leu Val His Ser Tyr Ser Ala Gln
 70 75 80 85
 gca aaa gcg ctt gtg gag gcg ttc tgg cct ggt gga ctg tcc atc atc 403
 Ala Lys Ala Leu Val Glu Ala Phe Trp Pro Gly Gly Leu Ser Ile Ile
 90 95 100
 gtt ccg cag gca cca agc ctt ccg tgg aac ctt ggc gat acc cgt ggc 451
 Val Pro Gln Ala Pro Ser Leu Pro Trp Asn Leu Gly Asp Thr Arg Gly
 105 110 115
 acc gta atg ctg cgc atg cca ctg cac cca gtt gcc att gaa ttg ctg 499
 Thr Val Met Leu Arg Met Pro Leu His Pro Val Ala Ile Glu Leu Leu
 120 125 130
 cgc caa acc gga cca atg gct gtc tcc tcc gcc aac atc tcc gga cat 547
 Arg Gln Thr Gly Pro Met Ala Val Ser Ser Ala Asn Ile Ser Gly His
 135 140 145
 act cct cca acc acc gtg ctg gag gct cgt cag cag ctc aac caa aat 595
 Thr Pro Pro Thr Thr Val Leu Glu Ala Arg Gln Gln Leu Asn Gln Asn
 150 155 160 165
 gtc gct gtc tac ctc gat ggt ggc gaa tgc gcg ctg gcc acc cct tca 643
 Val Ala Val Tyr Leu Asp Gly Gly Glu Cys Ala Leu Ala Thr Pro Ser
 170 175 180
 acc atc gtg gat att tca ggc ccc gca cca aag att ttg cgt gag ggt 691
 Thr Ile Val Asp Ile Ser Gly Pro Ala Pro Lys Ile Leu Arg Glu Gly
 185 190 195
 gcc atc agc gca gaa cgc gtt ggc gaa gta ctt gga gtg tcg gca gaa 739
 Ala Ile Ser Ala Glu Arg Val Gly Glu Val Leu Gly Val Ser Ala Glu
 200 205 210
 agc ctg cgc taaatgggag tcggtttcgc ggg 771
 Ser Leu Arg
 215

<210> 12

<211> 216

<212> PRT

<213> Corynebacterium glutamicum

<400> 12

Val Ser Arg Ile Tyr Asp Cys Ala Asp Gln Asp Ser Arg Ala Ala Gly
 1 5 10 15
 Leu Lys Ala Ala Val Asp Ala Val Lys Ala Gly Gln Leu Val Val Leu
 20 25 30
 Pro Thr Asp Thr Leu Tyr Gly Leu Gly Cys Asp Ala Phe Asn Asn Glu
 35 40 45
 Ala Val Ala Asn Leu Leu Ala Thr Lys His Arg Gly Pro Asp Met Pro
 50 55 60
 Val Pro Val Leu Val Gly Ser Trp Asp Thr Ile Gln Gly Leu Val His
 65 70 75 80

```

<400> 13
gtgcg g gatcg ggtatccgcg ctacacttag aggtgttaga gatcatgagt ttccacgaac 60

tgtaacgcag gattcaccaa tcaatgaaag gtcgaccgac atg agc act gaa gac 115
Met Ser Thr Glu Asp
1 5

att gtc gtc gta gca gta gat ggc tcg gac gcc tca aaa caa gct gtt 163
Ile Val Val Val Ala Val Asp Gly Ser Asp Ala Ser Lys Gln Ala Val
10 15 20

cgg tgg gct gca aat acc gcc aac aaa cgt ggc att cca ctt cgc ttg 211
Arg Trp Ala Ala Asn Thr Ala Asn Lys Arg Gly Ile Pro Leu Arg Leu
25 30 35

gct tcc agc tac acc atg cct cag ttc ctc tac gca gag gga atg gtt 259
Ala Ser Ser Tyr Thr Met Pro Gln Phe Leu Tyr Ala Glu Gly Met Val
40 45 50

cca cca caa gag ctt ttc gat gac ctc cag gcc gaa gcc ctg gaa aag 307
Pro Pro Gln Glu Leu Phe Asp Asp Leu Gln Ala Glu Ala Leu Glu Lys
55 60 65

```

att aac gaa gcc cgt gac atc gcc cat gag gta gcg cca gaa atc aag	355
Ile Asn Glu Ala Arg Asp Ile Ala His Glu Val Ala Pro Glu Ile Lys	
70 75 80 85	
atc ggg cac acc atc gct gaa ggc agt ccc atc gac atg ctg ttg gaa	403
Ile Gly His Thr Ile Ala Glu Gly Ser Pro Ile Asp Met Leu Leu Glu	
90 95 100	
atg tct ccc gat gcc aca atg atc gtc atg ggt tcc cgc gga ctc ggc	451
Met Ser Pro Asp Ala Thr Met Ile Val Met Gly Ser Arg Gly Leu Gly	
105 110 115	
gga ctc tcc gga atg gtc atg ggc tcc gtc tcc ggt gca gtg gtc agc	499
Gly Leu Ser Gly Met Val Met Gly Ser Val Ser Gly Ala Val Val Ser	
120 125 130	
cac gca aag tgt cca gtc gtt gtt gtc cgt gaa gac agc gca gtc aac	547
His Ala Lys Cys Pro Val Val Val Arg Glu Asp Ser Ala Val Asn	
135 140 145	
gaa gac agc aag tac ggc cca gtc gtc gtc ggt gtg gat ggc tcc gaa	595
Glu Asp Ser Lys Tyr Gly Pro Val Val Val Gly Val Asp Gly Ser Glu	
150 155 160 165	
gtc tcc caa cag gca acc gaa tac gca ttt gcg gaa gct gaa gct cgt	643
Val Ser Gln Gln Ala Thr Glu Tyr Ala Phe Ala Glu Ala Glu Ala Arg	
170 175 180	
ggc gcc gaa ctc gtt gca gtt cac acc tgg atg gac atg cag gta cag	691
Gly Ala Glu Leu Val Ala Val His Thr Trp Met Asp Met Gln Val Gln	
185 190 195	
gca tca ctt gca ggt ctt gca gct gct caa cag cag tgg gat gaa gtg	739
Ala Ser Leu Ala Gly Leu Ala Ala Ala Gln Gln Gln Trp Asp Glu Val	
200 205 210	
gaa cgt cag caa acc gac atg ctg atc gaa cgc ctc gca cca ctg gtg	787
Glu Arg Gln Gln Thr Asp Met Leu Ile Glu Arg Leu Ala Pro Leu Val	
215 220 225	
gaa aag tac cca agt gta acc gtc aag aag atc atc acc cgt gac cgc	835
Glu Lys Tyr Pro Ser Val Thr Val Lys Lys Ile Ile Thr Arg Asp Arg	
230 235 240 245	
cca gtt cgc gca ctt gca gaa gca tct gaa aac gcg cag ctc cta gtc	883
Pro Val Arg Ala Leu Ala Glu Ala Ser Glu Asn Ala Gln Leu Leu Val	
250 255 260	
gtt ggt tcc cat ggt cgt ggc gga ttt aag ggc atg ctc ctt ggc tcc	931
Val Gly Ser His Gly Arg Gly Gly Phe Lys Gly Met Leu Leu Gly Ser	
265 270 275	
acc tcc cgc gca ctg ctg caa tcc gca ccg tgc cca atg atg gtg gtt	979
Thr Ser Arg Ala Leu Leu Gln Ser Ala Pro Cys Pro Met Met Val Val	
280 285 290	
cgc cca cct gag aag att aag aag tagttttcttt taagtttcga tgc	
1026	
Arg Pro Pro Glu Lys Ile Lys Lys	
295 300	

<210> 14
 <211> 301
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 14
 Met Ser Thr Glu Asp Ile Val Val Val Ala Val Asp Gly Ser Asp Ala
 1 5 10 15
 Ser Lys Gln Ala Val Arg Trp Ala Ala Asn Thr Ala Asn Lys Arg Gly
 20 25 30
 Ile Pro Leu Arg Leu Ala Ser Ser Tyr Thr Met Pro Gln Phe Leu Tyr
 35 40 45
 Ala Glu Gly Met Val Pro Pro Gln Glu Leu Phe Asp Asp Leu Gln Ala
 50 55 60
 Glu Ala Leu Glu Lys Ile Asn Glu Ala Arg Asp Ile Ala His Glu Val
 65 70 75 80
 Ala Pro Glu Ile Lys Ile Gly His Thr Ile Ala Glu Gly Ser Pro Ile
 85 90 95
 Asp Met Leu Leu Glu Met Ser Pro Asp Ala Thr Met Ile Val Met Gly
 100 105 110
 Ser Arg Gly Leu Gly Gly Leu Ser Gly Met Val Met Gly Ser Val Ser
 115 120 125
 Gly Ala Val Val Ser His Ala Lys Cys Pro Val Val Val Val Arg Glu
 130 135 140
 Asp Ser Ala Val Asn Glu Asp Ser Lys Tyr Gly Pro Val Val Val Gly
 145 150 155 160
 Val Asp Gly Ser Glu Val Ser Gln Gln Ala Thr Glu Tyr Ala Phe Ala
 165 170 175
 Glu Ala Glu Ala Arg Gly Ala Glu Leu Val Ala Val His Thr Trp Met
 180 185 190
 Asp Met Gln Val Gln Ala Ser Leu Ala Gly Leu Ala Ala Ala Gln Gln
 195 200 205
 Gln Trp Asp Glu Val Glu Arg Gln Gln Thr Asp Met Leu Ile Glu Arg
 210 215 220
 Leu Ala Pro Leu Val Glu Lys Tyr Pro Ser Val Thr Val Lys Lys Ile
 225 230 235 240
 Ile Thr Arg Asp Arg Pro Val Arg Ala Leu Ala Glu Ala Ser Glu Asn
 245 250 255
 Ala Gln Leu Leu Val Val Gly Ser His Gly Arg Gly Gly Phe Lys Gly
 260 265 270
 Met Leu Leu Gly Ser Thr Ser Arg Ala Leu Leu Gln Ser Ala Pro Cys
 275 280 285

Pro Met Met Val Val Arg Pro Pro Glu Lys Ile Lys Lys
 290 295 300

<210> 15
 <211> 1059
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1036)
 <223> RXC00552

<400> 15
 ccgccaacaa ggcagcaaag ctcgatccaa ttgacgcctt gcgttatgag taaaagcctc 60

gtttttaagg tagccacaca tcgcactaga ctgaagaact gtg gct acc tca aaa 115
 Val Ala Thr Ser Lys
 1 5

att ctt ctt tat tac gca ttc acc ccg ctc tct gac cct aaa gcg gtt 163
 Ile Leu Leu Tyr Tyr Ala Phe Thr Pro Leu Ser Asp Pro Lys Ala Val
 10 15 20

cag ctg tgg cag cgt gag ctc tgc gag tca ctg aat ctt cgt ggc cgc 211
 Gln Leu Trp Gln Arg Glu Leu Cys Glu Ser Leu Asn Leu Arg Gly Arg
 25 30 35

atc ctg atc tcc act cac ggc atc aat gga acc gtg ggc gga gat att 259
 Ile Leu Ile Ser Thr His Gly Ile Asn Gly Thr Val Gly Gly Asp Ile
 40 45 50

gat gat tgc aag gcg tac att aaa aag acc cgc gag tac cca ggt ttc 307
 Asp Asp Cys Lys Ala Tyr Ile Lys Lys Thr Arg Glu Tyr Pro Gly Phe
 55 60 65

aac cgc atg cag ttt aag tgg tcc gag ggt ggc gct gag gat ttc cca 355
 Asn Arg Met Gln Phe Lys Trp Ser Glu Gly Gly Ala Glu Asp Phe Pro
 70 75 80 85

aag ctc agt gtc aaa gtc cgc gat gag atc gtt gcc ttc ggc gct cca 403
 Lys Leu Ser Val Lys Val Arg Asp Glu Ile Val Ala Phe Gly Ala Pro
 90 95 100

gat gag ctc aaa gtg gat gaa aac ggc gtc gtc ggt ggc ggc gtt cac 451
 Asp Glu Leu Lys Val Asp Glu Asn Gly Val Val Gly Gly Gly Val His
 105 110 115

ctg aaa cca cag cag gtc aat gag ctt gtg gaa gcc cgt ggc gat gaa 499
 Leu Lys Pro Gln Gln Val Asn Glu Leu Val Glu Ala Arg Gly Asp Glu
 120 125 130

gtt gtg ttc ttt gac ggc cgc aac gca atg gaa gcc cag atc ggc aag 547
 Val Val Phe Phe Asp Gly Arg Asn Ala Met Glu Ala Gln Ile Gly Lys
 135 140 145

ttc aag gac gct gtt gtc cct gac gta gaa acc act cat gat ttc atc 595
 Phe Lys Asp Ala Val Val Pro Asp Val Glu Thr Thr His Asp Phe Ile
 150 155 160 165

gca gaa att gag tct gga aaa tac gac gat ctc aaa gac aag cct gtg 643
 Ala Glu Ile Glu Ser Gly Lys Tyr Asp Asp Leu Lys Asp Lys Pro Val
 170 175 180

gtc acc tac tgc acc ggc gga att cgt tgt gag atc ctg agt tca ctc 691
 Val Thr Tyr Cys Thr Gly Gly Ile Arg Cys Glu Ile Leu Ser Ser Leu
 185 190 195

atg atc aac cgt ggt ttc aaa gag gtc tac caa atc gat ggc ggc atc 739
 Met Ile Asn Arg Gly Phe Lys Glu Val Tyr Gln Ile Asp Gly Gly Ile
 200 205 210

gtt cgc tac ggc gag cag ttt ggc aac aag ggc ctg tgg gaa ggc tcc 787
 Val Arg Tyr Gly Glu Gln Phe Gly Asn Lys Gly Leu Trp Glu Gly Ser
 215 220 225

ctc tac gtt ttc gat aag cgc atg cat atg gaa ttc ggc gag gat tac 835
 Leu Tyr Val Phe Asp Lys Arg Met His Met Glu Phe Gly Glu Asp Tyr
 230 235 240 245

aaa gag gtc gga cac tgc atc cat tgc gat act ccc acc aac aaa ttt 883
 Lys Glu Val Gly His Cys Ile His Cys Asp Thr Pro Thr Asn Lys Phe
 250 255 260

gag cac tgc ctc aac gaa gat gat tgc cgc gag ctc gtg ttg atg tgc 931
 Glu His Cys Leu Asn Glu Asp Asp Cys Arg Glu Leu Val Leu Met Cys
 265 270 275

cct gat tgc ttc gcc aat gtt gag acc cgt cat tgc aag cgc gaa cgc 979
 Pro Asp Cys Phe Ala Asn Val Glu Thr Arg His Cys Lys Arg Glu Arg
 280 285 290

tgt gca gca att gct gcg gat ttc gct gag caa gga att gat ccg ctc
 1027
 Cys Ala Ala Ile Ala Ala Asp Phe Ala Glu Gln Gly Ile Asp Pro Leu
 295 300 305

gtt act tct taaaaagggt atgggtggctg ggt
 1059
 Val Thr Ser
 310

<210> 16
 <211> 312
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 16
 Val Ala Thr Ser Lys Ile Leu Leu Tyr Tyr Ala Phe Thr Pro Leu Ser
 1 5 10 15

Asp Pro Lys Ala Val Gln Leu Trp Gln Arg Glu Leu Cys Glu Ser Leu
 20 25 30

Asn Leu Arg Gly Arg Ile Leu Ile Ser Thr His Gly Ile Asn Gly Thr
 35 40 45

Val Gly Gly Asp Ile Asp Asp Cys Lys Ala Tyr Ile Lys Lys Thr Arg
 50 55 60

Glu Tyr Pro Gly Phe Asn Arg Met Gln Phe Lys Trp Ser Glu Gly Gly
 65 70 75 80
 Ala Glu Asp Phe Pro Lys Leu Ser Val Lys Val Arg Asp Glu Ile Val
 85 90 95
 Ala Phe Gly Ala Pro Asp Glu Leu Lys Val Asp Glu Asn Gly Val Val
 100 105 110
 Gly Gly Gly Val His Leu Lys Pro Gln Gln Val Asn Glu Leu Val Glu
 115 120 125
 Ala Arg Gly Asp Glu Val Val Phe Phe Asp Gly Arg Asn Ala Met Glu
 130 135 140
 Ala Gln Ile Gly Lys Phe Lys Asp Ala Val Val Pro Asp Val Glu Thr
 145 150 155 160
 Thr His Asp Phe Ile Ala Glu Ile Glu Ser Gly Lys Tyr Asp Asp Leu
 165 170 175
 Lys Asp Lys Pro Val Val Thr Tyr Cys Thr Gly Gly Ile Arg Cys Glu
 180 185 190
 Ile Leu Ser Ser Leu Met Ile Asn Arg Gly Phe Lys Glu Val Tyr Gln
 195 200 205
 Ile Asp Gly Gly Ile Val Arg Tyr Gly Glu Gln Phe Gly Asn Lys Gly
 210 215 220
 Leu Trp Glu Gly Ser Leu Tyr Val Phe Asp Lys Arg Met His Met Glu
 225 230 235 240
 Phe Gly Glu Asp Tyr Lys Glu Val Gly His Cys Ile His Cys Asp Thr
 245 250 255
 Pro Thr Asn Lys Phe Glu His Cys Leu Asn Glu Asp Asp Cys Arg Glu
 260 265 270
 Leu Val Leu Met Cys Pro Asp Cys Phe Ala Asn Val Glu Thr Arg His
 275 280 285
 Cys Lys Arg Glu Arg Cys Ala Ala Ile Ala Ala Asp Phe Ala Glu Gln
 290 295 300
 Gly Ile Asp Pro Leu Val Thr Ser
 305 310

<210> 17
 <211> 1578
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101) .. (1555)
 <223> RXN00351

<400> 17
 gaaggctgct gctaagaaaa cgaccaagaa gaccactaag aaaactacta aaaagaccac 60

cgcaaagaag accacaaaga agtcttaagc cggatcttat	atg	gat	gat	tcc	aat	115
	Met	Asp	Asp	Ser	Asn	
	1				5	
agc ttt gta gtt gtt gct aac cgt ctg cca gtg gat atg act gtc cac	163					
Ser Phe Val Val Val Ala Asn Arg Leu Pro Val Asp Met Thr Val His						
	10	15	20			
cca gat ggt agc tat agc atc tcc ccc agc ccc ggt ggc ctt gtc acg	211					
Pro Asp Gly Ser Tyr Ser Ile Ser Pro Ser Pro Gly Gly Leu Val Thr						
	25	30	35			
ggg ctt tcc ccc gtt ctg gaa caa cat cgt gga tgt tgg gtc gga tgg	259					
Gly Leu Ser Pro Val Leu Glu Gln His Arg Gly Cys Trp Val Gly Trp						
	40	45	50			
cct gga act gta gat gtt gca ccc gaa cca ttt cga aca gat acg ggt	307					
Pro Gly Thr Val Asp Val Ala Pro Glu Pro Phe Arg Thr Asp Thr Gly						
	55	60	65			
gtt ttg ctg cac cct gtt gtc ctc act gca agt gac tat gaa ggc ttc	355					
Val Leu Leu His Pro Val Val Leu Thr Ala Ser Asp Tyr Glu Gly Phe						
	70	75	80	85		
tac gag ggc ttt tca aac gca acg ctg tgg cct ctt ttc cac gat ctg	403					
Tyr Glu Gly Phe Ser Asn Ala Thr Leu Trp Pro Leu Phe His Asp Leu						
	90	95	100			
att gtt act ccg gtg tac aac acc gat tgg tgg cat gcg ttt cgg gag	451					
Ile Val Thr Pro Val Tyr Asn Thr Asp Trp Trp His Ala Phe Arg Glu						
	105	110	115			
gta aac ctc aag ttc gct gaa gcc gtg agc caa gtg gcg gca cac ggt	499					
Val Asn Leu Lys Phe Ala Glu Ala Val Ser Gln Val Ala Ala His Gly						
	120	125	130			
gcc act gtg tgg gtg cag gac tat cag ctg ttg ctg gtt cct ggc att	547					
Ala Thr Val Trp Val Gln Asp Tyr Gln Leu Leu Leu Val Pro Gly Ile						
	135	140	145			
ttg cgc cag atg cgc cct gat ttg aag atc ggt ttc ttc ctc cac att	595					
Leu Arg Gln Met Arg Pro Asp Leu Lys Ile Gly Phe Phe Leu His Ile						
	150	155	160	165		
ccc ttc cct tcc cct gat ctg ttc cgt cag ctg ccg tgg cgt gaa gag	643					
Pro Phe Pro Ser Pro Asp Leu Phe Arg Gln Leu Pro Trp Arg Glu Glu						
	170	175	180			
att gtt cga ggc atg ctg ggc gca gat ttg gtg gga ttc cat ttg gtt	691					
Ile Val Arg Gly Met Leu Gly Ala Asp Leu Val Gly Phe His Leu Val						
	185	190	195			
caa aac gca gaa aac ttc ctt gcg tta acc cag cag gtt gcc ggc act	739					
Gln Asn Ala Glu Asn Phe Leu Ala Leu Thr Gln Gln Val Ala Gly Thr						
	200	205	210			
gcc ggg tct cat gtg ggt cag ccg gac acc ttg cag gtc agt ggt gaa	787					
Ala Gly Ser His Val Gly Gln Pro Asp Thr Leu Gln Val Ser Gly Glu						
	215	220	225			

gca ttg gtg cgt gag att ggc gct cat gtt gaa acc gct gac gga agg	835
Ala Leu Val Arg Glu Ile Gly Ala His Val Glu Thr Ala Asp Gly Arg	
230 235 240 245	
cga gtt agc gtc ggg gcg ttc ccg atc tcg att gat gtt gaa atg ttt	883
Arg Val Ser Val Gly Ala Phe Pro Ile Ser Ile Asp Val Glu Met Phe	
250 255 260	
ggg gag gcg tcg aaa agc gcc gtt ctt gat ctt tta aaa acg ctc gac	931
Gly Glu Ala Ser Lys Ser Ala Val Leu Asp Leu Leu Lys Thr Leu Asp	
265 270 275	
gag ccg gaa acc gta ttc ctg ggc gtt gac cga ctg gac tac acc aag	979
Glu Pro Glu Thr Val Phe Leu Gly Val Asp Arg Leu Asp Tyr Thr Lys	
280 285 290	
ggc att ttg cag cgc ctg ctt gcg ttt gag gaa ctg ctg gaa tcc ggc	
1027 Gly Ile Leu Gln Arg Leu Leu Ala Phe Glu Glu Leu Leu Glu Ser Gly	
295 300 305	
gcg ttg gag gcc gac aaa gct gtg ttg ctg cag gtc gcg acg cct tcg	
1075 Ala Leu Glu Ala Asp Lys Ala Val Leu Leu Gln Val Ala Thr Pro Ser	
310 315 320 325	
cgt gag cgc att gat cac tat cgt gtg tcg cgt tcg cag gtc gag gaa	
1123 Arg Glu Arg Ile Asp His Tyr Arg Val Ser Arg Ser Gln Val Glu Glu	
330 335 340	
gcc gtc ggc cgt atc aat ggt cgt ttc ggt cgc atg ggg cgt ccc gtg	
1171 Ala Val Gly Arg Ile Asn Gly Arg Phe Gly Arg Met Gly Arg Pro Val	
345 350 355	
gtg cat tat cta cac agg tca ttg agc aaa aat gat ctc cag gtg ctg	
1219 Val His Tyr Leu His Arg Ser Leu Ser Lys Asn Asp Leu Gln Val Leu	
360 365 370	
tat acc gca gcc gat gtc atg ctg gtt acg cct ttt aaa gac ggt atg	
1267 Tyr Thr Ala Ala Asp Val Met Leu Val Thr Pro Phe Lys Asp Gly Met	
375 380 385	
aac ttg gtg gct aaa gaa ttc gtg gcc aac cac cgc gac ggc act ggt	
1315 Asn Leu Val Ala Lys Glu Phe Val Ala Asn His Arg Asp Gly Thr Gly	
390 395 400 405	
gct ttg gtg ctg tcc gaa ttt gcc ggc gcg gcc act gag ctg acc ggt	
1363 Ala Leu Val Leu Ser Glu Phe Ala Gly Ala Ala Thr Glu Leu Thr Gly	
410 415 420	
gcg tat tta tgc aac cca ttt gat gtg gaa tcc atc aaa cgg caa atg	
1411 Ala Tyr Leu Cys Asn Pro Phe Asp Val Glu Ser Ile Lys Arg Gln Met	
425 430 435	

gtg gca gct gtc cat gat ttg aag cac aat ccg gaa tct gcg gca acg
1459

Val Ala Ala Val His Asp Leu Lys His Asn Pro Glu Ser Ala Ala Thr
440 445 450

cga atg aaa acg aac agc gag cag gtc tat acc cac gac gtc aac gtg
1507

Arg Met Lys Thr Asn Ser Glu Gln Val Tyr Thr His Asp Val Asn Val
455 460 465

tgg gct aat agt ttc ctg gat tgt ttg gca cag tcg gga gaa aac tca
1555

Trp Ala Asn Ser Phe Leu Asp Cys Leu Ala Gln Ser Gly Glu Asn Ser
470 475 480 485

tgaaccgcgc acgaatcgcg acc
1578

<210> 18

<211> 485

<212> PRT

<213> Corynebacterium glutamicum

<400> 18

Met Asp Asp Ser Asn Ser Phe Val Val Val Ala Asn Arg Leu Pro Val
1 5 10 15

Asp Met Thr Val His Pro Asp Gly Ser Tyr Ser Ile Ser Pro Ser Pro
20 25 30

Gly Gly Leu Val Thr Gly Leu Ser Pro Val Leu Glu Gln His Arg Gly
35 40 45

Cys Trp Val Gly Trp Pro Gly Thr Val Asp Val Ala Pro Glu Pro Phe
50 55 60

Arg Thr Asp Thr Gly Val Leu Leu His Pro Val Val Leu Thr Ala Ser
65 70 75 80

Asp Tyr Glu Gly Phe Tyr Glu Gly Phe Ser Asn Ala Thr Leu Trp Pro
85 90 95

Leu Phe His Asp Leu Ile Val Thr Pro Val Tyr Asn Thr Asp Trp Trp
100 105 110

His Ala Phe Arg Glu Val Asn Leu Lys Phe Ala Glu Ala Val Ser Gln
115 120 125

Val Ala Ala His Gly Ala Thr Val Trp Val Gln Asp Tyr Gln Leu Leu
130 135 140

Leu Val Pro Gly Ile Leu Arg Gln Met Arg Pro Asp Leu Lys Ile Gly
145 150 155 160

Phe Phe Leu His Ile Pro Phe Pro Ser Pro Asp Leu Phe Arg Gln Leu
165 170 175

Pro Trp Arg Glu Glu Ile Val Arg Gly Met Leu Gly Ala Asp Leu Val
180 185 190

Gly Phe His Leu Val Gln Asn Ala Glu Asn Phe Leu Ala Leu Thr Gln
 195 200 205
 Gln Val Ala Gly Thr Ala Gly Ser His Val Gly Gln Pro Asp Thr Leu
 210 215 220
 Gln Val Ser Gly Glu Ala Leu Val Arg Glu Ile Gly Ala His Val Glu
 225 230 235 240
 Thr Ala Asp Gly Arg Arg Val Ser Val Gly Ala Phe Pro Ile Ser Ile
 245 250 255
 Asp Val Glu Met Phe Gly Glu Ala Ser Lys Ser Ala Val Leu Asp Leu
 260 265 270
 Leu Lys Thr Leu Asp Glu Pro Glu Thr Val Phe Leu Gly Val Asp Arg
 275 280 285
 Leu Asp Tyr Thr Lys Gly Ile Leu Gln Arg Leu Leu Ala Phe Glu Glu
 290 295 300
 Leu Leu Glu Ser Gly Ala Leu Glu Ala Asp Lys Ala Val Leu Leu Gln
 305 310 315 320
 Val Ala Thr Pro Ser Arg Glu Arg Ile Asp His Tyr Arg Val Ser Arg
 325 330 335
 Ser Gln Val Glu Glu Ala Val Gly Arg Ile Asn Gly Arg Phe Gly Arg
 340 345 350
 Met Gly Arg Pro Val Val His Tyr Leu His Arg Ser Leu Ser Lys Asn
 355 360 365
 Asp Leu Gln Val Leu Tyr Thr Ala Ala Asp Val Met Leu Val Thr Pro
 370 375 380
 Phe Lys Asp Gly Met Asn Leu Val Ala Lys Glu Phe Val Ala Asn His
 385 390 395 400
 Arg Asp Gly Thr Gly Ala Leu Val Leu Ser Glu Phe Ala Gly Ala Ala
 405 410 415
 Thr Glu Leu Thr Gly Ala Tyr Leu Cys Asn Pro Phe Asp Val Glu Ser
 420 425 430
 Ile Lys Arg Gln Met Val Ala Ala Val His Asp Leu Lys His Asn Pro
 435 440 445
 Glu Ser Ala Ala Thr Arg Met Lys Thr Asn Ser Glu Gln Val Tyr Thr
 450 455 460
 His Asp Val Asn Val Trp Ala Asn Ser Phe Leu Asp Cys Leu Ala Gln
 465 470 475 480
 Ser Gly Glu Asn Ser
 485

<210> 19
 <211> 1546
 <212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1546)

<223> FRXA00351

<400> 19

gaaggctgct gctaagaaaa cgaccaagaa gaccactaag aaaactacta aaaagaccac 60

cgcaaagaag accacaaaga agtcttaagc cggatcttat atg gat gat tcc aat 115
 Met Asp Asp Ser Asn
 1 5

agc ttt gta gtt gtt gct aac cgt ctg cca gtg gat atg act gtc cac 163
 Ser Phe Val Val Val Ala Asn Arg Leu Pro Val Asp Met Thr Val His
 10 15 20

cca gat ggt agc tat agc atc tcc ccc agc ccc ggt ggc ctt gtc acg 211
 Pro Asp Gly Ser Tyr Ser Ile Ser Pro Ser Pro Gly Gly Leu Val Thr
 25 30 35

ggg ctt tcc ccc gtt ctg gaa caa cat cgt gga tgt tgg gtc gga tgg 259
 Gly Leu Ser Pro Val Leu Glu Gln His Arg Gly Cys Trp Val Gly Trp
 40 45 50

cct gga act gta gat gtt gca ccc gaa cca ttt cga aca gat acg ggt 307
 Pro Gly Thr Val Asp Val Ala Pro Glu Pro Phe Arg Thr Asp Thr Gly
 55 60 65

gtt ttg ctg cac cct gtt gtc ctc act gca agt gac tat gaa ggc ttc 355
 Val Leu Leu His Pro Val Val Leu Thr Ala Ser Asp Tyr Glu Gly Phe
 70 75 80 85

tac gag ggc ttt tca aac gca acg ctg tgg cct ctt ttc cac gat ctg 403
 Tyr Glu Gly Phe Ser Asn Ala Thr Leu Trp Pro Leu Phe His Asp Leu
 90 95 100

att gtt act ccg gtg tac aac acc gat tgg tgg cat gcg ttt cgg gag 451
 Ile Val Thr Pro Val Tyr Asn Thr Asp Trp Trp His Ala Phe Arg Glu
 105 110 115

gta aac ctc aag ttc gct gaa gcc gtg agc caa gtg gcg gca cac ggt 499
 Val Asn Leu Lys Phe Ala Glu Ala Val Ser Gln Val Ala Ala His Gly
 120 125 130

gcc act gtg tgg gtg cag gac tat cag ctg ttg ctg gtt cct ggc att 547
 Ala Thr Val Trp Val Gln Asp Tyr Gln Leu Leu Leu Val Pro Gly Ile
 135 140 145

ttg cgc cag atg cgc cct gat ttg aag atc ggt ttc ttc ctc cac att 595
 Leu Arg Gln Met Arg Pro Asp Leu Lys Ile Gly Phe Phe Leu His Ile
 150 155 160 165

ccc ttc cct tcc cct gat ctg ttc cgt cag ctg ccg tgg cgt gaa gag 643
 Pro Phe Pro Ser Pro Asp Leu Phe Arg Gln Leu Pro Trp Arg Glu Glu
 170 175 180

att gtt cga ggc atg ctg ggc gca gat ttg gtg gga ttc cat ttg gtt 691
 Ile Val Arg Gly Met Leu Gly Ala Asp Leu Val Gly Phe His Leu Val
 185 190 195

caa aac gca gaa aac ttc ctt gcg tta acc cag cag gtt gcc ggc act	739
Gln Asn Ala Glu Asn Phe Leu Ala Leu Thr Gln Gln Val Ala Gly Thr	
200 205 210	
gcc ggg tct cat gtg ggt cag ccg gac acc ttg cag gtc agt ggt gaa	787
Ala Gly Ser His Val Gly Gln Pro Asp Thr Leu Gln Val Ser Gly Glu	
215 220 225	
gca ttg gtg cgt gag att ggc gct cat gtt gaa acc gct gac gga agg	835
Ala Leu Val Arg Glu Ile Gly Ala His Val Glu Thr Ala Asp Gly Arg	
230 235 240 245	
cga gtt agc gtc ggg gcg ttc ccg atc tcg att gat gtt gaa atg ttt	883
Arg Val Ser Val Gly Ala Phe Pro Ile Ser Ile Asp Val Glu Met Phe	
250 255 260	
ggg gag gcg tcg aaa agc gcc gtt ctt gat ctt tta aaa acg ctc gac	931
Gly Glu Ala Ser Lys Ser Ala Val Leu Asp Leu Leu Lys Thr Leu Asp	
265 270 275	
gag ccg gaa acc gta ttc ctg ggc gtt gac cga ctg gac tac acc aag	979
Glu Pro Glu Thr Val Phe Leu Gly Val Asp Arg Leu Asp Tyr Thr Lys	
280 285 290	
ggc att ttg cag cgc ctg ctt gcg ttt gag gaa ctg ctg gaa tcc ggc	
1027 Gly Ile Leu Gln Arg Leu Leu Ala Phe Glu Glu Leu Leu Glu Ser Gly	
295 300 305	
gcg ttg gag gcc gac aaa gct gtg ttg ctg cag gtc gcg acg cct tcg	
1075 Ala Leu Glu Ala Asp Lys Ala Val Leu Leu Gln Val Ala Thr Pro Ser	
310 315 320 325	
cgt gag cgc att gat cac tat cgt gtg tcg cgt tcg cag gtc gag gaa	
1123 Arg Glu Arg Ile Asp His Tyr Arg Val Ser Arg Ser Gln Val Glu Glu	
330 335 340	
gcc gtc ggc cgt atc aat ggt cgt ttc ggt cgc atg ggg cgt ccc gtg	
1171 Ala Val Gly Arg Ile Asn Gly Arg Phe Gly Arg Met Gly Arg Pro Val	
345 350 355	
gtg cat tat cta cac agg tca ttg agc aaa aat gat ctc cag gtg ctg	
1219 Val His Tyr Leu His Arg Ser Leu Ser Lys Asn Asp Leu Gln Val Leu	
360 365 370	
tat acc gca gcc gat gtc atg ctg gtt acg cct ttt aaa gac ggt atg	
1267 Tyr Thr Ala Ala Asp Val Met Leu Val Thr Pro Phe Lys Asp Gly Met	
375 380 385	
aac ttg gtg gct aaa gaa ttc gtg gcc aac cac cgc gac ggc act ggt	
1315 Asn Leu Val Ala Lys Glu Phe Val Ala Asn His Arg Asp Gly Thr Gly	
390 395 400 405	

gct ttg gtg ctg tcc gaa ttt gcc ggc gcg gcc act gag ctg acc ggt
1363
Ala Leu Val Leu Ser Glu Phe Ala Gly Ala Ala Thr Glu Leu Thr Gly
410 415 420

gcg tat tta tgc aac cca ttt gat gtg gaa tcc atc aaa cgg caa atg
1411
Ala Tyr Leu Cys Asn Pro Phe Asp Val Glu Ser Ile Lys Arg Gln Met
425 430 435

gtg gca gct gtc cat gat ttg aag cac aat ccg gaa tct gcg gca acg
1459
Val Ala Ala Val His Asp Leu Lys His Asn Pro Glu Ser Ala Ala Thr
440 445 450

cga atg aaa acg aac agc gag cag gtc tat acc cac gac gtc aac gtg
1507
Arg Met Lys Thr Asn Ser Glu Gln Val Tyr Thr His Asp Val Asn Val
455 460 465

tgg gct aat agt ttc ctg gat tgt ttg gca cag tcg gga
1546
Trp Ala Asn Ser Phe Leu Asp Cys Leu Ala Gln Ser Gly
470 475 480

<210> 20
<211> 482
<212> PRT
<213> Corynebacterium glutamicum

<400> 20
Met Asp Asp Ser Asn Ser Phe Val Val Val Ala Asn Arg Leu Pro Val
1 5 10 15
Asp Met Thr Val His Pro Asp Gly Ser Tyr Ser Ile Ser Pro Ser Pro
20 25 30
Gly Gly Leu Val Thr Gly Leu Ser Pro Val Leu Glu Gln His Arg Gly
35 40 45
Cys Trp Val Gly Trp Pro Gly Thr Val Asp Val Ala Pro Glu Pro Phe
50 55 60
Arg Thr Asp Thr Gly Val Leu Leu His Pro Val Val Leu Thr Ala Ser
65 70 75 80
Asp Tyr Glu Gly Phe Tyr Glu Gly Phe Ser Asn Ala Thr Leu Trp Pro
85 90 95
Leu Phe His Asp Leu Ile Val Thr Pro Val Tyr Asn Thr Asp Trp Trp
100 105 110
His Ala Phe Arg Glu Val Asn Leu Lys Phe Ala Glu Ala Val Ser Gln
115 120 125
Val Ala Ala His Gly Ala Thr Val Trp Val Gln Asp Tyr Gln Leu Leu
130 135 140
Leu Val Pro Gly Ile Leu Arg Gln Met Arg Pro Asp Leu Lys Ile Gly
145 150 155 160

Phe Phe Leu His Ile Pro Phe Pro Ser Pro Asp Leu Phe Arg Gln Leu
 165 170 175
 Pro Trp Arg Glu Glu Ile Val Arg Gly Met Leu Gly Ala Asp Leu Val
 180 185 190
 Gly Phe His Leu Val Gln Asn Ala Glu Asn Phe Leu Ala Leu Thr Gln
 195 200 205
 Gln Val Ala Gly Thr Ala Gly Ser His Val Gly Gln Pro Asp Thr Leu
 210 215 220
 Gln Val Ser Gly Glu Ala Leu Val Arg Glu Ile Gly Ala His Val Glu
 225 230 235 240
 Thr Ala Asp Gly Arg Arg Val Ser Val Gly Ala Phe Pro Ile Ser Ile
 245 250 255
 Asp Val Glu Met Phe Gly Glu Ala Ser Lys Ser Ala Val Leu Asp Leu
 260 265 270
 Leu Lys Thr Leu Asp Glu Pro Glu Thr Val Phe Leu Gly Val Asp Arg
 275 280 285
 Leu Asp Tyr Thr Lys Gly Ile Leu Gln Arg Leu Leu Ala Phe Glu Glu
 290 295 300
 Leu Leu Glu Ser Gly Ala Leu Glu Ala Asp Lys Ala Val Leu Leu Gln
 305 310 315 320
 Val Ala Thr Pro Ser Arg Glu Arg Ile Asp His Tyr Arg Val Ser Arg
 325 330 335
 Ser Gln Val Glu Glu Ala Val Gly Arg Ile Asn Gly Arg Phe Gly Arg
 340 345 350
 Met Gly Arg Pro Val Val His Tyr Leu His Arg Ser Leu Ser Lys Asn
 355 360 365
 Asp Leu Gln Val Leu Tyr Thr Ala Ala Asp Val Met Leu Val Thr Pro
 370 375 380
 Phe Lys Asp Gly Met Asn Leu Val Ala Lys Glu Phe Val Ala Asn His
 385 390 395 400
 Arg Asp Gly Thr Gly Ala Leu Val Leu Ser Glu Phe Ala Gly Ala Ala
 405 410 415
 Thr Glu Leu Thr Gly Ala Tyr Leu Cys Asn Pro Phe Asp Val Glu Ser
 420 425 430
 Ile Lys Arg Gln Met Val Ala Ala Val His Asp Leu Lys His Asn Pro
 435 440 445
 Glu Ser Ala Ala Thr Arg Met Lys Thr Asn Ser Glu Gln Val Tyr Thr
 450 455 460
 His Asp Val Asn Val Trp Ala Asn Ser Phe Leu Asp Cys Leu Ala Gln
 465 470 475 480

Ser Gly

<210> 21
 <211> 779
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (1)..(756)
 <223> RXA00873

<400> 21
 act gcc caa tgg ggt att ttc ctg cgt aat cat gat gag ctc acc ctt 48
 Thr Ala Gln Trp Gly Ile Phe Leu Arg Asn His Asp Glu Leu Thr Leu
 1 5 10 15
 gaa atg gtc tcc gat gag gaa cgc agc tac atg tac tcc caa ttc gcc 96
 Glu Met Val Ser Asp Glu Glu Arg Ser Tyr Met Tyr Ser Gln Phe Ala
 20 25 30
 tcc gaa cct cgc atg cgc gcc aac gta gga atc cgc agg cgc ctt tcc 144
 Ser Glu Pro Arg Met Arg Ala Asn Val Gly Ile Arg Arg Arg Leu Ser
 35 40 45
 cca ctg ctt gaa ggc gac cgc aac cag ctg gaa ctc ctt cac ggt ttg 192
 Pro Leu Leu Glu Gly Asp Arg Asn Gln Leu Glu Leu Leu His Gly Leu
 50 55 60
 ttg ctg tct cta cct ggc tca ccc gtg ttg tat tac ggt gat gaa att 240
 Leu Leu Ser Leu Pro Gly Ser Pro Val Leu Tyr Tyr Gly Asp Glu Ile
 65 70 75 80
 ggc atg ggc gac aat atc tgg ctc cac gac cgc gac gga gtg cgc acc 288
 Gly Met Gly Asp Asn Ile Trp Leu His Asp Arg Asp Gly Val Arg Thr
 85 90 95
 ccc atg cag tgg tcc aac gac cgc aac ggt ggt ttc tcc aaa gct gat 336
 Pro Met Gln Trp Ser Asn Asp Arg Asn Gly Gly Phe Ser Lys Ala Asp
 100 105 110
 cct gaa cgc ctg tac ctt cca gcg atc caa aat gat caa tac ggc tac 384
 Pro Glu Arg Leu Tyr Leu Pro Ala Ile Gln Asn Asp Gln Tyr Gly Tyr
 115 120 125
 gcc caa gta aac gtg gaa agc caa ctc aac cgc gaa aac tcc ctg ctg 432
 Ala Gln Val Asn Val Glu Ser Gln Leu Asn Arg Glu Asn Ser Leu Leu
 130 135 140
 cgc tgg ctc cga aac caa atc ctt atc cgc aag cag tac cgc gca ttt 480
 Arg Trp Leu Arg Asn Gln Ile Leu Ile Arg Lys Gln Tyr Arg Ala Phe
 145 150 155 160
 ggt gcc gga acc tac cgt gaa gtg tcc tcc acc aat gag tca gtg ttg 528
 Gly Ala Gly Thr Tyr Arg Glu Val Ser Ser Thr Asn Glu Ser Val Leu
 165 170 175
 aca ttt tta cga gaa cac aag ggc caa acc att ttg tgt gtc aac aac 576
 Thr Phe Leu Arg Glu His Lys Gly Gln Thr Ile Leu Cys Val Asn Asn

180	185	190	
atg agc aaa tat cct cag gca gtc tcg ctt gat ttg cgt gaa ttt gca			624
Met Ser Lys Tyr Pro Gln Ala Val Ser Leu Asp Leu Arg Glu Phe Ala			
195	200	205	
gga cac acc cct cga gag atg tcg ggc ggg cag ctg ttc cct acc att			672
Gly His Thr Pro Arg Glu Met Ser Gly Gly Gln Leu Phe Pro Thr Ile			
210	215	220	
gct gaa cgg gag tgg att gtc act tta gcc cct cac gga ttc ttc tgg			720
Ala Glu Arg Glu Trp Ile Val Thr Leu Ala Pro His Gly Phe Phe Trp			
225	230	235	240
ttt gat ctc acc gcc gat gaa aag gac gat atg gaa tgagcattgg			766
Phe Asp Leu Thr Ala Asp Glu Lys Asp Asp Met Glu			
245	250		
ccaacacatc atc			779
<210> 22			
<211> 252			
<212> PRT			
<213> Corynebacterium glutamicum			
<400> 22			
Thr Ala Gln Trp Gly Ile Phe Leu Arg Asn His Asp Glu Leu Thr Leu			
1	5	10	15
Glu Met Val Ser Asp Glu Glu Arg Ser Tyr Met Tyr Ser Gln Phe Ala			
20	25	30	
Ser Glu Pro Arg Met Arg Ala Asn Val Gly Ile Arg Arg Arg Leu Ser			
35	40	45	
Pro Leu Leu Glu Gly Asp Arg Asn Gln Leu Glu Leu Leu His Gly Leu			
50	55	60	
Leu Leu Ser Leu Pro Gly Ser Pro Val Leu Tyr Tyr Gly Asp Glu Ile			
65	70	75	80
Gly Met Gly Asp Asn Ile Trp Leu His Asp Arg Asp Gly Val Arg Thr			
85	90	95	
Pro Met Gln Trp Ser Asn Asp Arg Asn Gly Gly Phe Ser Lys Ala Asp			
100	105	110	
Pro Glu Arg Leu Tyr Leu Pro Ala Ile Gln Asn Asp Gln Tyr Gly Tyr			
115	120	125	
Ala Gln Val Asn Val Glu Ser Gln Leu Asn Arg Glu Asn Ser Leu Leu			
130	135	140	
Arg Trp Leu Arg Asn Gln Ile Leu Ile Arg Lys Gln Tyr Arg Ala Phe			
145	150	155	160
Gly Ala Gly Thr Tyr Arg Glu Val Ser Ser Thr Asn Glu Ser Val Leu			
165	170	175	
Thr Phe Leu Arg Glu His Lys Gly Gln Thr Ile Leu Cys Val Asn Asn			

	180		185		190										
Met	Ser	Lys	Tyr	Pro	Gln	Ala	Val	Ser	Leu	Asp	Leu	Arg	Glu	Phe	Ala
		195					200					205			
Gly	His	Thr	Pro	Arg	Glu	Met	Ser	Gly	Gly	Gln	Leu	Phe	Pro	Thr	Ile
	210					215					220				
Ala	Glu	Arg	Glu	Trp	Ile	Val	Thr	Leu	Ala	Pro	His	Gly	Phe	Phe	Trp
225					230					235					240
Phe	Asp	Leu	Thr	Ala	Asp	Glu	Lys	Asp	Asp	Met	Glu				
				245					250						

<210> 23
 <211> 1102
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1102)
 <223> RXA00891

<400> 23
 tcaatattcc gaagaaaacc gcgcagctct ctcactagtc tcagggtgagg cgaaagtggg 60
 gaaagacccg ctacgcatgg tgccgctggc tttttagaat gtg ctg caa acc tcc 115
 Val Leu Gln Thr Ser 5
 tgg cat ttc tct atc ctg gca ggc atg act gat acc tct ccg ttg aat 163
 Trp His Phe Ser Ile Leu Ala Gly Met Thr Asp Thr Ser Pro Leu Asn 20
 tct cag ccg agt gca gat cac cac cct gat cac gcg gct cgc cca gtt 211
 Ser Gln Pro Ser Ala Asp His His Pro Asp His Ala Ala Arg Pro Val 35
 ctt gat gcc cac ggc ttg atc gtt gag cac gaa tcg gaa gag ttt cca 259
 Leu Asp Ala His Gly Leu Ile Val Glu His Glu Ser Glu Glu Phe Pro 50
 gtc ccc gca ccc gct ccc ggt gaa cag ccc tgg gag aag aaa aac cgc 307
 Val Pro Ala Pro Ala Pro Gly Glu Gln Pro Trp Glu Lys Lys Asn Arg 65
 gag tgg tac aaa gac gcc gtt ttc tac gaa gtg ctg gtt cgt gcc ttc 355
 Glu Trp Tyr Lys Asp Ala Val Phe Tyr Glu Val Leu Val Arg Ala Phe 85
 tac gat cca gaa ggc aac gga gtc gga tcg ttg aaa ggc ctg acc gaa 403
 Tyr Asp Pro Glu Gly Asn Gly Val Gly Ser Leu Lys Gly Leu Thr Glu 100
 aaa ctg gat tac atc cag tgg ctc ggc gtg gat tgc att tgg atc cca 451
 Lys Leu Asp Tyr Ile Gln Trp Leu Gly Val Asp Cys Ile Trp Ile Pro 115
 ccg ttt tat gat tcc cca ctg cgc gac ggc ggt tac gat atc cgc aac 499

Pro	Phe	Tyr	Asp	Ser	Pro	Leu	Arg	Asp	Gly	Gly	Tyr	Asp	Ile	Arg	Asn		
		120					125					130					
ttc	cgt	gaa	atc	ctg	ccc	gaa	ttc	ggc	acc	gtc	gat	gac	ttc	gtg	gaa	547	
Phe	Arg	Glu	Ile	Leu	Pro	Glu	Phe	Gly	Thr	Val	Asp	Asp	Phe	Val	Glu		
	135					140					145						
ctc	gtt	gac	cac	gcc	cac	cgc	cgt	ggc	ctg	cgt	gtt	atc	acc	gac	ttg	595	
Leu	Val	Asp	His	Ala	His	Arg	Arg	Gly	Leu	Arg	Val	Ile	Thr	Asp	Leu		
	150				155					160					165		
gtc	atg	aat	cac	acc	tcc	gac	cag	cac	gca	tgg	ttc	caa	gaa	tcc	cgg	643	
Val	Met	Asn	His	Thr	Ser	Asp	Gln	His	Ala	Trp	Phe	Gln	Glu	Ser	Arg		
				170					175					180			
cgc	gac	cca	acc	ggc	ccc	tac	gga	gat	ttc	tat	gtg	tgg	agc	gat	gat	691	
Arg	Asp	Pro	Thr	Gly	Pro	Tyr	Gly	Asp	Phe	Tyr	Val	Trp	Ser	Asp	Asp		
			185					190					195				
ccc	acc	ctg	tac	aac	gaa	gcc	cgc	atc	atc	ttt	gta	gat	aca	gaa	gaa	739	
Pro	Thr	Leu	Tyr	Asn	Glu	Ala	Arg	Ile	Ile	Phe	Val	Asp	Thr	Glu	Glu		
		200					205					210					
tcc	aac	tgg	acc	tat	gat	ccg	gtg	cgt	ggc	cag	tac	ttc	tgg	cac	cgc	787	
Ser	Asn	Trp	Thr	Tyr	Asp	Pro	Val	Arg	Gly	Gln	Tyr	Phe	Trp	His	Arg		
	215					220					225						
ttc	ttc	tcc	cac	caa	cca	gac	ctc	aac	tac	gac	aac	ccc	gca	gtc	caa	835	
Phe	Phe	Ser	His	Gln	Pro	Asp	Leu	Asn	Tyr	Asp	Asn	Pro	Ala	Val	Gln		
	230				235				240						245		
gag	gcc	atg	cta	gat	gtc	ttg	cgt	ttc	tgg	ctg	gac	ctg	gga	ctt	gat	883	
Glu	Ala	Met	Leu	Asp	Val	Leu	Arg	Phe	Trp	Leu	Asp	Leu	Gly	Leu	Asp		
				250				255					260				
ggt	ttc	cga	cta	gat	gcc	gtt	cct	tat	ctt	ttt	gaa	cgc	gaa	ggc	acc	931	
Gly	Phe	Arg	Leu	Asp	Ala	Val	Pro	Tyr	Leu	Phe	Glu	Arg	Glu	Gly	Thr		
			265				270						275				
aac	ggc	gaa	aac	ctc	aaa	gaa	acc	cac	gat	ttc	ctc	aaa	ctg	tgt	cgc	979	
Asn	Gly	Glu	Asn	Leu	Lys	Glu	Thr	His	Asp	Phe	Leu	Lys	Leu	Cys	Arg		
		280					285					290					
tct	gtc	att	gag	aag	gaa	tac	ccc	ggc	cga	atc	ctg	ctc	gca	gaa	gcc		
1027																	
Ser	Val	Ile	Glu	Lys	Glu	Tyr	Pro	Gly	Arg	Ile	Leu	Leu	Ala	Glu	Ala		
	295					300					305						
aac	caa	tgg	ccc	caa	gat	gtg	gtc	gaa	tac	ttc	ggt	gaa	aaa	gac	aaa		
1075																	
Asn	Gln	Trp	Pro	Gln	Asp	Val	Val	Glu	Tyr	Phe	Gly	Glu	Lys	Asp	Lys		
	310				315				320						325		
ggc	gat	gaa	tgc	cac	atg	gcc	ttc	cac									
1102																	
Gly	Asp	Glu	Cys	His	Met	Ala	Phe	His									
				330													

<210> 24
 <211> 334

<212> PRT

<213> Corynebacterium glutamicum

<400> 24

Val Leu Gln Thr Ser Trp His Phe Ser Ile Leu Ala Gly Met Thr Asp
 1 5 10 15
 Thr Ser Pro Leu Asn Ser Gln Pro Ser Ala Asp His His Pro Asp His
 20 25 30
 Ala Ala Arg Pro Val Leu Asp Ala His Gly Leu Ile Val Glu His Glu
 35 40 45
 Ser Glu Glu Phe Pro Val Pro Ala Pro Ala Pro Gly Glu Gln Pro Trp
 50 55 60
 Glu Lys Lys Asn Arg Glu Trp Tyr Lys Asp Ala Val Phe Tyr Glu Val
 65 70 75 80
 Leu Val Arg Ala Phe Tyr Asp Pro Glu Gly Asn Gly Val Gly Ser Leu
 85 90 95
 Lys Gly Leu Thr Glu Lys Leu Asp Tyr Ile Gln Trp Leu Gly Val Asp
 100 105 110
 Cys Ile Trp Ile Pro Pro Phe Tyr Asp Ser Pro Leu Arg Asp Gly Gly
 115 120 125
 Tyr Asp Ile Arg Asn Phe Arg Glu Ile Leu Pro Glu Phe Gly Thr Val
 130 135 140
 Asp Asp Phe Val Glu Leu Val Asp His Ala His Arg Arg Gly Leu Arg
 145 150 155 160
 Val Ile Thr Asp Leu Val Met Asn His Thr Ser Asp Gln His Ala Trp
 165 170 175
 Phe Gln Glu Ser Arg Arg Asp Pro Thr Gly Pro Tyr Gly Asp Phe Tyr
 180 185 190
 Val Trp Ser Asp Asp Pro Thr Leu Tyr Asn Glu Ala Arg Ile Ile Phe
 195 200 205
 Val Asp Thr Glu Glu Ser Asn Trp Thr Tyr Asp Pro Val Arg Gly Gln
 210 215 220
 Tyr Phe Trp His Arg Phe Phe Ser His Gln Pro Asp Leu Asn Tyr Asp
 225 230 235 240
 Asn Pro Ala Val Gln Glu Ala Met Leu Asp Val Leu Arg Phe Trp Leu
 245 250 255
 Asp Leu Gly Leu Asp Gly Phe Arg Leu Asp Ala Val Pro Tyr Leu Phe
 260 265 270
 Glu Arg Glu Gly Thr Asn Gly Glu Asn Leu Lys Glu Thr His Asp Phe
 275 280 285
 Leu Lys Leu Cys Arg Ser Val Ile Glu Lys Glu Tyr Pro Gly Arg Ile
 290 295 300

Leu Leu Ala Glu Ala Asn Gln Trp Pro Gln Asp Val Val Glu Tyr Phe
 305 310 315 320

Gly Glu Lys Asp Lys Gly Asp Glu Cys His Met Ala Phe His
 325 330

<210> 25
 <211> 1386
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1363)
 <223> RXA00534

<400> 25
 ctgtgcagaa agaaaacact cctctggcta ggtagacaca gtttataaag gtagagttga 60
 gcgggtaact gtcagcacgt agatcgaaag gtgcacaaag gtg gcc ctg gtc gta 115
 Val Ala Leu Val Val
 1 5
 cag aaa tat ggc ggt tcc tcg ctt gag agt gcg gaa cgc att aga aac 163
 Gln Lys Tyr Gly Gly Ser Ser Leu Glu Ser Ala Glu Arg Ile Arg Asn
 10 15 20
 gtc gct gaa cgg atc gtt gcc acc aag aag gct gga aat gat gtc gtg 211
 Val Ala Glu Arg Ile Val Ala Thr Lys Lys Ala Gly Asn Asp Val Val
 25 30 35
 gtt gtc tgc tcc gca atg gga gac acc acg gat gaa ctt cta gaa ctt 259
 Val Val Cys Ser Ala Met Gly Asp Thr Thr Asp Glu Leu Leu Glu Leu
 40 45 50
 gca gcg gca gtg aat ccc gtt ccg cca gct cgt gaa atg gat atg ctc 307
 Ala Ala Ala Val Asn Pro Val Pro Pro Ala Arg Glu Met Asp Met Leu
 55 60 65
 ctg act gct ggt gag cgt att tct aac gct ctc gtc gcc atg gct att 355
 Leu Thr Ala Gly Glu Arg Ile Ser Asn Ala Leu Val Ala Met Ala Ile
 70 75 80 85
 gag tcc ctt ggc gca gaa gcc caa tct ttc acg ggc tct cag gct ggt 403
 Glu Ser Leu Gly Ala Glu Ala Gln Ser Phe Thr Gly Ser Gln Ala Gly
 90 95 100
 gtg ctc acc acc gag cgc cac gga aac gca cgc att gtt gat gtc act 451
 Val Leu Thr Thr Glu Arg His Gly Asn Ala Arg Ile Val Asp Val Thr
 105 110 115
 cca ggt cgt gtg cgt gaa gca ctc gat gag ggc aag atc tgc att gtt 499
 Pro Gly Arg Val Arg Glu Ala Leu Asp Glu Gly Lys Ile Cys Ile Val
 120 125 130
 gct ggt ttc cag ggt gtt aat aaa gaa acc cgc gat gtc acc acg ttg 547
 Ala Gly Phe Gln Gly Val Asn Lys Glu Thr Arg Asp Val Thr Thr Leu
 135 140 145
 ggt cgt ggt ggt tct gac acc act gca gtt gcg ttg gca gct gct ttg 595

Gly 150	Arg	Gly	Gly	Ser	Asp 155	Thr	Thr	Ala	Val	Ala 160	Leu	Ala	Ala	Ala	Leu 165	
aac	gct	gat	gtg	tgt	gag	att	tac	tcg	gac	gtt	gac	ggt	gtg	tat	acc	643
Asn	Ala	Asp	Val	Cys 170	Glu	Ile	Tyr	Ser	Asp 175	Val	Asp	Gly	Val	Tyr	Thr 180	
gct	gac	ccg	cgc	atc	gtt	cct	aat	gca	cag	aag	ctg	gaa	aag	ctc	agc	691
Ala	Asp	Pro	Arg 185	Ile	Val	Pro	Asn	Ala 190	Gln	Lys	Leu	Glu	Lys 195	Leu	Ser	
ttc	gaa	gaa	atg	ctg	gaa	ctt	gct	gct	gtt	ggc	tcc	aag	att	ttg	gtg	739
Phe	Glu	Glu	Met 200	Leu	Glu	Leu	Ala 205	Ala	Val	Gly	Ser	Lys 210	Ile	Leu	Val	
ctg	cgc	agt	gtt	gaa	tac	gct	cgt	gca	ttc	aat	gtg	cca	ctt	cgc	gta	787
Leu	Arg	Ser	Val	Glu	Tyr	Ala 220	Arg	Ala	Phe	Asn	Val 225	Pro	Leu	Arg	Val	
cgc	tcg	tct	tat	agt	aat	gat	ccc	ggc	act	ttg	att	gcc	ggc	tct	atg	835
Arg	Ser	Ser	Tyr	Ser	Asn 235	Asp	Pro	Gly	Thr	Leu 240	Ile	Ala	Gly	Ser	Met 245	
gag	gat	att	cct	gtg	gaa	gaa	gca	gtc	ctt	acc	ggt	gtc	gca	acc	gac	883
Glu	Asp	Ile	Pro	Val 250	Glu	Glu	Ala	Val	Leu 255	Thr	Gly	Val	Ala	Thr 260	Asp	
aag	tcc	gaa	gcc	aaa	gta	acc	gtt	ctg	ggc	att	tcc	gat	aag	cca	ggc	931
Lys	Ser	Glu	Ala 265	Lys	Val	Thr	Val	Leu 270	Gly	Ile	Ser	Asp	Lys 275	Pro	Gly	
gag	gct	gcg	aag	gtt	ttc	cgt	gcg	ttg	gct	gat	gca	gaa	atc	aac	att	979
Glu	Ala	Ala	Lys 280	Val	Phe	Arg	Ala 285	Leu	Ala	Asp	Ala	Glu	Ile 290	Asn	Ile	
gac	atg	gtt	ctg	cag	aac	gtc	tct	tct	gta	gaa	gac	ggc	acc	acc	gac	
1027	Asp	Met	Val	Leu	Gln	Asn	Val 300	Ser	Ser	Val	Glu	Asp 305	Gly	Thr	Thr	Asp
atc	acc	ttc	acc	tgc	cct	cgt	tcc	gac	ggc	cgc	cgc	gcg	atg	gag	atc	
1075	Ile	Thr	Phe	Thr	Cys	Pro	Arg 315	Ser	Asp	Gly	Arg	Arg 320	Ala	Met	Glu	Ile 325
ttg	aag	aag	ctt	cag	gtt	cag	ggc	aac	tgg	acc	aat	gtg	ctt	tac	gac	
1123	Leu	Lys	Lys	Leu	Gln	Val	Gln 330	Gly	Asn	Trp	Thr	Asn 335	Val	Leu	Tyr	Asp 340
gac	cag	gtc	ggc	aaa	gtc	tcc	ctc	gtg	ggt	gct	ggc	atg	aag	tct	cac	
1171	Asp	Gln	Val	Gly	Lys	Val	Ser 345	Leu	Val	Gly	Ala	Gly	Met	Lys	Ser	His 355
cca	ggt	gtt	acc	gca	gag	ttc	atg	gaa	gct	ctg	cgc	gat	gtc	aac	gtg	
1219	Pro	Gly	Val	Thr	Ala	Glu	Phe 360	Met	Glu	Ala	Leu	Arg	Asp	Val	Asn	Val 370
							365									

aac atc gaa ttg att tcc acc tct gag att cgt att tcc gtg ctg atc
1267

Asn Ile Glu Leu Ile Ser Thr Ser Glu Ile Arg Ile Ser Val Leu Ile
375 380 385

cgt gaa gat gat ctg gat gct gct gca cgt gca ttg cat gag cag ttc
1315

Arg Glu Asp Asp Leu Asp Ala Ala Ala Arg Ala Leu His Glu Gln Phe
390 395 400 405

cag ctg ggc ggc gaa gac gaa gcc gtc gtt tat gca ggc acc gga cgc
1363

Gln Leu Gly Gly Glu Asp Glu Ala Val Val Tyr Ala Gly Thr Gly Arg
410 415 420

taaagtttta aaggagtagt ttt
1386

<210> 26

<211> 421

<212> PRT

<213> Corynebacterium glutamicum

<400> 26

Val Ala Leu Val Val Gln Lys Tyr Gly Gly Ser Ser Leu Glu Ser Ala
1 5 10 15

Glu Arg Ile Arg Asn Val Ala Glu Arg Ile Val Ala Thr Lys Lys Ala
20 25 30

Gly Asn Asp Val Val Val Val Cys Ser Ala Met Gly Asp Thr Thr Asp
35 40 45

Glu Leu Leu Glu Leu Ala Ala Ala Val Asn Pro Val Pro Pro Ala Arg
50 55 60

Glu Met Asp Met Leu Leu Thr Ala Gly Glu Arg Ile Ser Asn Ala Leu
65 70 75 80

Val Ala Met Ala Ile Glu Ser Leu Gly Ala Glu Ala Gln Ser Phe Thr
85 90 95

Gly Ser Gln Ala Gly Val Leu Thr Thr Glu Arg His Gly Asn Ala Arg
100 105 110

Ile Val Asp Val Thr Pro Gly Arg Val Arg Glu Ala Leu Asp Glu Gly
115 120 125

Lys Ile Cys Ile Val Ala Gly Phe Gln Gly Val Asn Lys Glu Thr Arg
130 135 140

Asp Val Thr Thr Leu Gly Arg Gly Gly Ser Asp Thr Thr Ala Val Ala
145 150 155 160

Leu Ala Ala Ala Leu Asn Ala Asp Val Cys Glu Ile Tyr Ser Asp Val
165 170 175

Asp Gly Val Tyr Thr Ala Asp Pro Arg Ile Val Pro Asn Ala Gln Lys
180 185 190

Leu Glu Lys Leu Ser Phe Glu Glu Met Leu Glu Leu Ala Ala Val Gly
 195 200 205
 Ser Lys Ile Leu Val Leu Arg Ser Val Glu Tyr Ala Arg Ala Phe Asn
 210 215 220
 Val Pro Leu Arg Val Arg Ser Ser Tyr Ser Asn Asp Pro Gly Thr Leu
 225 230 235 240
 Ile Ala Gly Ser Met Glu Asp Ile Pro Val Glu Glu Ala Val Leu Thr
 245 250 255
 Gly Val Ala Thr Asp Lys Ser Glu Ala Lys Val Thr Val Leu Gly Ile
 260 265 270
 Ser Asp Lys Pro Gly Glu Ala Ala Lys Val Phe Arg Ala Leu Ala Asp
 275 280 285
 Ala Glu Ile Asn Ile Asp Met Val Leu Gln Asn Val Ser Ser Val Glu
 290 295 300
 Asp Gly Thr Thr Asp Ile Thr Phe Thr Cys Pro Arg Ser Asp Gly Arg
 305 310 315 320
 Arg Ala Met Glu Ile Leu Lys Lys Leu Gln Val Gln Gly Asn Trp Thr
 325 330 335
 Asn Val Leu Tyr Asp Asp Gln Val Gly Lys Val Ser Leu Val Gly Ala
 340 345 350
 Gly Met Lys Ser His Pro Gly Val Thr Ala Glu Phe Met Glu Ala Leu
 355 360 365
 Arg Asp Val Asn Val Asn Ile Glu Leu Ile Ser Thr Ser Glu Ile Arg
 370 375 380
 Ile Ser Val Leu Ile Arg Glu Asp Asp Leu Asp Ala Ala Ala Arg Ala
 385 390 395 400
 Leu His Glu Gln Phe Gln Leu Gly Gly Glu Asp Glu Ala Val Val Tyr
 405 410 415
 Ala Gly Thr Gly Arg
 420

<210> 27
 <211> 1155
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1132)
 <223> RXA00533

<400> 27
 ctgcacgtgc attgcatgag cagttccagc tgggcggcga agacgaagcc gtcgtttatg 60
 caggcaccgg acgctaaagt tttaaaggag tagttttaca atg acc acc atc gca 115
 Met Thr Thr Ile Ala

1															5		
gtt	gtt	ggt	gca	acc	ggc	cag	gtc	ggc	cag	gtt	atg	cgc	acc	ctt	ttg		163
Val	Val	Gly	Ala	Thr	Gly	Gln	Val	Gly	Gln	Val	Met	Arg	Thr	Leu	Leu		
				10					15					20			
gaa	gag	cgc	aat	ttc	cca	gct	gac	act	gtt	cgt	ttc	ttt	gct	tcc	cca		211
Glu	Glu	Arg	Asn	Phe	Pro	Ala	Asp	Thr	Val	Arg	Phe	Phe	Ala	Ser	Pro		
			25					30					35				
cgt	tcc	gca	ggc	cgt	aag	att	gaa	ttc	cgt	ggc	acg	gaa	atc	gag	gta		259
Arg	Ser	Ala	Gly	Arg	Lys	Ile	Glu	Phe	Arg	Gly	Thr	Glu	Ile	Glu	Val		
		40					45					50					
gaa	gac	att	act	cag	gca	acc	gag	gag	tcc	ctc	aag	gac	atc	gac	gtt		307
Glu	Asp	Ile	Thr	Gln	Ala	Thr	Glu	Glu	Ser	Leu	Lys	Asp	Ile	Asp	Val		
	55					60					65						
gcg	ttg	ttc	tcc	gct	gga	ggc	acc	gct	tcc	aag	cag	tac	gct	cca	ctg		355
Ala	Leu	Phe	Ser	Ala	Gly	Gly	Thr	Ala	Ser	Lys	Gln	Tyr	Ala	Pro	Leu		
70					75					80					85		
ttc	gct	gct	gca	ggc	gcg	act	gtt	gtg	gat	aac	tct	tct	gct	tgg	cgc		403
Phe	Ala	Ala	Ala	Gly	Ala	Thr	Val	Val	Asp	Asn	Ser	Ser	Ala	Trp	Arg		
				90					95					100			
aag	gac	gac	gag	gtt	cca	cta	atc	gtc	tct	gag	gtg	aac	cct	tcc	gac		451
Lys	Asp	Asp	Glu	Val	Pro	Leu	Ile	Val	Ser	Glu	Val	Asn	Pro	Ser	Asp		
			105					110					115				
aag	gat	tcc	ctg	gtc	aag	ggc	att	att	gcg	aac	cct	aac	tgc	acc	acc		499
Lys	Asp	Ser	Leu	Val	Lys	Gly	Ile	Ile	Ala	Asn	Pro	Asn	Cys	Thr	Thr		
		120				125						130					
atg	gct	gcg	atg	cca	gtg	ctg	aag	cca	ctt	cac	gat	gcc	gct	ggt	ctt		547
Met	Ala	Ala	Met	Pro	Val	Leu	Lys	Pro	Leu	His	Asp	Ala	Ala	Gly	Leu		
	135					140					145						
gta	aag	ctt	cac	gtt	tcc	tct	tac	cag	gct	gtt	tcc	ggt	tct	ggt	ctt		595
Val	Lys	Leu	His	Val	Ser	Ser	Tyr	Gln	Ala	Val	Ser	Gly	Ser	Gly	Leu		
150					155					160					165		
gca	ggt	gtg	gaa	acc	ttg	gca	aag	cag	gtt	gct	gca	gtt	gga	gac	cac		643
Ala	Gly	Val	Glu	Thr	Leu	Ala	Lys	Gln	Val	Ala	Ala	Val	Gly	Asp	His		
				170					175					180			
aac	gtt	gag	ttc	gtc	cat	gat	gga	cag	gct	gct	gac	gca	ggc	gat	gtc		691
Asn	Val	Glu	Phe	Val	His	Asp	Gly	Gln	Ala	Ala	Asp	Ala	Gly	Asp	Val		
			185					190					195				
gga	cct	tat	gtt	tca	cca	atc	gct	tac	aac	gtg	ctg	cca	ttc	gcc	gga		739
Gly	Pro	Tyr	Val	Ser	Pro	Ile	Ala	Tyr	Asn	Val	Leu	Pro	Phe	Ala	Gly		
		200					205					210					
aac	ctc	gtc	gat	gac	ggc	acc	ttc	gaa	acc	gat	gaa	gag	cag	aag	ctg		787
Asn	Leu	Val	Asp	Asp	Gly	Thr	Phe	Glu	Thr	Asp	Glu	Glu	Gln	Lys	Leu		
	215					220					225						
cgc	aac	gaa	tcc	cgc	aag	att	ctc	ggt	ctc	cca	gac	ctc	aag	gtc	tca		835
Arg	Asn	Glu	Ser	Arg	Lys	Ile	Leu	Gly	Leu	Pro	Asp	Leu	Lys	Val	Ser		
230					235					240					245		

ggc acc tgc gtc cgc gtg ccg gtt ttc acc ggc cac acg ctg acc att 883
 Gly Thr Cys Val Arg Val Pro Val Phe Thr Gly His Thr Leu Thr Ile
 250 255 260

cac gcc gaa ttc gac aag gca atc acc gtg gac cag gcg cag gag atc 931
 His Ala Glu Phe Asp Lys Ala Ile Thr Val Asp Gln Ala Gln Glu Ile
 265 270 275

ttg ggt gcc gct tca ggc gtc aag ctt gtc gac gtc cca acc cca ctt 979
 Leu Gly Ala Ala Ser Gly Val Lys Leu Val Asp Val Pro Thr Pro Leu
 280 285 290

gca gct gcc ggc att gac gaa tcc ctc gtt gga cgc atc cgt cag gac
 1027
 Ala Ala Ala Gly Ile Asp Glu Ser Leu Val Gly Arg Ile Arg Gln Asp
 295 300 305

tcc act gtc gac gat aac cgc ggt ctg gtt ctc gtc gta tct ggc gac
 1075
 Ser Thr Val Asp Asp Asn Arg Gly Leu Val Leu Val Val Ser Gly Asp
 310 315 320 325

aac ctc cgc aag ggt gct gcg cta aac acc atc cag atc gct gag ctg
 1123
 Asn Leu Arg Lys Gly Ala Ala Leu Asn Thr Ile Gln Ile Ala Glu Leu
 330 335 340

ctg gtt aag taaaaacccg ccattaaaaa ctc
 1155
 Leu Val Lys

<210> 28
 <211> 344
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 28
 Met Thr Thr Ile Ala Val Val Gly Ala Thr Gly Gln Val Gly Gln Val
 1 5 10 15
 Met Arg Thr Leu Leu Glu Glu Arg Asn Phe Pro Ala Asp Thr Val Arg
 20 25 30
 Phe Phe Ala Ser Pro Arg Ser Ala Gly Arg Lys Ile Glu Phe Arg Gly
 35 40 45
 Thr Glu Ile Glu Val Glu Asp Ile Thr Gln Ala Thr Glu Glu Ser Leu
 50 55 60
 Lys Asp Ile Asp Val Ala Leu Phe Ser Ala Gly Gly Thr Ala Ser Lys
 65 70 75 80
 Gln Tyr Ala Pro Leu Phe Ala Ala Ala Gly Ala Thr Val Val Asp Asn
 85 90 95
 Ser Ser Ala Trp Arg Lys Asp Asp Glu Val Pro Leu Ile Val Ser Glu
 100 105 110

Val Asn Pro Ser Asp Lys Asp Ser Leu Val Lys Gly Ile Ile Ala Asn
 115 120 125
 Pro Asn Cys Thr Thr Met Ala Ala Met Pro Val Leu Lys Pro Leu His
 130 135 140
 Asp Ala Ala Gly Leu Val Lys Leu His Val Ser Ser Tyr Gln Ala Val
 145 150 155 160
 Ser Gly Ser Gly Leu Ala Gly Val Glu Thr Leu Ala Lys Gln Val Ala
 165 170 175
 Ala Val Gly Asp His Asn Val Glu Phe Val His Asp Gly Gln Ala Ala
 180 185 190
 Asp Ala Gly Asp Val Gly Pro Tyr Val Ser Pro Ile Ala Tyr Asn Val
 195 200 205
 Leu Pro Phe Ala Gly Asn Leu Val Asp Asp Gly Thr Phe Glu Thr Asp
 210 215 220
 Glu Glu Gln Lys Leu Arg Asn Glu Ser Arg Lys Ile Leu Gly Leu Pro
 225 230 235 240
 Asp Leu Lys Val Ser Gly Thr Cys Val Arg Val Pro Val Phe Thr Gly
 245 250 255
 His Thr Leu Thr Ile His Ala Glu Phe Asp Lys Ala Ile Thr Val Asp
 260 265 270
 Gln Ala Gln Glu Ile Leu Gly Ala Ala Ser Gly Val Lys Leu Val Asp
 275 280 285
 Val Pro Thr Pro Leu Ala Ala Ala Gly Ile Asp Glu Ser Leu Val Gly
 290 295 300
 Arg Ile Arg Gln Asp Ser Thr Val Asp Asp Asn Arg Gly Leu Val Leu
 305 310 315 320
 Val Val Ser Gly Asp Asn Leu Arg Lys Gly Ala Ala Leu Asn Thr Ile
 325 330 335
 Gln Ile Ala Glu Leu Leu Val Lys
 340

<210> 29
 <211> 608
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (69)..(608)
 <223> RXA02843

<400> 29
 cccattgcgc ggaggtcgca ccccttccga cttgaactga taggccgata gaaattattc 60
 tggacgtcatg act act gct tcc gca acc gga att gca aca ctg acc tcc 110
 Met Thr Thr Ala Ser Ala Thr Gly Ile Ala Thr Leu Thr Ser

1					5					10						
acc	ggc	gac	gtc	ctg	gac	gtg	tgg	tat	cca	gaa	atc	ggg	tcc	acc	gac	158
Thr	Gly	Asp	Val	Leu	Asp	Val	Trp	Tyr	Pro	Glu	Ile	Gly	Ser	Thr	Asp	
15					20					25				30		
cag	tcc	gcg	ctc	aca	cct	cta	gaa	ggc	gtc	gat	gaa	gat	cga	aac	gtc	206
Gln	Ser	Ala	Leu	Thr	Pro	Leu	Glu	Gly	Val	Asp	Glu	Asp	Arg	Asn	Val	
			35					40						45		
acc	cgc	aaa	atc	gtg	acg	aca	act	atc	gac	acc	gac	gca	gcc	ccc	acc	254
Thr	Arg	Lys	Ile	Val	Thr	Thr	Thr	Ile	Asp	Thr	Asp	Ala	Ala	Pro	Thr	
			50					55					60			
gac	acc	tac	gat	gca	tgg	ctg	cgc	ctt	cac	ctc	ctc	tcc	cac	cgc	gtt	302
Asp	Thr	Tyr	Asp	Ala	Trp	Leu	Arg	Leu	His	Leu	Leu	Ser	His	Arg	Val	
		65				70						75				
ttc	cgc	cct	cac	acc	atc	aac	cta	gac	ggc	att	ttc	ggc	ctc	ctc	aac	350
Phe	Arg	Pro	His	Thr	Ile	Asn	Leu	Asp	Gly	Ile	Phe	Gly	Leu	Leu	Asn	
	80					85				90						
aat	gtc	gtg	tgg	acc	aac	ttc	gga	ccg	tgc	gca	gtt	gac	ggg	ttc	gca	398
Asn	Val	Val	Trp	Thr	Asn	Phe	Gly	Pro	Cys	Ala	Val	Asp	Gly	Phe	Ala	
95					100					105					110	
ctc	acc	cgc	gcg	cgc	ctg	tca	cgc	cga	ggc	caa	gtt	acg	gtt	tat	agc	446
Leu	Thr	Arg	Ala	Arg	Leu	Ser	Arg	Arg	Gly	Gln	Val	Thr	Val	Tyr	Ser	
			115						120					125		
gtc	gac	aag	ttc	cca	cgc	atg	gtc	gac	tat	gtg	gtt	ccc	tcg	ggc	gtg	494
Val	Asp	Lys	Phe	Pro	Arg	Met	Val	Asp	Tyr	Val	Val	Pro	Ser	Gly	Val	
		130						135					140			
cgc	atc	ggg	gac	gcc	gac	cgc	gtc	cga	ctt	ggc	gcg	tac	ctg	gca	gat	542
Arg	Ile	Gly	Asp	Ala	Asp	Arg	Val	Arg	Leu	Gly	Ala	Tyr	Leu	Ala	Asp	
		145					150					155				
ggc	acc	acc	gtg	atg	cat	gag	ggc	ttc	gtg	aac	ttc	aac	gct	ggc	acg	590
Gly	Thr	Thr	Val	Met	His	Glu	Gly	Phe	Val	Asn	Phe	Asn	Ala	Gly	Thr	
	160					165					170					
ctc	ggc	gct	tcc	atg	gtt											608
Leu	Gly	Ala	Ser	Met	Val											
175					180											

<210> 30

<211> 180

<212> PRT

<213> Corynebacterium glutamicum

<400> 30

Met	Thr	Thr	Ala	Ser	Ala	Thr	Gly	Ile	Ala	Thr	Leu	Thr	Ser	Thr	Gly
1				5					10					15	

Asp	Val	Leu	Asp	Val	Trp	Tyr	Pro	Glu	Ile	Gly	Ser	Thr	Asp	Gln	Ser
		20						25					30		

Ala	Leu	Thr	Pro	Leu	Glu	Gly	Val	Asp	Glu	Asp	Arg	Asn	Val	Thr	Arg
		35					40					45			

Lys Ile Val Thr Thr Thr Ile Asp Thr Asp Ala Ala Pro Thr Asp Thr
 50 55 60
 Tyr Asp Ala Trp Leu Arg Leu His Leu Leu Ser His Arg Val Phe Arg
 65 70 75 80
 Pro His Thr Ile Asn Leu Asp Gly Ile Phe Gly Leu Leu Asn Asn Val
 85 90 95
 Val Trp Thr Asn Phe Gly Pro Cys Ala Val Asp Gly Phe Ala Leu Thr
 100 105 110
 Arg Ala Arg Leu Ser Arg Arg Gly Gln Val Thr Val Tyr Ser Val Asp
 115 120 125
 Lys Phe Pro Arg Met Val Asp Tyr Val Val Pro Ser Gly Val Arg Ile
 130 135 140
 Gly Asp Ala Asp Arg Val Arg Leu Gly Ala Tyr Leu Ala Asp Gly Thr
 145 150 155 160
 Thr Val Met His Glu Gly Phe Val Asn Phe Asn Ala Gly Thr Leu Gly
 165 170 175
 Ala Ser Met Val
 180

<210> 31
 <211> 1230
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1207)
 <223> RXA02022

<400> 31
 tatttgcatgac tccaactgct tgggctccgc gaatgttttc actcattttt taatcgaccg 60
 cttccatcat gttttaacta aggtttgtag gcttaaacct gtg aac tct gaa ctc 115
 Val Asn Ser Glu Leu
 1 5
 aaa cca gga tta gat ctc ctc ggc gac cca att gtc ctt act caa cgt 163
 Lys Pro Gly Leu Asp Leu Leu Gly Asp Pro Ile Val Leu Thr Gln Arg
 10 15 20
 ttg gta gat ata ccg agt ccg tcg ggt cag gaa aag cag att gct gat 211
 Leu Val Asp Ile Pro Ser Pro Ser Gly Gln Glu Lys Gln Ile Ala Asp
 25 30 35
 gaa att gaa gat gcc ctt cgg aac ctt aat cta cct ggt gta gag gtc 259
 Glu Ile Glu Asp Ala Leu Arg Asn Leu Asn Leu Pro Gly Val Glu Val
 40 45 50
 ttc cgc ttc aac aac aac gtt ctt gct cgc acg aac agg gga ttg gcc 307
 Phe Arg Phe Asn Asn Asn Val Leu Ala Arg Thr Asn Arg Gly Leu Ala
 55 60 65

tcg agg gtc atg ctt gct ggt cat atc gat aca gtg ccg atc gcg gac	355
Ser Arg Val Met Leu Ala Gly His Ile Asp Thr Val Pro Ile Ala Asp	
70 75 80 85	
aat ctg cca agc cgt gtg gaa gac ggc atc atg tat ggc tgt ggc acc	403
Asn Leu Pro Ser Arg Val Glu Asp Gly Ile Met Tyr Gly Cys Gly Thr	
90 95 100	
gtc gat atg aaa tct ggg ttg gcg gtg tat ttg cat act ttt gcc acc	451
Val Asp Met Lys Ser Gly Leu Ala Val Tyr Leu His Thr Phe Ala Thr	
105 110 115	
ttg gcc acg tcg act gag ctt aaa cat gat ctg acg ctg att gcg tat	499
Leu Ala Thr Ser Thr Glu Leu Lys His Asp Leu Thr Leu Ile Ala Tyr	
120 125 130	
gag tgc gag gaa gtt gct gat cac ctc aat ggt ttg ggc cac att cgc	547
Glu Cys Glu Glu Val Ala Asp His Leu Asn Gly Leu Gly His Ile Arg	
135 140 145	
gat gag cat ccg gag tgg ttg gcg gct gat ttg gcg ttg ttg ggt gag	595
Asp Glu His Pro Glu Trp Leu Ala Ala Asp Leu Ala Leu Leu Gly Glu	
150 155 160 165	
cct act ggc ggc tgg att gag gcg ggc tgc cag ggc aat ctg cgc atc	643
Pro Thr Gly Gly Trp Ile Glu Ala Gly Cys Gln Gly Asn Leu Arg Ile	
170 175 180	
aag gtg acg gcg cat ggt gtg cgt gcc cat tcg gcg aga agc tgg ttg	691
Lys Val Thr Ala His Gly Val Arg Ala His Ser Ala Arg Ser Trp Leu	
185 190 195	
ggt gat aat gcg atg cat aag ttg tcg ccg atc att tcg aag gtt gct	739
Gly Asp Asn Ala Met His Lys Leu Ser Pro Ile Ile Ser Lys Val Ala	
200 205 210	
gcg tat aag gcc gca gaa gtc aac att gat ggc ttg acc tac cgt gaa	787
Ala Tyr Lys Ala Ala Glu Val Asn Ile Asp Gly Leu Thr Tyr Arg Glu	
215 220 225	
ggc ctc aac atc gtt ttc tgc gaa tcg ggc gtg gca aac aac gtc att	835
Gly Leu Asn Ile Val Phe Cys Glu Ser Gly Val Ala Asn Asn Val Ile	
230 235 240 245	
cca gac ctc gcg tgg atg aac ctc aac ttc cgt ttc gcg ccg aat cgc	883
Pro Asp Leu Ala Trp Met Asn Leu Asn Phe Arg Phe Ala Pro Asn Arg	
250 255 260	
gat ctc aac gag gcg atc gag cat gtc gtc gaa acg ctt gag ctt gac	931
Asp Leu Asn Glu Ala Ile Glu His Val Val Glu Thr Leu Glu Leu Asp	
265 270 275	
ggt caa gac ggc atc gaa tgg gcc gta gaa gac ggg gca ggc ggt gcc	979
Gly Gln Asp Gly Ile Glu Trp Ala Val Glu Asp Gly Ala Gly Gly Ala	
280 285 290	
ctt cca ggc ttg ggg cag cag gtg aca agc ggg ctt atc gac gcc gtc	
1027	
Leu Pro Gly Leu Gly Gln Gln Val Thr Ser Gly Leu Ile Asp Ala Val	
295 300 305	

ggc cgc gaa aaa atc cgc gca aaa ttc ggc tgg acc gat gtc tca cgt
1075

Gly Arg Glu Lys Ile Arg Ala Lys Phe Gly Trp Thr Asp Val Ser Arg
310 315 320 325

ttt tca gcc atg gga att cca gcc cta aac ttt ggc gct ggt gat cca
1123

Phe Ser Ala Met Gly Ile Pro Ala Leu Asn Phe Gly Ala Gly Asp Pro
330 335 340

agt ttc gcg cat aaa cgc gac gag cag tgc cca gtg gag caa atc acg
1171

Ser Phe Ala His Lys Arg Asp Glu Gln Cys Pro Val Glu Gln Ile Thr
345 350 355

gat gtg gca gca att ttg aag cag tac ctg agc gag taaccgcatt
1217

Asp Val Ala Ala Ile Leu Lys Gln Tyr Leu Ser Glu
360 365

cgggggttatc gtg
1230

<210> 32

<211> 369

<212> PRT

<213> Corynebacterium glutamicum

<400> 32

Val Asn Ser Glu Leu Lys Pro Gly Leu Asp Leu Leu Gly Asp Pro Ile
1 5 10 15

Val Leu Thr Gln Arg Leu Val Asp Ile Pro Ser Pro Ser Gly Gln Glu
20 25 30

Lys Gln Ile Ala Asp Glu Ile Glu Asp Ala Leu Arg Asn Leu Asn Leu
35 40 45

Pro Gly Val Glu Val Phe Arg Phe Asn Asn Asn Val Leu Ala Arg Thr
50 55 60

Asn Arg Gly Leu Ala Ser Arg Val Met Leu Ala Gly His Ile Asp Thr
65 70 75 80

Val Pro Ile Ala Asp Asn Leu Pro Ser Arg Val Glu Asp Gly Ile Met
85 90 95

Tyr Gly Cys Gly Thr Val Asp Met Lys Ser Gly Leu Ala Val Tyr Leu
100 105 110

His Thr Phe Ala Thr Leu Ala Thr Ser Thr Glu Leu Lys His Asp Leu
115 120 125

Thr Leu Ile Ala Tyr Glu Cys Glu Glu Val Ala Asp His Leu Asn Gly
130 135 140

Leu Gly His Ile Arg Asp Glu His Pro Glu Trp Leu Ala Ala Asp Leu
145 150 155 160

Ala Leu Leu Gly Glu Pro Thr Gly Gly Trp Ile Glu Ala Gly Cys Gln
 165 170 175

Gly Asn Leu Arg Ile Lys Val Thr Ala His Gly Val Arg Ala His Ser
 180 185 190

Ala Arg Ser Trp Leu Gly Asp Asn Ala Met His Lys Leu Ser Pro Ile
 195 200 205

Ile Ser Lys Val Ala Ala Tyr Lys Ala Ala Glu Val Asn Ile Asp Gly
 210 215 220

Leu Thr Tyr Arg Glu Gly Leu Asn Ile Val Phe Cys Glu Ser Gly Val
 225 230 235 240

Ala Asn Asn Val Ile Pro Asp Leu Ala Trp Met Asn Leu Asn Phe Arg
 245 250 255

Phe Ala Pro Asn Arg Asp Leu Asn Glu Ala Ile Glu His Val Val Glu
 260 265 270

Thr Leu Glu Leu Asp Gly Gln Asp Gly Ile Glu Trp Ala Val Glu Asp
 275 280 285

Gly Ala Gly Gly Ala Leu Pro Gly Leu Gly Gln Gln Val Thr Ser Gly
 290 295 300

Leu Ile Asp Ala Val Gly Arg Glu Lys Ile Arg Ala Lys Phe Gly Trp
 305 310 315 320

Thr Asp Val Ser Arg Phe Ser Ala Met Gly Ile Pro Ala Leu Asn Phe
 325 330 335

Gly Ala Gly Asp Pro Ser Phe Ala His Lys Arg Asp Glu Gln Cys Pro
 340 345 350

Val Glu Gln Ile Thr Asp Val Ala Ala Ile Leu Lys Gln Tyr Leu Ser
 355 360 365

Glu

<210> 33
 <211> 1059
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1036)
 <223> RXA00044

<400> 33
 attacctcag ccttccaagc tgatgatgca ttacttaaaa actgcagaca cttgaaaaac 60

ttctcaccgc cactcggttc ctcaaccac aaggagcacc atg gct tcc gca act 115
 Met Ala Ser Ala Thr
 1 5

ttc acc ggc gtg atc cca ccc gta atg acc cca ctc cac gcc gac ggc 163

Phe	Thr	Gly	Val	Ile	Pro	Pro	Val	Met	Thr	Pro	Leu	His	Ala	Asp	Gly	
				10					15					20		
agt	gtg	gat	gta	gaa	agc	ctc	cgc	aag	ctc	gtt	gac	cac	ctc	atc	aat	211
Ser	Val	Asp	Val	Glu	Ser	Leu	Arg	Lys	Leu	Val	Asp	His	Leu	Ile	Asn	
			25					30					35			
ggg	ggc	gtc	gac	gga	ctt	ttc	gca	ctg	ggc	tcc	tca	ggc	gaa	gcg	gca	259
Gly	Gly	Val	Asp	Gly	Leu	Phe	Ala	Leu	Gly	Ser	Ser	Gly	Glu	Ala	Ala	
		40					45					50				
ttc	ctc	acc	cgc	gcc	cag	cgc	aaa	ctc	gca	ctg	acc	acc	atc	atc	gag	307
Phe	Leu	Thr	Arg	Ala	Gln	Arg	Lys	Leu	Ala	Leu	Thr	Thr	Ile	Ile	Glu	
	55					60					65					
cac	acc	gca	ggc	cgc	gtt	ccc	gta	act	gct	ggg	gtc	att	gaa	acc	acc	355
His	Thr	Ala	Gly	Arg	Val	Pro	Val	Thr	Ala	Gly	Val	Ile	Glu	Thr	Thr	
	70				75					80					85	
act	gct	cgc	gtg	att	gag	ctc	gtg	gaa	gat	gcc	ctg	gag	gct	ggg	gcc	403
Thr	Ala	Arg	Val	Ile	Glu	Leu	Val	Glu	Asp	Ala	Leu	Glu	Ala	Gly	Ala	
				90				95						100		
gaa	ggc	ctc	gtt	gcc	act	gca	cct	ttc	tac	acc	cgc	acc	cac	gat	gtg	451
Glu	Gly	Leu	Val	Ala	Thr	Ala	Pro	Phe	Tyr	Thr	Arg	Thr	His	Asp	Val	
			105					110					115			
gaa	att	gaa	gaa	cac	ttc	cgc	aag	atc	cac	gcc	gcc	gct	cca	gag	ctt	499
Glu	Ile	Glu	Glu	His	Phe	Arg	Lys	Ile	His	Ala	Ala	Ala	Pro	Glu	Leu	
		120					125					130				
cca	ctg	ttt	gcc	tac	aac	atc	cca	gtg	tcg	gtg	cac	tcc	aac	ctc	aac	547
Pro	Leu	Phe	Ala	Tyr	Asn	Ile	Pro	Val	Ser	Val	His	Ser	Asn	Leu	Asn	
			135			140					145					
cca	gtc	atg	ctt	ttg	acg	ctg	gcc	aag	gat	ggc	gtt	ctt	gca	ggc	acc	595
Pro	Val	Met	Leu	Leu	Thr	Leu	Ala	Lys	Asp	Gly	Val	Leu	Ala	Gly	Thr	
	150				155					160					165	
aag	gat	tcc	agt	ggc	aat	gat	ggc	gca	atc	cgc	tca	ctg	atc	gaa	gct	643
Lys	Asp	Ser	Ser	Gly	Asn	Asp	Gly	Ala	Ile	Arg	Ser	Leu	Ile	Glu	Ala	
				170					175					180		
cgt	gat	gat	gct	gga	ctc	act	gag	cag	ttc	aag	atc	ctc	acc	ggc	agc	691
Arg	Asp	Asp	Ala	Gly	Leu	Thr	Glu	Gln	Phe	Lys	Ile	Leu	Thr	Gly	Ser	
			185					190					195			
gaa	acc	acc	gtt	gat	ttc	gcc	tac	ctt	gcg	ggg	gcc	gat	gga	gtt	gtc	739
Glu	Thr	Thr	Val	Asp	Phe	Ala	Tyr	Leu	Ala	Gly	Ala	Asp	Gly	Val	Val	
		200					205					210				
cca	ggc	ctg	ggc	aat	gtt	gat	cct	gca	gca	tac	gca	gct	tta	gca	aaa	787
Pro	Gly	Leu	Gly	Asn	Val	Asp	Pro	Ala	Ala	Tyr	Ala	Ala	Leu	Ala	Lys	
		215				220					225					
ctc	tgc	ctc	gat	gga	aag	tgg	gca	gaa	gct	gct	gct	ttg	cag	aag	cgc	835
Leu	Cys	Leu	Asp	Gly	Lys	Trp	Ala	Glu	Ala	Ala	Ala	Leu	Gln	Lys	Arg	
	230				235					240					245	
atc	aac	cac	ctc	ttc	cac	atc	gtc	ttc	gtg	gga	gac	acc	tcc	cat	atg	883
Ile	Asn	His	Leu	Phe	His	Ile	Val	Phe	Val	Gly	Asp	Thr	Ser	His	Met	

250 255 260
 tcc gga tcc agc gct ggt ttg ggc ggt ttc aag aca gca ctc gca cac 931
 Ser Gly Ser Ser Ala Gly Leu Gly Gly Phe Lys Thr Ala Leu Ala His
 265 270 275
 ctt ggc att att gaa tcc aat gcg atg gca gtt cct cac cag agc ctc 979
 Leu Gly Ile Ile Glu Ser Asn Ala Met Ala Val Pro His Gln Ser Leu
 280 285 290
 agc gac gaa gaa act gct cgc att cac gcc att gtt gat gaa ttc ctg
 1027
 Ser Asp Glu Glu Thr Ala Arg Ile His Ala Ile Val Asp Glu Phe Leu
 295 300 305
 tac acc gct taaggccac acctcatgac tga
 1059
 Tyr Thr Ala
 310
 <210> 34
 <211> 312
 <212> PRT
 <213> Corynebacterium glutamicum
 <400> 34
 Met Ala Ser Ala Thr Phe Thr Gly Val Ile Pro Pro Val Met Thr Pro
 1 5 10 15
 Leu His Ala Asp Gly Ser Val Asp Val Glu Ser Leu Arg Lys Leu Val
 20 25 30
 Asp His Leu Ile Asn Gly Gly Val Asp Gly Leu Phe Ala Leu Gly Ser
 35 40 45
 Ser Gly Glu Ala Ala Phe Leu Thr Arg Ala Gln Arg Lys Leu Ala Leu
 50 55 60
 Thr Thr Ile Ile Glu His Thr Ala Gly Arg Val Pro Val Thr Ala Gly
 65 70 75 80
 Val Ile Glu Thr Thr Thr Ala Arg Val Ile Glu Leu Val Glu Asp Ala
 85 90 95
 Leu Glu Ala Gly Ala Glu Gly Leu Val Ala Thr Ala Pro Phe Tyr Thr
 100 105 110
 Arg Thr His Asp Val Glu Ile Glu Glu His Phe Arg Lys Ile His Ala
 115 120 125
 Ala Ala Pro Glu Leu Pro Leu Phe Ala Tyr Asn Ile Pro Val Ser Val
 130 135 140
 His Ser Asn Leu Asn Pro Val Met Leu Leu Thr Leu Ala Lys Asp Gly
 145 150 155 160
 Val Leu Ala Gly Thr Lys Asp Ser Ser Gly Asn Asp Gly Ala Ile Arg
 165 170 175
 Ser Leu Ile Glu Ala Arg Asp Asp Ala Gly Leu Thr Glu Gln Phe Lys

180					185					190					
Ile	Leu	Thr	Gly	Ser	Glu	Thr	Thr	Val	Asp	Phe	Ala	Tyr	Leu	Ala	Gly
		195					200					205			
Ala	Asp	Gly	Val	Val	Pro	Gly	Leu	Gly	Asn	Val	Asp	Pro	Ala	Ala	Tyr
	210					215					220				
Ala	Ala	Leu	Ala	Lys	Leu	Cys	Leu	Asp	Gly	Lys	Trp	Ala	Glu	Ala	Ala
225					230					235					240
Ala	Leu	Gln	Lys	Arg	Ile	Asn	His	Leu	Phe	His	Ile	Val	Phe	Val	Gly
				245					250					255	
Asp	Thr	Ser	His	Met	Ser	Gly	Ser	Ser	Ala	Gly	Leu	Gly	Gly	Phe	Lys
			260					265					270		
Thr	Ala	Leu	Ala	His	Leu	Gly	Ile	Ile	Glu	Ser	Asn	Ala	Met	Ala	Val
		275					280					285			
Pro	His	Gln	Ser	Leu	Ser	Asp	Glu	Glu	Thr	Ala	Arg	Ile	His	Ala	Ile
		290				295					300				
Val	Asp	Glu	Phe	Leu	Tyr	Thr	Ala								
305					310										

<210> 35
 <211> 867
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(844)
 <223> RXA00863

<400> 35
 aacggtcagt taggtatgga tatcagcacc ttctgaacgg gtacgtctag actggtgggc 60
 gtttgaaaaa ctcttcgccc cacgaaaatg aaggagcata atg gga atc aag gtt 115
 Met Gly Ile Lys Val
 1 5
 ggc gtt ctc gga gcc aaa ggc cgt gtt ggt caa act att gtg gca gca 163
 Gly Val Leu Gly Ala Lys Gly Arg Val Gly Gln Thr Ile Val Ala Ala
 10 15 20
 gtc aat gag tcc gac gat ctg gag ctt gtt gca gag atc ggc gtc gac 211
 Val Asn Glu Ser Asp Asp Leu Glu Leu Val Ala Glu Ile Gly Val Asp
 25 30 35
 gat gat ttg agc ctt ctg gta gac aac ggc gct gaa gtt gtc gtt gac 259
 Asp Asp Leu Ser Leu Leu Val Asp Asn Gly Ala Glu Val Val Val Asp
 40 45 50
 ttc acc act cct aac gct gtg atg ggc aac ctg gag ttc tgc atc aac 307
 Phe Thr Thr Pro Asn Ala Val Met Gly Asn Leu Glu Phe Cys Ile Asn
 55 60 65
 aac ggc att tct gcg gtt gtt gga acc acg ggc ttc gat gat gct cgt 355

Asn	Gly	Ile	Ser	Ala	Val	Val	Gly	Thr	Thr	Gly	Phe	Asp	Asp	Ala	Arg	
70					75					80					85	
ttg	gag	cag	gtt	cgc	gac	tgg	ctt	gaa	gga	aaa	gac	aat	gtc	ggt	gtt	403
Leu	Glu	Gln	Val	Arg	Asp	Trp	Leu	Glu	Gly	Lys	Asp	Asn	Val	Gly	Val	
				90					95					100		
ctg	atc	gca	cct	aac	ttt	gct	atc	tct	gcg	gtg	ttg	acc	atg	gtc	ttt	451
Leu	Ile	Ala	Pro	Asn	Phe	Ala	Ile	Ser	Ala	Val	Leu	Thr	Met	Val	Phe	
			105					110					115			
tcc	aag	cag	gct	gcc	cgc	ttc	ttc	gaa	tca	gct	gaa	gtt	att	gag	ctg	499
Ser	Lys	Gln	Ala	Ala	Arg	Phe	Phe	Glu	Ser	Ala	Glu	Val	Ile	Glu	Leu	
		120					125					130				
cac	cac	ccc	aac	aag	ctg	gat	gca	cct	tca	ggc	acc	gcg	atc	cac	act	547
His	His	Pro	Asn	Lys	Leu	Asp	Ala	Pro	Ser	Gly	Thr	Ala	Ile	His	Thr	
		135				140					145					
gct	cag	ggc	att	gct	gcg	gca	cgc	aaa	gaa	gca	ggc	atg	gac	gca	cag	595
Ala	Gln	Gly	Ile	Ala	Ala	Ala	Arg	Lys	Glu	Ala	Gly	Met	Asp	Ala	Gln	
150					155					160					165	
cca	gat	gcg	acc	gag	cag	gca	ctt	gag	ggc	tcc	cgt	ggc	gca	agc	gta	643
Pro	Asp	Ala	Thr	Glu	Gln	Ala	Leu	Glu	Gly	Ser	Arg	Gly	Ala	Ser	Val	
				170					175					180		
gat	gga	atc	ccg	gtt	cat	gca	gtc	cgc	atg	tcc	ggc	atg	gtt	gct	cac	691
Asp	Gly	Ile	Pro	Val	His	Ala	Val	Arg	Met	Ser	Gly	Met	Val	Ala	His	
			185					190					195			
gag	caa	gtt	atc	ttt	ggc	acc	cag	ggc	cag	acc	ttg	acc	atc	aag	cag	739
Glu	Gln	Val	Ile	Phe	Gly	Thr	Gln	Gly	Gln	Thr	Leu	Thr	Ile	Lys	Gln	
		200					205					210				
gac	tcc	tat	gat	cgc	aac	tca	ttt	gca	cca	ggc	gtc	ttg	gtg	ggc	gtg	787
Asp	Ser	Tyr	Asp	Arg	Asn	Ser	Phe	Ala	Pro	Gly	Val	Leu	Val	Gly	Val	
		215				220					225					
cgc	aac	att	gca	cag	cac	cca	ggc	cta	gtc	gta	gga	ctt	gag	cat	tac	835
Arg	Asn	Ile	Ala	Gln	His	Pro	Gly	Leu	Val	Val	Gly	Leu	Glu	His	Tyr	
230					235					240					245	
cta	ggc	ctg	taaaggctca	tttcagcagc	ggg											867
Leu	Gly	Leu														

<210> 36

<211> 248

<212> PRT

<213> Corynebacterium glutamicum

<400> 36

Met	Gly	Ile	Lys	Val	Gly	Val	Leu	Gly	Ala	Lys	Gly	Arg	Val	Gly	Gln	
1				5					10					15		

Thr	Ile	Val	Ala	Ala	Val	Asn	Glu	Ser	Asp	Asp	Leu	Glu	Leu	Val	Ala	
			20					25					30			

Glu	Ile	Gly	Val	Asp	Asp	Asp	Leu	Ser	Leu	Leu	Val	Asp	Asn	Gly	Ala	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--

10						15						20						
gat	gtt	gag	tgg	tca	act	gat	gtt	gag	ggc	gcg	gaa	gca	ctc	gtc	gag	211		
Asp	Val	Glu	Trp	Ser	Thr	Asp	Val	Glu	Gly	Ala	Glu	Ala	Leu	Val	Glu			
			25					30					35					
ttt	gcg	ggt	cgt	gcc	tgc	tac	gaa	act	ttt	gat	aag	ccg	aac	cct	cga	259		
Phe	Ala	Gly	Arg	Ala	Cys	Tyr	Glu	Thr	Phe	Asp	Lys	Pro	Asn	Pro	Arg			
		40					45					50						
act	gct	tcc	aat	gct	gcg	tat	ctg	cgc	cac	atc	atg	gaa	gtg	ggg	cac	307		
Thr	Ala	Ser	Asn	Ala	Ala	Tyr	Leu	Arg	His	Ile	Met	Glu	Val	Gly	His			
	55					60					65							
act	gct	ttg	ctt	gag	cat	gcc	aat	gcc	acg	atg	tat	atc	cga	ggc	att	355		
Thr	Ala	Leu	Leu	Glu	His	Ala	Asn	Ala	Thr	Met	Tyr	Ile	Arg	Gly	Ile			
	70				75				80						85			
tct	cgg	tcc	gcg	acc	cat	gaa	ttg	gtc	cga	cac	cgc	cat	ttt	tcc	ttc	403		
Ser	Arg	Ser	Ala	Thr	His	Glu	Leu	Val	Arg	His	Arg	His	Phe	Ser	Phe			
				90					95					100				
tct	caa	ctg	tct	cag	cgt	ttc	gtg	cac	agc	gga	gaa	tcg	gaa	gta	gtg	451		
Ser	Gln	Leu	Ser	Gln	Arg	Phe	Val	His	Ser	Gly	Glu	Ser	Glu	Val	Val			
			105					110					115					
gtg	ccc	act	ctc	atc	gat	gaa	gat	ccg	cag	ttg	cgt	gaa	ctt	ttc	atg	499		
Val	Pro	Thr	Leu	Ile	Asp	Glu	Asp	Pro	Gln	Leu	Arg	Glu	Leu	Phe	Met			
		120					125					130						
cac	gcc	atg	gat	gag	tct	cgg	ttc	gct	ttc	aat	gag	ctg	ctt	aat	gcg	547		
His	Ala	Met	Asp	Glu	Ser	Arg	Phe	Ala	Phe	Asn	Glu	Leu	Leu	Asn	Ala			
	135					140					145							
ctg	gaa	gaa	aaa	ctt	ggc	gat	gaa	ccg	aat	gca	ctt	tta	agg	aaa	aag	595		
Leu	Glu	Glu	Lys	Leu	Gly	Asp	Glu	Pro	Asn	Ala	Leu	Leu	Arg	Lys	Lys			
					155					160					165			
cag	gct	cgt	caa	gca	gct	cgc	gct	gtg	ctg	ccc	aac	gct	aca	gag	tcc	643		
Gln	Ala	Arg	Gln	Ala	Ala	Arg	Ala	Val	Leu	Pro	Asn	Ala	Thr	Glu	Ser			
				170					175					180				
aga	atc	gtg	gtg	tct	gga	aac	ttc	cgc	acc	tgg	agg	cat	ttc	att	ggc	691		
Arg	Ile	Val	Val	Ser	Gly	Asn	Phe	Arg	Thr	Trp	Arg	His	Phe	Ile	Gly			
				185				190					195					
atg	cga	gcc	agt	gaa	cat	gca	gac	gtc	gaa	atc	cgc	gaa	gta	gcg	gta	739		
Met	Arg	Ala	Ser	Glu	His	Ala	Asp	Val	Glu	Ile	Arg	Glu	Val	Ala	Val			
		200					205					210						
gaa	tgt	tta	aga	aag	ctg	cag	gta	gca	gcg	cca	act	gtt	ttc	ggt	gat	787		
Glu	Cys	Leu	Arg	Lys	Leu	Gln	Val	Ala	Ala	Pro	Thr	Val	Phe	Gly	Asp			
	215					220					225							
ttt	gag	att	gaa	act	ttg	gca	gac	gga	tcg	caa	atg	gca	aca	agc	ccg	835		
Phe	Glu	Ile	Glu	Thr	Leu	Ala	Asp	Gly	Ser	Gln	Met	Ala	Thr	Ser	Pro			
					235					240					245			
tat	gtc	atg	gac	ttt	taacgcaaag ctcacaccca cga											873		
Tyr	Val	Met	Asp	Phe														
				250														

<210> 38
 <211> 250
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 38
 Val Ala Glu Gln Val Lys Leu Ser Val Glu Leu Ile Ala Cys Ser Ser
 1 5 10 15
 Phe Thr Pro Pro Ala Asp Val Glu Trp Ser Thr Asp Val Glu Gly Ala
 20 25 30
 Glu Ala Leu Val Glu Phe Ala Gly Arg Ala Cys Tyr Glu Thr Phe Asp
 35 40 45
 Lys Pro Asn Pro Arg Thr Ala Ser Asn Ala Ala Tyr Leu Arg His Ile
 50 55 60
 Met Glu Val Gly His Thr Ala Leu Leu Glu His Ala Asn Ala Thr Met
 65 70 75 80
 Tyr Ile Arg Gly Ile Ser Arg Ser Ala Thr His Glu Leu Val Arg His
 85 90 95
 Arg His Phe Ser Phe Ser Gln Leu Ser Gln Arg Phe Val His Ser Gly
 100 105 110
 Glu Ser Glu Val Val Val Pro Thr Leu Ile Asp Glu Asp Pro Gln Leu
 115 120 125
 Arg Glu Leu Phe Met His Ala Met Asp Glu Ser Arg Phe Ala Phe Asn
 130 135 140
 Glu Leu Leu Asn Ala Leu Glu Glu Lys Leu Gly Asp Glu Pro Asn Ala
 145 150 155 160
 Leu Leu Arg Lys Lys Gln Ala Arg Gln Ala Ala Arg Ala Val Leu Pro
 165 170 175
 Asn Ala Thr Glu Ser Arg Ile Val Val Ser Gly Asn Phe Arg Thr Trp
 180 185 190
 Arg His Phe Ile Gly Met Arg Ala Ser Glu His Ala Asp Val Glu Ile
 195 200 205
 Arg Glu Val Ala Val Glu Cys Leu Arg Lys Leu Gln Val Ala Ala Pro
 210 215 220
 Thr Val Phe Gly Asp Phe Glu Ile Glu Thr Leu Ala Asp Gly Ser Gln
 225 230 235 240
 Met Ala Thr Ser Pro Tyr Val Met Asp Phe
 245 250

<210> 39
 <211> 608
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (69) .. (608)
 <223> RXA02843

<400> 39

cccattgcgc ggaggtcgca ccccttccga cttgaactga taggccgata gaaattattc 60

tggacgtcatg act act gct tcc gca acc gga att gca aca ctg acc tcc 110
 Met Thr Thr Ala Ser Ala Thr Gly Ile Ala Thr Leu Thr Ser
 1 5 10

acc ggc gac gtc ctg gac gtg tgg tat cca gaa atc ggg tcc acc gac 158
 Thr Gly Asp Val Leu Asp Val Trp Tyr Pro Glu Ile Gly Ser Thr Asp
 15 20 25 30

cag tcc gcg ctc aca cct cta gaa ggc gtc gat gaa gat cga aac gtc 206
 Gln Ser Ala Leu Thr Pro Leu Glu Gly Val Asp Glu Asp Arg Asn Val
 35 40 45

acc cgc aaa atc gtg acg aca act atc gac acc gac gca gcc ccc acc 254
 Thr Arg Lys Ile Val Thr Thr Thr Ile Asp Thr Asp Ala Ala Pro Thr
 50 55 60

gac acc tac gat gca tgg ctg cgc ctt cac ctc ctc tcc cac cgc gtt 302
 Asp Thr Tyr Asp Ala Trp Leu Arg Leu His Leu Leu Ser His Arg Val
 65 70 75

ttc cgc cct cac acc atc aac cta gac ggc att ttc ggc ctc ctc aac 350
 Phe Arg Pro His Thr Ile Asn Leu Asp Gly Ile Phe Gly Leu Leu Asn
 80 85 90

aat gtc gtg tgg acc aac ttc gga ccg tgc gca gtt gac ggt ttc gca 398
 Asn Val Val Trp Thr Asn Phe Gly Pro Cys Ala Val Asp Gly Phe Ala
 95 100 105 110

ctc acc cgc gcg cgc ctg tca cgc cga ggc caa gtt acg gtt tat agc 446
 Leu Thr Arg Ala Arg Leu Ser Arg Arg Gly Gln Val Thr Val Tyr Ser
 115 120 125

gtc gac aag ttc cca cgc atg gtc gac tat gtg gtt ccc tcg ggc gtg 494
 Val Asp Lys Phe Pro Arg Met Val Asp Tyr Val Val Pro Ser Gly Val
 130 135 140

cgc atc ggt gac gcc gac cgc gtc cga ctt ggc gcg tac ctg gca gat 542
 Arg Ile Gly Asp Ala Asp Arg Val Arg Leu Gly Ala Tyr Leu Ala Asp
 145 150 155

ggc acc acc gtg atg cat gag ggc ttc gtg aac ttc aac gct ggc acg 590
 Gly Thr Thr Val Met His Glu Gly Phe Val Asn Phe Asn Ala Gly Thr
 160 165 170

ctc ggc gct tcc atg gtt 608
 Leu Gly Ala Ser Met Val
 175 180

<210> 40
 <211> 180
 <212> PRT

<213> Corynebacterium glutamicum

<400> 40

Met Thr Thr Ala Ser Ala Thr Gly Ile Ala Thr Leu Thr Ser Thr Gly
 1 5 10 15

Asp Val Leu Asp Val Trp Tyr Pro Glu Ile Gly Ser Thr Asp Gln Ser
 20 25 30

Ala Leu Thr Pro Leu Glu Gly Val Asp Glu Asp Arg Asn Val Thr Arg
 35 40 45

Lys Ile Val Thr Thr Thr Ile Asp Thr Asp Ala Ala Pro Thr Asp Thr
 50 55 60

Tyr Asp Ala Trp Leu Arg Leu His Leu Leu Ser His Arg Val Phe Arg
 65 70 75 80

Pro His Thr Ile Asn Leu Asp Gly Ile Phe Gly Leu Leu Asn Asn Val
 85 90 95

Val Trp Thr Asn Phe Gly Pro Cys Ala Val Asp Gly Phe Ala Leu Thr
 100 105 110

Arg Ala Arg Leu Ser Arg Arg Gly Gln Val Thr Val Tyr Ser Val Asp
 115 120 125

Lys Phe Pro Arg Met Val Asp Tyr Val Val Pro Ser Gly Val Arg Ile
 130 135 140

Gly Asp Ala Asp Arg Val Arg Leu Gly Ala Tyr Leu Ala Asp Gly Thr
 145 150 155 160

Thr Val Met His Glu Gly Phe Val Asn Phe Asn Ala Gly Thr Leu Gly
 165 170 175

Ala Ser Met Val
 180

<210> 41

<211> 1143

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1120)

<223> RXN00355

<400> 41

aatagatcag cgcattccgtg gtggaaccaa aaggctcaac aatacgaaac gttcgctttc 60

ggctcctgatg aaagagatgt ccctgaatca tcatctaagt atg cat ctc ggt aag 115
 Met His Leu Gly Lys
 1 5

ctc gac cag gac agt gcc acc aca att ttg gag gat tac aag aac atg 163
 Leu Asp Gln Asp Ser Ala Thr Thr Ile Leu Glu Asp Tyr Lys Asn Met
 10 15 20

acc aac atc cgc gta gct atc gtg ggc tac gga aac ctg gga cgc agc	211
Thr Asn Ile Arg Val Ala Ile Val Gly Tyr Gly Asn Leu Gly Arg Ser	
25 30 35	
gtc gaa aag ctt att gcc aag cag ccc gac atg gac ctt gta gga atc	259
Val Glu Lys Leu Ile Ala Lys Gln Pro Asp Met Asp Leu Val Gly Ile	
40 45 50	
ttc tcg cgc cgg gcc acc ctc gac aca aag acg cca gtc ttt gat gtc	307
Phe Ser Arg Arg Ala Thr Leu Asp Thr Lys Thr Pro Val Phe Asp Val	
55 60 65	
gcc gac gtg gac aag cac gcc gac gac gtg gac gtg ctg ttc ctg tgc	355
Ala Asp Val Asp Lys His Ala Asp Asp Val Asp Val Leu Phe Leu Cys	
70 75 80 85	
atg ggc tcc gcc acc gac atc cct gag cag gca cca aag ttc gcg cag	403
Met Gly Ser Ala Thr Asp Ile Pro Glu Gln Ala Pro Lys Phe Ala Gln	
90 95 100	
ttc gcc tgc acc gta gac acc tac gac aac cac cgc gac atc cca cgc	451
Phe Ala Cys Thr Val Asp Thr Tyr Asp Asn His Arg Asp Ile Pro Arg	
105 110 115	
cac cgc cag gtc atg aac gaa gcc gcc acc gca gcc ggc aac gtt gca	499
His Arg Gln Val Met Asn Glu Ala Ala Thr Ala Ala Gly Asn Val Ala	
120 125 130	
ctg gtc tct acc ggc tgg gat cca gga atg ttc tcc atc aac cgc gtc	547
Leu Val Ser Thr Gly Trp Asp Pro Gly Met Phe Ser Ile Asn Arg Val	
135 140 145	
tac gca gcg gca gtc tta gcc gag cac cag cag cac acc ttc tgg ggc	595
Tyr Ala Ala Ala Val Leu Ala Glu His Gln Gln His Thr Phe Trp Gly	
150 155 160 165	
cca ggt ttg tca cag ggc cac tcc gat gct ttg cga cgc atc cct ggc	643
Pro Gly Leu Ser Gln Gly His Ser Asp Ala Leu Arg Arg Ile Pro Gly	
170 175 180	
gtt caa aag gca gtc cag tac acc ctc cca tcc gaa gac gcc ctg gaa	691
Val Gln Lys Ala Val Gln Tyr Thr Leu Pro Ser Glu Asp Ala Leu Glu	
185 190 195	
aag gcc cgc cgc ggc gaa gcc ggc gac ctt acc gga aag caa acc cac	739
Lys Ala Arg Arg Gly Glu Ala Gly Asp Leu Thr Gly Lys Gln Thr His	
200 205 210	
aag cgc caa tgc ttc gtg gtt gcc gac gcg gcc gat cac gag cgc atc	787
Lys Arg Gln Cys Phe Val Val Ala Asp Ala Ala Asp His Glu Arg Ile	
215 220 225	
gaa aac gac atc cgc acc atg cct gat tac ttc gtt ggc tac gaa gtc	835
Glu Asn Asp Ile Arg Thr Met Pro Asp Tyr Phe Val Gly Tyr Glu Val	
230 235 240 245	
gaa gtc aac ttc atc gac gaa gca acc ttc gac tcc gag cac acc ggc	883
Glu Val Asn Phe Ile Asp Glu Ala Thr Phe Asp Ser Glu His Thr Gly	
250 255 260	
atg cca cac ggt ggc cac gtg att acc acc ggc gac acc ggt ggc ttc	931

Met Pro His Gly Gly His Val Ile Thr Thr Gly Asp Thr Gly Gly Phe
 265 270 275

aac cac acc gtg gaa tac atc ctc aag ctg gac cga aac cca gat ttc 979
 Asn His Thr Val Glu Tyr Ile Leu Lys Leu Asp Arg Asn Pro Asp Phe
 280 285 290

acc gct tcc tca cag atc gct ttc ggt cgc gca gct cac cgc atg aag
 1027

Thr Ala Ser Ser Gln Ile Ala Phe Gly Arg Ala Ala His Arg Met Lys
 295 300 305

cag cag ggc caa agc gga gct ttc acc gtc ctc gaa gtt gct cca tac
 1075

Gln Gln Gly Gln Ser Gly Ala Phe Thr Val Leu Glu Val Ala Pro Tyr
 310 315 320 325

ctg ctc tcc cca gag aac ttg gac gat ctg atc gca cgc gac gtc
 1120

Leu Leu Ser Pro Glu Asn Leu Asp Asp Leu Ile Ala Arg Asp Val
 330 335 340

taatttagct cgaggggcaa gga
 1143

<210> 42
 <211> 340
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 42
 Met His Leu Gly Lys Leu Asp Gln Asp Ser Ala Thr Thr Ile Leu Glu
 1 5 10 15

Asp Tyr Lys Asn Met Thr Asn Ile Arg Val Ala Ile Val Gly Tyr Gly
 20 25 30

Asn Leu Gly Arg Ser Val Glu Lys Leu Ile Ala Lys Gln Pro Asp Met
 35 40 45

Asp Leu Val Gly Ile Phe Ser Arg Arg Ala Thr Leu Asp Thr Lys Thr
 50 55 60

Pro Val Phe Asp Val Ala Asp Val Asp Lys His Ala Asp Asp Val Asp
 65 70 75 80

Val Leu Phe Leu Cys Met Gly Ser Ala Thr Asp Ile Pro Glu Gln Ala
 85 90 95

Pro Lys Phe Ala Gln Phe Ala Cys Thr Val Asp Thr Tyr Asp Asn His
 100 105 110

Arg Asp Ile Pro Arg His Arg Gln Val Met Asn Glu Ala Ala Thr Ala
 115 120 125

Ala Gly Asn Val Ala Leu Val Ser Thr Gly Trp Asp Pro Gly Met Phe
 130 135 140

Ser Ile Asn Arg Val Tyr Ala Ala Ala Val Leu Ala Glu His Gln Gln
 145 150 155 160

His Thr Phe Trp Gly Pro Gly Leu Ser Gln Gly His Ser Asp Ala Leu
 165 170 175
 Arg Arg Ile Pro Gly Val Gln Lys Ala Val Gln Tyr Thr Leu Pro Ser
 180 185 190
 Glu Asp Ala Leu Glu Lys Ala Arg Arg Gly Glu Ala Gly Asp Leu Thr
 195 200 205
 Gly Lys Gln Thr His Lys Arg Gln Cys Phe Val Val Ala Asp Ala Ala
 210 215 220
 Asp His Glu Arg Ile Glu Asn Asp Ile Arg Thr Met Pro Asp Tyr Phe
 225 230 235 240
 Val Gly Tyr Glu Val Glu Val Asn Phe Ile Asp Glu Ala Thr Phe Asp
 245 250 255
 Ser Glu His Thr Gly Met Pro His Gly Gly His Val Ile Thr Thr Gly
 260 265 270
 Asp Thr Gly Gly Phe Asn His Thr Val Glu Tyr Ile Leu Lys Leu Asp
 275 280 285
 Arg Asn Pro Asp Phe Thr Ala Ser Ser Gln Ile Ala Phe Gly Arg Ala
 290 295 300
 Ala His Arg Met Lys Gln Gln Gly Gln Ser Gly Ala Phe Thr Val Leu
 305 310 315 320
 Glu Val Ala Pro Tyr Leu Leu Ser Pro Glu Asn Leu Asp Asp Leu Ile
 325 330 335
 Ala Arg Asp Val
 340

<210> 43
 <211> 958
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(958)
 <223> FRXA00352

<400> 43
 aatagatcag cgcattccgtg gtggaaccaa aaggctcaac aatacgaac gttcgctttc 60
 ggtcctgatg aaagagatgt ccctgaatca tcatctaagt atg cat ctc ggt aag 115
 Met His Leu Gly Lys
 1 5
 ctc gac cag gac agt gcc acc aca att ttg gag gat tac aag aac atg 163
 Leu Asp Gln Asp Ser Ala Thr Thr Ile Leu Glu Asp Tyr Lys Asn Met
 10 15 20
 acc aac atc cgc gta gct atc gtg ggc tac gga aac ctg gga cgc agc 211
 Thr Asn Ile Arg Val Ala Ile Val Gly Tyr Gly Asn Leu Gly Arg Ser

25					30					35						
gtc	gaa	aag	ctt	att	gcc	aag	cag	ccc	gac	atg	gac	ctt	gta	gga	atc	259
Val	Glu	Lys	Leu	Ile	Ala	Lys	Gln	Pro	Asp	Met	Asp	Leu	Val	Gly	Ile	
		40					45					50				
ttc	tcg	cgc	cgg	gcc	acc	ctc	gac	aca	aag	acg	cca	gtc	ttt	gat	gtc	307
Phe	Ser	Arg	Arg	Ala	Thr	Leu	Asp	Thr	Lys	Thr	Pro	Val	Phe	Asp	Val	
	55					60					65					
gcc	gac	gtg	gac	aag	cac	gcc	gac	gac	gtg	gac	gtg	ctg	ttc	ctg	tgc	355
Ala	Asp	Val	Asp	Lys	His	Ala	Asp	Asp	Val	Asp	Val	Leu	Phe	Leu	Cys	
70					75					80					85	
atg	ggc	tcc	gcc	acc	gac	atc	cct	gag	cag	gca	cca	aag	ttc	gcg	cag	403
Met	Gly	Ser	Ala	Thr	Asp	Ile	Pro	Glu	Gln	Ala	Pro	Lys	Phe	Ala	Gln	
				90					95					100		
ttc	gcc	tgc	acc	gta	gac	acc	tac	gac	aac	cac	cgc	gac	atc	cca	cgc	451
Phe	Ala	Cys	Thr	Val	Asp	Thr	Tyr	Asp	Asn	His	Arg	Asp	Ile	Pro	Arg	
			105					110					115			
cac	cgc	cag	gtc	atg	aac	gaa	gcc	gcc	acc	gca	gcc	ggc	aac	gtt	gca	499
His	Arg	Gln	Val	Met	Asn	Glu	Ala	Ala	Thr	Ala	Ala	Gly	Asn	Val	Ala	
		120					125					130				
ctg	gtc	tct	acc	ggc	tgg	gat	cca	gga	atg	ttc	tcc	atc	aac	cgc	gtc	547
Leu	Val	Ser	Thr	Gly	Trp	Asp	Pro	Gly	Met	Phe	Ser	Ile	Asn	Arg	Val	
	135					140						145				
tac	gca	gcg	gca	gtc	tta	gcc	gag	cac	cag	cag	cac	acc	ttc	tgg	ggc	595
Tyr	Ala	Ala	Ala	Val	Leu	Ala	Glu	His	Gln	Gln	His	Thr	Phe	Trp	Gly	
150					155					160					165	
cca	ggt	ttg	tca	cag	ggc	cac	tcc	gat	gct	ttg	cga	cgc	atc	cct	ggc	643
Pro	Gly	Leu	Ser	Gln	Gly	His	Ser	Asp	Ala	Leu	Arg	Arg	Ile	Pro	Gly	
				170					175					180		
gtt	caa	aag	gca	gtc	cag	tac	acc	ctc	cca	tcc	gaa	gac	gcc	ctg	gaa	691
Val	Gln	Lys	Ala	Val	Gln	Tyr	Thr	Leu	Pro	Ser	Glu	Asp	Ala	Leu	Glu	
			185					190					195			
aag	gcc	cgc	cgc	ggc	gaa	gcc	ggc	gac	ctt	acc	gga	aag	caa	acc	cac	739
Lys	Ala	Arg	Arg	Gly	Glu	Ala	Gly	Asp	Leu	Thr	Gly	Lys	Gln	Thr	His	
		200					205					210				
aag	cgc	caa	tgc	ttc	gtg	gtt	gcc	gac	gcg	gcc	gat	cac	gag	cgc	atc	787
Lys	Arg	Gln	Cys	Phe	Val	Val	Ala	Asp	Ala	Ala	Asp	His	Glu	Arg	Ile	
	215					220					225					
gaa	aac	gac	atc	cgc	acc	atg	cct	gat	tac	ttc	gtt	ggc	tac	gaa	gtc	835
Glu	Asn	Asp	Ile	Arg	Thr	Met	Pro	Asp	Tyr	Phe	Val	Gly	Tyr	Glu	Val	
230					235					240					245	
gaa	gtc	aac	ttc	atc	gac	gaa	gca	acc	ttc	gac	tcc	gag	cac	acc	ggc	883
Glu	Val	Asn	Phe	Ile	Asp	Glu	Ala	Thr	Phe	Asp	Ser	Glu	His	Thr	Gly	
			250						255					260		
atg	cca	cac	ggt	ggc	cac	gtg	att	acc	acc	ggc	gac	acc	ggt	ggc	ttc	931
Met	Pro	His	Gly	Gly	His	Val	Ile	Thr	Thr	Gly	Asp	Thr	Gly	Gly	Phe	
			265					270					275			

aac cac acc gtg gaa tac atc ctc aag
 Asn His Thr Val Glu Tyr Ile Leu Lys
 280 285

958

<210> 44
 <211> 286
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 44
 Met His Leu Gly Lys Leu Asp Gln Asp Ser Ala Thr Thr Ile Leu Glu
 1 5 10 15
 Asp Tyr Lys Asn Met Thr Asn Ile Arg Val Ala Ile Val Gly Tyr Gly
 20 25 30
 Asn Leu Gly Arg Ser Val Glu Lys Leu Ile Ala Lys Gln Pro Asp Met
 35 40 45
 Asp Leu Val Gly Ile Phe Ser Arg Arg Ala Thr Leu Asp Thr Lys Thr
 50 55 60
 Pro Val Phe Asp Val Ala Asp Val Asp Lys His Ala Asp Asp Val Asp
 65 70 75 80
 Val Leu Phe Leu Cys Met Gly Ser Ala Thr Asp Ile Pro Glu Gln Ala
 85 90 95
 Pro Lys Phe Ala Gln Phe Ala Cys Thr Val Asp Thr Tyr Asp Asn His
 100 105 110
 Arg Asp Ile Pro Arg His Arg Gln Val Met Asn Glu Ala Ala Thr Ala
 115 120 125
 Ala Gly Asn Val Ala Leu Val Ser Thr Gly Trp Asp Pro Gly Met Phe
 130 135 140
 Ser Ile Asn Arg Val Tyr Ala Ala Ala Val Leu Ala Glu His Gln Gln
 145 150 155 160
 His Thr Phe Trp Gly Pro Gly Leu Ser Gln Gly His Ser Asp Ala Leu
 165 170 175
 Arg Arg Ile Pro Gly Val Gln Lys Ala Val Gln Tyr Thr Leu Pro Ser
 180 185 190
 Glu Asp Ala Leu Glu Lys Ala Arg Arg Gly Glu Ala Gly Asp Leu Thr
 195 200 205
 Gly Lys Gln Thr His Lys Arg Gln Cys Phe Val Val Ala Asp Ala Ala
 210 215 220
 Asp His Glu Arg Ile Glu Asn Asp Ile Arg Thr Met Pro Asp Tyr Phe
 225 230 235 240
 Val Gly Tyr Glu Val Glu Val Asn Phe Ile Asp Glu Ala Thr Phe Asp
 245 250 255
 Ser Glu His Thr Gly Met Pro His Gly Gly His Val Ile Thr Thr Gly

260 265 270

Asp Thr Gly Gly Phe Asn His Thr Val Glu Tyr Ile Leu Lys
275 280 285

<210> 45
<211> 1400
<212> DNA
<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (1)..(1377)
<223> RXA00972

<400> 45

cct gca cct ggt tgg cgt ttc cgc acc gga gaa gat gta aca atg gct	48
Pro Ala Pro Gly Trp Arg Phe Arg Thr Gly Glu Asp Val Thr Met Ala	
1 5 10 15	
aca gtt gaa aat ttc aat gaa ctt ccc gca cac gta tgg cca cgc aat	96
Thr Val Glu Asn Phe Asn Glu Leu Pro Ala His Val Trp Pro Arg Asn	
20 25 30	
gcc gtg cgc caa gaa gac ggc gtt gtc acc gtc gct ggt gtg cct ctg	144
Ala Val Arg Gln Glu Asp Gly Val Val Thr Val Ala Gly Val Pro Leu	
35 40 45	
cct gac ctc gct gaa gaa tac gga acc cca ctg ttc gta gtc gac gag	192
Pro Asp Leu Ala Glu Glu Tyr Gly Thr Pro Leu Phe Val Val Asp Glu	
50 55 60	
gac gat ttc cgt tcc cgc tgt cgc gac atg gct acc gca ttc ggt gga	240
Asp Asp Phe Arg Ser Arg Cys Arg Asp Met Ala Thr Ala Phe Gly Gly	
65 70 75 80	
cca ggc aat gtg cac tac gca tct aaa gcg ttc ctg acc aag acc att	288
Pro Gly Asn Val His Tyr Ala Ser Lys Ala Phe Leu Thr Lys Thr Ile	
85 90 95	
gca cgt tgg gtt gat gaa gag ggg ctg gca ctg gac att gca tcc atc	336
Ala Arg Trp Val Asp Glu Glu Gly Leu Ala Leu Asp Ile Ala Ser Ile	
100 105 110	
aac gaa ctg ggc att gcc ctg gcc gct ggt ttc ccc gcc agc cgt atc	384
Asn Glu Leu Gly Ile Ala Leu Ala Ala Gly Phe Pro Ala Ser Arg Ile	
115 120 125	
acc gcg cac ggc aac aac aaa ggc gta gag ttc ctg cgc gcg ttg gtt	432
Thr Ala His Gly Asn Asn Lys Gly Val Glu Phe Leu Arg Ala Leu Val	
130 135 140	
caa aac ggt gtg gga cac gtg gtg ctg gac tcc gca cag gaa cta gaa	480
Gln Asn Gly Val Gly His Val Val Leu Asp Ser Ala Gln Glu Leu Glu	
145 150 155 160	
ctg ttg gat tac gtt gcc gct ggt gaa ggc aag att cag gac gtg ttg	528
Leu Leu Asp Tyr Val Ala Ala Gly Glu Gly Lys Ile Gln Asp Val Leu	
165 170 175	

atc cgc gta aag cca ggc atc gaa gca cac acc cac gag ttc atc gcc	576
Ile Arg Val Lys Pro Gly Ile Glu Ala His Thr His Glu Phe Ile Ala	
180 185 190	
act agc cac gaa gac cag aag ttc gga ttc tcc ctg gca tcc ggt tcc	624
Thr Ser His Glu Asp Gln Lys Phe Gly Phe Ser Leu Ala Ser Gly Ser	
195 200 205	
gca ttc gaa gca gca aaa gcc gcc aac aac gca gaa aac ctg aac ctg	672
Ala Phe Glu Ala Ala Lys Ala Ala Asn Asn Ala Glu Asn Leu Asn Leu	
210 215 220	
gtt ggc ctg cac tgc cac gtt ggt tcc cag gtg ttc gac gcc gaa ggc	720
Val Gly Leu His Cys His Val Gly Ser Gln Val Phe Asp Ala Glu Gly	
225 230 235 240	
ttc aag ctg gca gca gaa cgc gtg ttg ggc ctg tac tca cag atc cac	768
Phe Lys Leu Ala Ala Glu Arg Val Leu Gly Leu Tyr Ser Gln Ile His	
245 250 255	
agc gaa ctg ggc gtt gcc ctt cct gaa ctg gat ctc ggt ggc gga tac	816
Ser Glu Leu Gly Val Ala Leu Pro Glu Leu Asp Leu Gly Gly Gly Tyr	
260 265 270	
ggc att gcc tat acc gca gct gaa gaa cca ctc aac gtc gca gaa gtt	864
Gly Ile Ala Tyr Thr Ala Ala Glu Glu Pro Leu Asn Val Ala Glu Val	
275 280 285	
gcc tcc gac ctg ctc acc gca gtc gga aaa atg gca gcg gaa cta ggc	912
Ala Ser Asp Leu Leu Thr Ala Val Gly Lys Met Ala Ala Glu Leu Gly	
290 295 300	
atc gac gca cca acc gtg ctt gtt gag ccc ggc cgc gct atc gca ggc	960
Ile Asp Ala Pro Thr Val Leu Val Glu Pro Gly Arg Ala Ile Ala Gly	
305 310 315 320	
ccc tcc acc gtg acc atc tac gaa gtc ggc acc acc aaa gac gtc cac	
1008	
Pro Ser Thr Val Thr Ile Tyr Glu Val Gly Thr Thr Lys Asp Val His	
325 330 335	
gta gac gac gac aaa acc cgc cgt tac atc gcc gtg gac gga ggc atg	
1056	
Val Asp Asp Asp Lys Thr Arg Arg Tyr Ile Ala Val Asp Gly Gly Met	
340 345 350	
tcc gac aac atc cgc cca gca ctc tac ggg tcc gaa tac gac gcc cgc	
1104	
Ser Asp Asn Ile Arg Pro Ala Leu Tyr Gly Ser Glu Tyr Asp Ala Arg	
355 360 365	
gta gta tcc cgc ttc gcc gaa gga gac cca gta agc acc cgc atc gtg	
1152	
Val Val Ser Arg Phe Ala Glu Gly Asp Pro Val Ser Thr Arg Ile Val	
370 375 380	
ggc tcc cac tgc gaa tcc ggc gat atc ctg atc aac gat gaa atc tac	
1200	
Gly Ser His Cys Glu Ser Gly Asp Ile Leu Ile Asn Asp Glu Ile Tyr	
385 390 395 400	

cca tct gac atc acc agc ggc gac ttc ctt gca ctc gca gcc acc ggc
1248

Pro Ser Asp Ile Thr Ser Gly Asp Phe Leu Ala Leu Ala Ala Thr Gly
405 410 415

gca tac tgc tac gcc atg agc tcc cgc tac aac gcc ttc aca cgg ccc
1296

Ala Tyr Cys Tyr Ala Met Ser Ser Arg Tyr Asn Ala Phe Thr Arg Pro
420 425 430

gcc gtc gtg tcc gtc cgc gct ggc agc tcc cgc ctc atg ctg cgc cgc
1344

Ala Val Val Ser Val Arg Ala Gly Ser Ser Arg Leu Met Leu Arg Arg
435 440 445

gaa acg ctc gac gac atc ctc tca cta gag gca taacgctttt cgacgcctga
1397

Glu Thr Leu Asp Asp Ile Leu Ser Leu Glu Ala
450 455

ccc
1400

<210> 46

<211> 459

<212> PRT

<213> Corynebacterium glutamicum

<400> 46

Pro Ala Pro Gly Trp Arg Phe Arg Thr Gly Glu Asp Val Thr Met Ala
1 5 10 15

Thr Val Glu Asn Phe Asn Glu Leu Pro Ala His Val Trp Pro Arg Asn
20 25 30

Ala Val Arg Gln Glu Asp Gly Val Val Thr Val Ala Gly Val Pro Leu
35 40 45

Pro Asp Leu Ala Glu Glu Tyr Gly Thr Pro Leu Phe Val Val Asp Glu
50 55 60

Asp Asp Phe Arg Ser Arg Cys Arg Asp Met Ala Thr Ala Phe Gly Gly
65 70 75 80

Pro Gly Asn Val His Tyr Ala Ser Lys Ala Phe Leu Thr Lys Thr Ile
85 90 95

Ala Arg Trp Val Asp Glu Glu Gly Leu Ala Leu Asp Ile Ala Ser Ile
100 105 110

Asn Glu Leu Gly Ile Ala Leu Ala Ala Gly Phe Pro Ala Ser Arg Ile
115 120 125

Thr Ala His Gly Asn Asn Lys Gly Val Glu Phe Leu Arg Ala Leu Val
130 135 140

Gln Asn Gly Val Gly His Val Val Leu Asp Ser Ala Gln Glu Leu Glu
145 150 155 160

Leu Leu Asp Tyr Val Ala Ala Gly Glu Gly Lys Ile Gln Asp Val Leu

165										170					175				
Ile	Arg	Val	Lys	Pro	Gly	Ile	Glu	Ala	His	Thr	His	Glu	Phe	Ile	Ala				
			180					185					190						
Thr	Ser	His	Glu	Asp	Gln	Lys	Phe	Gly	Phe	Ser	Leu	Ala	Ser	Gly	Ser				
		195					200					205							
Ala	Phe	Glu	Ala	Ala	Lys	Ala	Ala	Asn	Asn	Ala	Glu	Asn	Leu	Asn	Leu				
	210					215					220								
Val	Gly	Leu	His	Cys	His	Val	Gly	Ser	Gln	Val	Phe	Asp	Ala	Glu	Gly				
225					230					235					240				
Phe	Lys	Leu	Ala	Ala	Glu	Arg	Val	Leu	Gly	Leu	Tyr	Ser	Gln	Ile	His				
				245					250					255					
Ser	Glu	Leu	Gly	Val	Ala	Leu	Pro	Glu	Leu	Asp	Leu	Gly	Gly	Gly	Tyr				
			260					265					270						
Gly	Ile	Ala	Tyr	Thr	Ala	Ala	Glu	Glu	Pro	Leu	Asn	Val	Ala	Glu	Val				
		275					280					285							
Ala	Ser	Asp	Leu	Leu	Thr	Ala	Val	Gly	Lys	Met	Ala	Ala	Glu	Leu	Gly				
	290					295					300								
Ile	Asp	Ala	Pro	Thr	Val	Leu	Val	Glu	Pro	Gly	Arg	Ala	Ile	Ala	Gly				
305					310					315					320				
Pro	Ser	Thr	Val	Thr	Ile	Tyr	Glu	Val	Gly	Thr	Thr	Lys	Asp	Val	His				
				325					330					335					
Val	Asp	Asp	Asp	Lys	Thr	Arg	Arg	Tyr	Ile	Ala	Val	Asp	Gly	Gly	Met				
			340					345					350						
Ser	Asp	Asn	Ile	Arg	Pro	Ala	Leu	Tyr	Gly	Ser	Glu	Tyr	Asp	Ala	Arg				
		355					360					365							
Val	Val	Ser	Arg	Phe	Ala	Glu	Gly	Asp	Pro	Val	Ser	Thr	Arg	Ile	Val				
	370					375					380								
Gly	Ser	His	Cys	Glu	Ser	Gly	Asp	Ile	Leu	Ile	Asn	Asp	Glu	Ile	Tyr				
385				390						395					400				
Pro	Ser	Asp	Ile	Thr	Ser	Gly	Asp	Phe	Leu	Ala	Leu	Ala	Ala	Thr	Gly				
				405					410					415					
Ala	Tyr	Cys	Tyr	Ala	Met	Ser	Ser	Arg	Tyr	Asn	Ala	Phe	Thr	Arg	Pro				
			420					425					430						
Ala	Val	Val	Ser	Val	Arg	Ala	Gly	Ser	Ser	Arg	Leu	Met	Leu	Arg	Arg				
		435					440					445							
Glu	Thr	Leu	Asp	Asp	Ile	Leu	Ser	Leu	Glu	Ala									
	450					455													

<210> 47

<211> 2121

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2098)

<223> RXA02653

<400> 47

agacagagtg ttagtgcggtg gggcagctct cactttcatc gacatcactc gagtatgctc 60

accggccgta ttcattccaa taaccgcgcac agggaaacta atg ata ccg aag ccc 115
 Met Ile Pro Lys Pro
 1 5

gac gtg acc gac tta tat tta gag gac ctc tta aat gag ggt tcg gaa 163
 Asp Val Thr Asp Leu Tyr Leu Glu Asp Leu Leu Asn Glu Gly Ser Glu
 10 15 20

aag att cgg tcc gcc aag gat ctt tcc gaa ctt agg aca gtt cta aaa 211
 Lys Ile Arg Ser Ala Lys Asp Leu Ser Glu Leu Arg Thr Val Leu Lys
 25 30 35

gag gtt tcc tcc caa att cag gaa cga gct ggg aaa aaa gat gaa gaa 259
 Glu Val Ser Ser Gln Ile Gln Glu Arg Ala Gly Lys Lys Asp Glu Glu
 40 45 50

tgg gga atg ggg gcc act tgg cgg gag ctg tac ccc agc atc gtg gaa 307
 Trp Gly Met Gly Ala Thr Trp Arg Glu Leu Tyr Pro Ser Ile Val Glu
 55 60 65

cgc gct tcc tac gaa ggg cgt gac agc cta atc gga ttt gat cac tta 355
 Arg Ala Ser Tyr Glu Gly Arg Asp Ser Leu Ile Gly Phe Asp His Leu
 70 75 80 85

gcc cgg gaa atg gaa aga tta gcc ttc ggc cca cca tcc gaa agt ttt 403
 Ala Arg Glu Met Glu Arg Leu Ala Phe Gly Pro Pro Ser Glu Ser Phe
 90 95 100

gaa tac ctc caa gaa ctc gta aaa tcc gga gtg gta gac atc act cac 451
 Glu Tyr Leu Gln Glu Leu Val Lys Ser Gly Val Val Asp Ile Thr His
 105 110 115

ctg cat cgt ggc cgg gaa cca ctg aca gat tta gtt cgt gaa ctt gaa 499
 Leu His Arg Gly Arg Glu Pro Leu Thr Asp Leu Val Arg Glu Leu Glu
 120 125 130

ata act gtg gtg ata gac gct gtt ctt ccc ccg ccg gga gta gtg cca 547
 Ile Thr Val Val Ile Asp Ala Val Leu Pro Pro Pro Gly Val Val Pro
 135 140 145

ggc aca ttg gtg cac aat ttg gta aaa gag gga tat gcc aga atg cgt 595
 Gly Thr Leu Val His Asn Leu Val Lys Glu Gly Tyr Ala Arg Met Arg
 150 155 160 165

cct ggg act cgg ggg tta gat gta gcg gct gac ggc acc gtt caa ggg 643
 Pro Gly Thr Arg Gly Leu Asp Val Ala Ala Asp Gly Thr Val Gln Gly
 170 175 180

caa cga cat ttg gct gca gtc gga cgg atg acg gaa gat gtg gtt ttg 691
 Gln Arg His Leu Ala Ala Val Gly Arg Met Thr Glu Asp Val Val Leu
 185 190 195

ggt aat gac aca ttg tgc cga tca tta cat gac ata atc ccg aag tgg 739
 Gly Asn Asp Thr Leu Ser Arg Ser Leu His Asp Ile Ile Pro Lys Trp
 200 205 210

gct cgt cga gtt atc cgc gac gcg agc acg tat ccc gat agg gta cat 787
 Ala Arg Arg Val Ile Arg Asp Ala Ser Thr Tyr Pro Asp Arg Val His
 215 220 225

ggt act cca ccg ctt ccg gca cgg ttg gaa ccc tgg gcg gaa aag ctc 835
 Gly Thr Pro Pro Leu Pro Ala Arg Leu Glu Pro Trp Ala Glu Lys Leu
 230 235 240 245

act tca gat ccg gcc aca tgc cgc cac ctg att gaa gaa ttc ggg agt 883
 Thr Ser Asp Pro Ala Thr Cys Arg His Leu Ile Glu Glu Phe Gly Ser
 250 255 260

cct gtg aat gta ctc cat tca ggt tct atg cct cgt aat ata aat gag 931
 Pro Val Asn Val Leu His Ser Gly Ser Met Pro Arg Asn Ile Asn Glu
 265 270 275

ttg gtt gac gcc ggc att cag atg ggg gtg gat act cga ata ttt ttt 979
 Leu Val Asp Ala Gly Ile Gln Met Gly Val Asp Thr Arg Ile Phe Phe
 280 285 290

gcc cgc aaa gcg aat aag ggt ctt acc ttc gtt gat gcc gtt aaa gac
 1027
 Ala Arg Lys Ala Asn Lys Gly Leu Thr Phe Val Asp Ala Val Lys Asp
 295 300 305

acc ggt cat ggt gta gat gta gcc agt gaa cga gag tta tct cag gtg
 1075
 Thr Gly His Gly Val Asp Val Ala Ser Glu Arg Glu Leu Ser Gln Val
 310 315 320 325

ctt aat cgt gga gtc cca gga gag cgg atc att cta tcc gca gct atc
 1123
 Leu Asn Arg Gly Val Pro Gly Glu Arg Ile Ile Leu Ser Ala Ala Ile
 330 335 340

aaa ccg gac aga cta ttg gca tta gcg atc gaa aat ggc gtg atc atc
 1171
 Lys Pro Asp Arg Leu Leu Ala Leu Ala Ile Glu Asn Gly Val Ile Ile
 345 350 355

tct gtg gat tgc cgt gat gaa tta gat cgc att tgc gct ttg gtt ggt
 1219
 Ser Val Asp Ser Arg Asp Glu Leu Asp Arg Ile Ser Ala Leu Val Gly
 360 365 370

gac cgc gtt gca cga gtt gcg cct aga gta gct cca gat cct gca gtc
 1267
 Asp Arg Val Ala Arg Val Ala Pro Arg Val Ala Pro Asp Pro Ala Val
 375 380 385

tta cct cca act aga ttt ggt gag cgt gct gca gac tgg ggt aat cgg
 1315
 Leu Pro Pro Thr Arg Phe Gly Glu Arg Ala Ala Asp Trp Gly Asn Arg
 390 395 400 405

ctt acc gag gtg ata ccc ggc gtg gat att gtg ggt ctt cac gtt cac
 1363

Leu Thr Glu Val Ile Pro Gly Val Asp Ile Val Gly Leu His Val His
 410 415 420
 ctc cat ggc tat gct gca aaa gac cgt gct ctg gct ctg cag gaa tgt
 1411
 Leu His Gly Tyr Ala Ala Lys Asp Arg Ala Leu Ala Leu Gln Glu Cys
 425 430 435
 tgc caa ctc gtc gat tct ctc aga gaa tgc ggg cat tcc cca cag ttt
 1459
 Cys Gln Leu Val Asp Ser Leu Arg Glu Cys Gly His Ser Pro Gln Phe
 440 445 450
 att gac ctt gga gga ggg gtg cct atg agc tac att gaa tct gag gaa
 1507
 Ile Asp Leu Gly Gly Gly Val Pro Met Ser Tyr Ile Glu Ser Glu Glu
 455 460 465
 gat tgg atc cgt tat caa tcc gct aaa tct gcg act tca gcc ggg tat
 1555
 Asp Trp Ile Arg Tyr Gln Ser Ala Lys Ser Ala Thr Ser Ala Gly Tyr
 470 475 480 485
 gcc gaa tcc ttt acg tgg aaa gac gat ccg tta tct aat acg tac ccg
 1603
 Ala Glu Ser Phe Thr Trp Lys Asp Asp Pro Leu Ser Asn Thr Tyr Pro
 490 495 500
 ttc tat cag acc cca gtg cgc ggt aat tgg ttg aaa gac gtg ctt tct
 1651
 Phe Tyr Gln Thr Pro Val Arg Gly Asn Trp Leu Lys Asp Val Leu Ser
 505 510 515
 aag ggg gta gct cag atg ctc att gac cgg gga ttg cgg tta cac ata
 1699
 Lys Gly Val Ala Gln Met Leu Ile Asp Arg Gly Leu Arg Leu His Ile
 520 525 530
 gag cct ggt cga agt tta cta gat ggg tgt ggc gtc act ctt gcc gaa
 1747
 Glu Pro Gly Arg Ser Leu Leu Asp Gly Cys Gly Val Thr Leu Ala Glu
 535 540 545
 gtt gct ttt gtg aaa acc cga agt gac ggg ttg cct cta gtg gga ctg
 1795
 Val Ala Phe Val Lys Thr Arg Ser Asp Gly Leu Pro Leu Val Gly Leu
 550 555 560 565
 gct atg aac cga acg cag tgc cgg act aca tcc gat gat ttt ctc att
 1843
 Ala Met Asn Arg Thr Gln Cys Arg Thr Thr Ser Asp Asp Phe Leu Ile
 570 575 580
 gat ccc ctg cat atc act gac ggt gat gta ggc gag gaa atc gaa gca
 1891
 Asp Pro Leu His Ile Thr Asp Gly Asp Val Gly Glu Glu Ile Glu Ala
 585 590 595
 tat cta gtg ggt gcc tac tgc atc gaa gat gag ctg att tta cgc cgg
 1939
 Tyr Leu Val Gly Ala Tyr Cys Ile Glu Asp Glu Leu Ile Leu Arg Arg

600 605 610
 cga atc cgc ttc ccg aga gga gtc aaa cca gga gat atc atc gga att
 1987
 Arg Ile Arg Phe Pro Arg Gly Val Lys Pro Gly Asp Ile Ile Gly Ile
 615 620 625
 cct aac acc gca gga tac ttc atg cat atc ttg gaa agt gca tcg cac
 2035
 Pro Asn Thr Ala Gly Tyr Phe Met His Ile Leu Glu Ser Ala Ser His
 630 635 640 645
 caa atc ccg ttg gcg aaa aat gta gtg tgg ccg gag ggg cag tta gac
 2083
 Gln Ile Pro Leu Ala Lys Asn Val Val Trp Pro Glu Gly Gln Leu Asp
 650 655 660
 gat atc gat gcg gat taagacataa ccattcgcta atc
 2121
 Asp Ile Asp Ala Asp
 665
 <210> 48
 <211> 666
 <212> PRT
 <213> Corynebacterium glutamicum
 <400> 48
 Met Ile Pro Lys Pro Asp Val Thr Asp Leu Tyr Leu Glu Asp Leu Leu
 1 5 10 15
 Asn Glu Gly Ser Glu Lys Ile Arg Ser Ala Lys Asp Leu Ser Glu Leu
 20 25 30
 Arg Thr Val Leu Lys Glu Val Ser Ser Gln Ile Gln Glu Arg Ala Gly
 35 40 45
 Lys Lys Asp Glu Glu Trp Gly Met Gly Ala Thr Trp Arg Glu Leu Tyr
 50 55 60
 Pro Ser Ile Val Glu Arg Ala Ser Tyr Glu Gly Arg Asp Ser Leu Ile
 65 70 75 80
 Gly Phe Asp His Leu Ala Arg Glu Met Glu Arg Leu Ala Phe Gly Pro
 85 90 95
 Pro Ser Glu Ser Phe Glu Tyr Leu Gln Glu Leu Val Lys Ser Gly Val
 100 105 110
 Val Asp Ile Thr His Leu His Arg Gly Arg Glu Pro Leu Thr Asp Leu
 115 120 125
 Val Arg Glu Leu Glu Ile Thr Val Val Ile Asp Ala Val Leu Pro Pro
 130 135 140
 Pro Gly Val Val Pro Gly Thr Leu Val His Asn Leu Val Lys Glu Gly
 145 150 155 160
 Tyr Ala Arg Met Arg Pro Gly Thr Arg Gly Leu Asp Val Ala Ala Asp
 165 170 175

Gly Thr Val Gln Gly Gln Arg His Leu Ala Ala Val Gly Arg Met Thr
 180 185 190
 Glu Asp Val Val Leu Gly Asn Asp Thr Leu Ser Arg Ser Leu His Asp
 195 200 205
 Ile Ile Pro Lys Trp Ala Arg Arg Val Ile Arg Asp Ala Ser Thr Tyr
 210 215 220
 Pro Asp Arg Val His Gly Thr Pro Pro Leu Pro Ala Arg Leu Glu Pro
 225 230 235 240
 Trp Ala Glu Lys Leu Thr Ser Asp Pro Ala Thr Cys Arg His Leu Ile
 245 250 255
 Glu Glu Phe Gly Ser Pro Val Asn Val Leu His Ser Gly Ser Met Pro
 260 265 270
 Arg Asn Ile Asn Glu Leu Val Asp Ala Gly Ile Gln Met Gly Val Asp
 275 280 285
 Thr Arg Ile Phe Phe Ala Arg Lys Ala Asn Lys Gly Leu Thr Phe Val
 290 295 300
 Asp Ala Val Lys Asp Thr Gly His Gly Val Asp Val Ala Ser Glu Arg
 305 310 315 320
 Glu Leu Ser Gln Val Leu Asn Arg Gly Val Pro Gly Glu Arg Ile Ile
 325 330 335
 Leu Ser Ala Ala Ile Lys Pro Asp Arg Leu Leu Ala Leu Ala Ile Glu
 340 345 350
 Asn Gly Val Ile Ile Ser Val Asp Ser Arg Asp Glu Leu Asp Arg Ile
 355 360 365
 Ser Ala Leu Val Gly Asp Arg Val Ala Arg Val Ala Pro Arg Val Ala
 370 375 380
 Pro Asp Pro Ala Val Leu Pro Pro Thr Arg Phe Gly Glu Arg Ala Ala
 385 390 395 400
 Asp Trp Gly Asn Arg Leu Thr Glu Val Ile Pro Gly Val Asp Ile Val
 405 410 415
 Gly Leu His Val His Leu His Gly Tyr Ala Ala Lys Asp Arg Ala Leu
 420 425 430
 Ala Leu Gln Glu Cys Cys Gln Leu Val Asp Ser Leu Arg Glu Cys Gly
 435 440 445
 His Ser Pro Gln Phe Ile Asp Leu Gly Gly Gly Val Pro Met Ser Tyr
 450 455 460
 Ile Glu Ser Glu Glu Asp Trp Ile Arg Tyr Gln Ser Ala Lys Ser Ala
 465 470 475 480
 Thr Ser Ala Gly Tyr Ala Glu Ser Phe Thr Trp Lys Asp Asp Pro Leu
 485 490 495

Ser Asn Thr Tyr Pro Phe Tyr Gln Thr Pro Val Arg Gly Asn Trp Leu
 500 505 510
 Lys Asp Val Leu Ser Lys Gly Val Ala Gln Met Leu Ile Asp Arg Gly
 515 520 525
 Leu Arg Leu His Ile Glu Pro Gly Arg Ser Leu Leu Asp Gly Cys Gly
 530 535 540
 Val Thr Leu Ala Glu Val Ala Phe Val Lys Thr Arg Ser Asp Gly Leu
 545 550 555 560
 Pro Leu Val Gly Leu Ala Met Asn Arg Thr Gln Cys Arg Thr Thr Ser
 565 570 575
 Asp Asp Phe Leu Ile Asp Pro Leu His Ile Thr Asp Gly Asp Val Gly
 580 585 590
 Glu Glu Ile Glu Ala Tyr Leu Val Gly Ala Tyr Cys Ile Glu Asp Glu
 595 600 605
 Leu Ile Leu Arg Arg Arg Ile Arg Phe Pro Arg Gly Val Lys Pro Gly
 610 615 620
 Asp Ile Ile Gly Ile Pro Asn Thr Ala Gly Tyr Phe Met His Ile Leu
 625 630 635 640
 Glu Ser Ala Ser His Gln Ile Pro Leu Ala Lys Asn Val Val Trp Pro
 645 650 655
 Glu Gly Gln Leu Asp Asp Ile Asp Ala Asp
 660 665

<210> 49
 <211> 993
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(970)
 <223> RXA01393

<400> 49
 caaaagcaga cctgtaatga agatttccat gatcaccatc gtagacctatg gaagtactta 60
 agtaaaatga ttggttctta acatgggttta atatagcttc atg aac ccc att caa 115
 Met Asn Pro Ile Gln
 1 5
 ctg gac act ttg ctc tca atc att gat gaa ggc agc ttc gaa ggc gcc 163
 Leu Asp Thr Leu Leu Ser Ile Ile Asp Glu Gly Ser Phe Glu Gly Ala
 10 15 20
 tcc tta gcc ctt tcc att tcc ccc tcg gcg gtg agt cag cgc gtt aaa 211
 Ser Leu Ala Leu Ser Ile Ser Pro Ser Ala Val Ser Gln Arg Val Lys
 25 30 35
 gct ctc gag cat cac gtg ggt cga gtg ttg gta tcg cgc acc caa ccg 259
 Ala Leu Glu His His Val Gly Arg Val Leu Val Ser Arg Thr Gln Pro

40	45	50	
gcc aaa gca acc gaa gcg ggt gaa gtc ctt gtg caa gca gcg cgg aaa Ala Lys Ala Thr Glu Ala Gly Glu Val Leu Val Gln Ala Ala Arg Lys 55 60 65			307
atg gtg ttg ctg caa gca gaa act aaa gcg caa cta tct gga cgc ctt Met Val Leu Leu Gln Ala Glu Thr Lys Ala Gln Leu Ser Gly Arg Leu 70 75 80 85			355
gct gaa atc ccg tta acc atc gcc atc aac gca gat tcg cta tcc aca Ala Glu Ile Pro Leu Thr Ile Ala Ile Asn Ala Asp Ser Leu Ser Thr 90 95 100			403
tgg ttt cct ccc gtg ttc aac gag gta gct tct tgg ggt gga gca acg Trp Phe Pro Pro Val Phe Asn Glu Val Ala Ser Trp Gly Gly Ala Thr 105 110 115			451
ctc acg ctg cgc ttg gaa gat gaa gcg cac aca tta tcc ttg ctg cgg Leu Thr Leu Arg Leu Glu Asp Glu Ala His Thr Leu Ser Leu Leu Arg 120 125 130			499
cgt gga gat gtt tta gga gcg gta acc cgt gaa gct aat ccc gtg gcg Arg Gly Asp Val Leu Gly Ala Val Thr Arg Glu Ala Asn Pro Val Ala 135 140 145			547
gga tgt gaa gta gta gaa ctt gga acc atg cgc cac ttg gcc att gca Gly Cys Glu Val Val Glu Leu Gly Thr Met Arg His Leu Ala Ile Ala 150 155 160 165			595
acc ccc tca ttg cgg gat gcc tac atg gtt gat ggg aaa cta gat tgg Thr Pro Ser Leu Arg Asp Ala Tyr Met Val Asp Gly Lys Leu Asp Trp 170 175 180			643
gct gcg atg ccc gtc tta cgc ttc ggt ccc aaa gat gtg ctt caa gac Ala Ala Met Pro Val Leu Arg Phe Gly Pro Lys Asp Val Leu Gln Asp 185 190 195			691
cgt gac ctg gac ggg cgc gtc gat ggt cct gtg ggg cgc agg cgc gta Arg Asp Leu Asp Gly Arg Val Asp Gly Pro Val Gly Arg Arg Arg Val 200 205 210			739
tcc att gtc ccg tcg gcg gaa ggt ttt ggt gag gca att cgc cga ggc Ser Ile Val Pro Ser Ala Glu Gly Phe Gly Glu Ala Ile Arg Arg Gly 215 220 225			787
ctt ggt tgg gga ctt ctt ccc gaa acc caa gct gct ccc atg cta aaa Leu Gly Trp Gly Leu Leu Pro Glu Thr Gln Ala Ala Pro Met Leu Lys 230 235 240 245			835
gca gga gaa gtg atc ctc ctc gat gag ata ccc att gac aca ccg atg Ala Gly Glu Val Ile Leu Leu Asp Glu Ile Pro Ile Asp Thr Pro Met 250 255 260			883
tat tgg caa cga tgg cgc ctg gaa tct aga tct cta gct aga ctc aca Tyr Trp Gln Arg Trp Arg Leu Glu Ser Arg Ser Leu Ala Arg Leu Thr 265 270 275			931
gac gcc gtc gtt gat gca gca atc gag gga ttg cgg cct tagttacttc Asp Ala Val Val Asp Ala Ala Ile Glu Gly Leu Arg Pro 280 285 290			980

tgaaaagggtt cag

993

<210> 50

<211> 290

<212> PRT

<213> Corynebacterium glutamicum

<400> 50

Met	Asn	Pro	Ile	Gln	Leu	Asp	Thr	Leu	Leu	Ser	Ile	Ile	Asp	Glu	Gly
1				5				10						15	

Ser	Phe	Glu	Gly	Ala	Ser	Leu	Ala	Leu	Ser	Ile	Ser	Pro	Ser	Ala	Val
			20					25					30		

Ser	Gln	Arg	Val	Lys	Ala	Leu	Glu	His	His	Val	Gly	Arg	Val	Leu	Val
		35					40					45			

Ser	Arg	Thr	Gln	Pro	Ala	Lys	Ala	Thr	Glu	Ala	Gly	Glu	Val	Leu	Val
	50					55					60				

Gln	Ala	Ala	Arg	Lys	Met	Val	Leu	Leu	Gln	Ala	Glu	Thr	Lys	Ala	Gln
65					70					75					80

Leu	Ser	Gly	Arg	Leu	Ala	Glu	Ile	Pro	Leu	Thr	Ile	Ala	Ile	Asn	Ala
				85					90					95	

Asp	Ser	Leu	Ser	Thr	Trp	Phe	Pro	Pro	Val	Phe	Asn	Glu	Val	Ala	Ser
			100					105					110		

Trp	Gly	Gly	Ala	Thr	Leu	Thr	Leu	Arg	Leu	Glu	Asp	Glu	Ala	His	Thr
		115					120					125			

Leu	Ser	Leu	Leu	Arg	Arg	Gly	Asp	Val	Leu	Gly	Ala	Val	Thr	Arg	Glu
	130					135					140				

Ala	Asn	Pro	Val	Ala	Gly	Cys	Glu	Val	Val	Glu	Leu	Gly	Thr	Met	Arg
145					150					155					160

His	Leu	Ala	Ile	Ala	Thr	Pro	Ser	Leu	Arg	Asp	Ala	Tyr	Met	Val	Asp
			165						170					175	

Gly	Lys	Leu	Asp	Trp	Ala	Ala	Met	Pro	Val	Leu	Arg	Phe	Gly	Pro	Lys
			180					185					190		

Asp	Val	Leu	Gln	Asp	Arg	Asp	Leu	Asp	Gly	Arg	Val	Asp	Gly	Pro	Val
		195					200					205			

Gly	Arg	Arg	Arg	Val	Ser	Ile	Val	Pro	Ser	Ala	Glu	Gly	Phe	Gly	Glu
	210					215					220				

Ala	Ile	Arg	Arg	Gly	Leu	Gly	Trp	Gly	Leu	Leu	Pro	Glu	Thr	Gln	Ala
225					230					235					240

Ala	Pro	Met	Leu	Lys	Ala	Gly	Glu	Val	Ile	Leu	Leu	Asp	Glu	Ile	Pro
				245					250					255	

Ile	Asp	Thr	Pro	Met	Tyr	Trp	Gln	Arg	Trp	Arg	Leu	Glu	Ser	Arg	Ser
			260					265					270		

Leu Ala Arg Leu Thr Asp Ala Val Val Asp Ala Ala Ile Glu Gly Leu
 275 280 285

Arg Pro
 290

<210> 51
 <211> 1626
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1603)
 <223> RXA00241

<400> 51
 ggtctccagc ctttctaaac aattcatctg cacttgatta attggcccca agattacgcg 60
 aagtttagcg acttcgccgt acgtcaacta cgtaaataatga gtg aat act caa tca 115
 Val Asn Thr Gln Ser
 1 5
 gat tct gcg ggg tct caa ggt gca gcg gcc aca agt cgt act gta tct 163
 Asp Ser Ala Gly Ser Gln Gly Ala Ala Thr Ser Arg Thr Val Ser
 10 15 20
 att aga acc ctc atc gcg ctg atc atc gga tcg acc gtc ggc gcg gga 211
 Ile Arg Thr Leu Ile Ala Leu Ile Ile Gly Ser Thr Val Gly Ala Gly
 25 30 35
 att ttc tcc atc cct caa aac atc ggc tca gtc gca ggt ccc ggc gcg 259
 Ile Phe Ser Ile Pro Gln Asn Ile Gly Ser Val Ala Gly Pro Gly Ala
 40 45 50
 atg ctc atc ggc tgg ctg atc gcc ggt gtg ggc atg ttg tcc gta gcg 307
 Met Leu Ile Gly Trp Leu Ile Ala Gly Val Gly Met Leu Ser Val Ala
 55 60 65
 ttc gtg ttc cat gtt ctt gcc cgc cgt aaa cct cac ctc gat tct ggc 355
 Phe Val Phe His Val Leu Ala Arg Arg Lys Pro His Leu Asp Ser Gly
 70 75 80 85
 gtc tac gca tat gcg cgt gtt gga ttg ggc gat tat gta ggt ttc tcc 403
 Val Tyr Ala Tyr Ala Arg Val Gly Leu Gly Asp Tyr Val Gly Phe Ser
 90 95 100
 tcc gct tgg ggt tat tgg ctg ggt tca gtc atc gcc caa gtt ggc tac 451
 Ser Ala Trp Gly Tyr Trp Leu Gly Ser Val Ile Ala Gln Val Gly Tyr
 105 110 115
 gca acg tta ttt ttc tcc acg ttg ggc cac tac gta ccg ctg ttt tcc 499
 Ala Thr Leu Phe Phe Ser Thr Leu Gly His Tyr Val Pro Leu Phe Ser
 120 125 130
 caa gat cat cca ttt gtg tca gcg ttg gca gtt agc gct ttg acc tgg 547
 Gln Asp His Pro Phe Val Ser Ala Leu Ala Val Ser Ala Leu Thr Trp
 135 140 145
 ctg gtg ttt gga gtt gtt tcc cga gga att agc caa gct gct ttc ttg 595

Leu Val Phe Gly Val Val Ser Arg Gly Ile Ser Gln Ala Ala Phe Leu 150 155 160 165	
aca acg gtc acc acc gtg gcc aaa att ctg cct ctg ttg tgc ttc atc Thr Thr Val Thr Thr Val Ala Lys Ile Leu Pro Leu Leu Cys Phe Ile 170 175 180	643
atc ctt gtt gca ttc ttg ggc ttt agc tgg gag aag ttc act gtt gat Ile Leu Val Ala Phe Leu Gly Phe Ser Trp Glu Lys Phe Thr Val Asp 185 190 195	691
tta tgg gcg cgt gat ggt ggc gtg ggc agc att ttt gat cag gtg cgc Leu Trp Ala Arg Asp Gly Gly Val Gly Ser Ile Phe Asp Gln Val Arg 200 205 210	739
ggc atc atg gtg tac acc gtg tgg gtg ttc atc ggt atc gaa ggt gca Gly Ile Met Val Tyr Thr Val Trp Val Phe Ile Gly Ile Glu Gly Ala 215 220 225	787
tcg gta tat tcc cgc cag gca cgc tca cgc agt gat gtc agc cga gct Ser Val Tyr Ser Arg Gln Ala Arg Ser Arg Ser Asp Val Ser Arg Ala 230 235 240 245	835
acc gtg att ggt ttt gtg gct gtt ctc ctt ttg ctg gtg tcg att tct Thr Val Ile Gly Phe Val Ala Val Leu Leu Leu Val Ser Ile Ser 250 255 260	883
tcg ctg agc ttc ggt gta ctg acc caa caa gag ctc gct gcg tta cca Ser Leu Ser Phe Gly Val Leu Thr Gln Gln Glu Leu Ala Ala Leu Pro 265 270 275	931
gat aat tcc atg gcg tcg gtg ctc gaa gct gtt gtt ggt cca tgg ggt Asp Asn Ser Met Ala Ser Val Leu Glu Ala Val Val Gly Pro Trp Gly 280 285 290	979
gcc gca ttg att tcg ttg ggt ctg tgt ctt tcg gtt ctt ggg gcc tat 1027 Ala Ala Leu Ile Ser Leu Gly Leu Cys Leu Ser Val Leu Gly Ala Tyr 295 300 305	
gtg tcc tgg cag atg ctc tgc gca gaa cca ctg gcg ttg atg gca atg 1075 Val Ser Trp Gln Met Leu Cys Ala Glu Pro Leu Ala Leu Met Ala Met 310 315 320 325	
gat ggc ctc att cca agc aaa atc ggg gcc atc aac agc cgc ggt gct 1123 Asp Gly Leu Ile Pro Ser Lys Ile Gly Ala Ile Asn Ser Arg Gly Ala 330 335 340	
gcc tgg atg gct cag ctg atc tcc acc atc gtg att cag att ttc atc 1171 Ala Trp Met Ala Gln Leu Ile Ser Thr Ile Val Ile Gln Ile Phe Ile 345 350 355	
atc att ttc ttc ctc aac gag acc acc tac gtc tcc atg gtg caa ttg 1219 Ile Ile Phe Phe Leu Asn Glu Thr Thr Tyr Val Ser Met Val Gln Leu 360 365 370	

gct acc aac cta tac ttg gtg cct tac ctg ttc tct gcc ttt tat ctg
1267

Ala Thr Asn Leu Tyr Leu Val Pro Tyr Leu Phe Ser Ala Phe Tyr Leu
375 380 385

gtc atg ctg gca aca cgt gga aaa gga atc acc cac cca cat gcc ggc
1315

Val Met Leu Ala Thr Arg Gly Lys Gly Ile Thr His Pro His Ala Gly
390 395 400 405

aca cgt ttt gat gat tcc ggt cca gag ata tcc cgc cga gaa aac cgc
1363

Thr Arg Phe Asp Asp Ser Gly Pro Glu Ile Ser Arg Arg Glu Asn Arg
410 415 420

aaa cac ctc atc gtc ggt tta gta gca acg gtg tat tca gtg tgg ctg
1411

Lys His Leu Ile Val Gly Leu Val Ala Thr Val Tyr Ser Val Trp Leu
425 430 435

ttt tac gct gca gaa ccg cag ttt gtc ctc ttc gga gcc atg gcg atg
1459

Phe Tyr Ala Ala Glu Pro Gln Phe Val Leu Phe Gly Ala Met Ala Met
440 445 450

ctt ccc ggc tta atc ccc tat gtg tgg aca agg att tat cgt ggc gaa
1507

Leu Pro Gly Leu Ile Pro Tyr Val Trp Thr Arg Ile Tyr Arg Gly Glu
455 460 465

cag gtg ttt aac cgc ttt gaa atc ggc gtg gtt gtt gtc ctg gtc gtt
1555

Gln Val Phe Asn Arg Phe Glu Ile Gly Val Val Val Val Leu Val Val
470 475 480 485

gct gcc agc gcg ggc gtt att ggt ttg gtc aac gga tca cta tcg ctt
1603

Ala Ala Ser Ala Gly Val Ile Gly Leu Val Asn Gly Ser Leu Ser Leu
490 495 500

taaacaccga aaccttcctg cta
1626

<210> 52

<211> 501

<212> PRT

<213> Corynebacterium glutamicum

<400> 52

Val Asn Thr Gln Ser Asp Ser Ala Gly Ser Gln Gly Ala Ala Ala Thr
1 5 10 15

Ser Arg Thr Val Ser Ile Arg Thr Leu Ile Ala Leu Ile Ile Gly Ser
20 25 30

Thr Val Gly Ala Gly Ile Phe Ser Ile Pro Gln Asn Ile Gly Ser Val
35 40 45

Ala Gly Pro Gly Ala Met Leu Ile Gly Trp Leu Ile Ala Gly Val Gly
50 55 60

Met Leu Ser Val Ala Phe Val Phe His Val Leu Ala Arg Arg Lys Pro
 65 70 75 80
 His Leu Asp Ser Gly Val Tyr Ala Tyr Ala Arg Val Gly Leu Gly Asp
 85 90 95
 Tyr Val Gly Phe Ser Ser Ala Trp Gly Tyr Trp Leu Gly Ser Val Ile
 100 105 110
 Ala Gln Val Gly Tyr Ala Thr Leu Phe Phe Ser Thr Leu Gly His Tyr
 115 120 125
 Val Pro Leu Phe Ser Gln Asp His Pro Phe Val Ser Ala Leu Ala Val
 130 135 140
 Ser Ala Leu Thr Trp Leu Val Phe Gly Val Val Ser Arg Gly Ile Ser
 145 150 155 160
 Gln Ala Ala Phe Leu Thr Thr Val Thr Thr Val Ala Lys Ile Leu Pro
 165 170 175
 Leu Leu Cys Phe Ile Ile Leu Val Ala Phe Leu Gly Phe Ser Trp Glu
 180 185 190
 Lys Phe Thr Val Asp Leu Trp Ala Arg Asp Gly Gly Val Gly Ser Ile
 195 200 205
 Phe Asp Gln Val Arg Gly Ile Met Val Tyr Thr Val Trp Val Phe Ile
 210 215 220
 Gly Ile Glu Gly Ala Ser Val Tyr Ser Arg Gln Ala Arg Ser Arg Ser
 225 230 235 240
 Asp Val Ser Arg Ala Thr Val Ile Gly Phe Val Ala Val Leu Leu Leu
 245 250 255
 Leu Val Ser Ile Ser Ser Leu Ser Phe Gly Val Leu Thr Gln Gln Glu
 260 265 270
 Leu Ala Ala Leu Pro Asp Asn Ser Met Ala Ser Val Leu Glu Ala Val
 275 280 285
 Val Gly Pro Trp Gly Ala Ala Leu Ile Ser Leu Gly Leu Cys Leu Ser
 290 295 300
 Val Leu Gly Ala Tyr Val Ser Trp Gln Met Leu Cys Ala Glu Pro Leu
 305 310 315 320
 Ala Leu Met Ala Met Asp Gly Leu Ile Pro Ser Lys Ile Gly Ala Ile
 325 330 335
 Asn Ser Arg Gly Ala Ala Trp Met Ala Gln Leu Ile Ser Thr Ile Val
 340 345 350
 Ile Gln Ile Phe Ile Ile Ile Phe Phe Leu Asn Glu Thr Thr Tyr Val
 355 360 365
 Ser Met Val Gln Leu Ala Thr Asn Leu Tyr Leu Val Pro Tyr Leu Phe
 370 375 380

Ser Ala Phe Tyr Leu Val Met Leu Ala Thr Arg Gly Lys Gly Ile Thr
 385 390 395 400
 His Pro His Ala Gly Thr Arg Phe Asp Asp Ser Gly Pro Glu Ile Ser
 405 410 415
 Arg Arg Glu Asn Arg Lys His Leu Ile Val Gly Leu Val Ala Thr Val
 420 425 430
 Tyr Ser Val Trp Leu Phe Tyr Ala Ala Glu Pro Gln Phe Val Leu Phe
 435 440 445
 Gly Ala Met Ala Met Leu Pro Gly Leu Ile Pro Tyr Val Trp Thr Arg
 450 455 460
 Ile Tyr Arg Gly Glu Gln Val Phe Asn Arg Phe Glu Ile Gly Val Val
 465 470 475 480
 Val Val Leu Val Val Ala Ala Ser Ala Gly Val Ile Gly Leu Val Asn
 485 490 495
 Gly Ser Leu Ser Leu
 500

<210> 53
 <211> 822
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(799)
 <223> RXA01394

<400> 53
 gagcaaagtg tccagttgaa tgggggttcat gaagctatat taaaccatgt taagaaccaa 60
 tcattttact taagtacttc cataggtcac gatggtgatc atg gaa atc ttc att 115
 Met Glu Ile Phe Ile
 1 5
 aca ggt ctg ctt ttg ggg gcc agt ctt tta ctg tcc atc gga ccg cag 163
 Thr Gly Leu Leu Leu Gly Ala Ser Leu Leu Leu Ser Ile Gly Pro Gln
 10 15 20
 aat gta ctg gtg att aaa caa gga att aag cgc gaa gga ctc att gcg 211
 Asn Val Leu Val Ile Lys Gln Gly Ile Lys Arg Glu Gly Leu Ile Ala
 25 30 35
 gtt ctt ctc gtg tgt tta att tct gac gtc ttt ttg ttc atc gcc ggc 259
 Val Leu Leu Val Cys Leu Ile Ser Asp Val Phe Leu Phe Ile Ala Gly
 40 45 50
 acc ttg ggc gtt gat ctt ttg tcc aat gcc gcg ccg atc gtg ctc gat 307
 Thr Leu Gly Val Asp Leu Leu Ser Asn Ala Ala Pro Ile Val Leu Asp
 55 60 65
 att atg cgc tgg ggt ggc atc gct tac ctg tta tgg ttt gcc gtc atg 355
 Ile Met Arg Trp Gly Gly Ile Ala Tyr Leu Leu Trp Phe Ala Val Met
 70 75 80 85

gca gcg aaa gac gcc atg aca aac aag gtg gaa gcg cca cag atc att 403
 Ala Ala Lys Asp Ala Met Thr Asn Lys Val Glu Ala Pro Gln Ile Ile
 90 95 100

gaa gaa aca gaa cca acc gtg ccc gat gac acg cct ttg ggc ggt tcg 451
 Glu Glu Thr Glu Pro Thr Val Pro Asp Asp Thr Pro Leu Gly Gly Ser
 105 110 115

gcg gtg gcc act gac acg cgc aac cgg gtg cgg gtg gag gtg agc gtc 499
 Ala Val Ala Thr Asp Thr Arg Asn Arg Val Arg Val Glu Val Ser Val
 120 125 130

gat aag cag cgg gtt tgg gta aag ccc atg ttg atg gca atc gtg ctg 547
 Asp Lys Gln Arg Val Trp Val Lys Pro Met Leu Met Ala Ile Val Leu
 135 140 145

acc tgg ttg aac ccg aat gcg tat ttg gac gcg ttt gtg ttt atc ggc 595
 Thr Trp Leu Asn Pro Asn Ala Tyr Leu Asp Ala Phe Val Phe Ile Gly
 150 155 160 165

ggc gtc ggc gcg caa tac ggc gac acc gga cgg tgg att ttc gcc gct 643
 Gly Val Gly Ala Gln Tyr Gly Asp Thr Gly Arg Trp Ile Phe Ala Ala
 170 175 180

ggc gcg ttc gcg gca agc ctg atc tgg ttc ccg ctg gtg ggt ttc ggc 691
 Gly Ala Phe Ala Ala Ser Leu Ile Trp Phe Pro Leu Val Gly Phe Gly
 185 190 195

gca gca gca ttg tca cgc ccg ctg tcc agc ccc aag gtg tgg cgc tgg 739
 Ala Ala Ala Leu Ser Arg Pro Leu Ser Ser Pro Lys Val Trp Arg Trp
 200 205 210

atc aac gtc gtc gtg gca gtt gtg atg acc gca ttg gcc atc aaa ctg 787
 Ile Asn Val Val Val Ala Val Val Met Thr Ala Leu Ala Ile Lys Leu
 215 220 225

atg ttg atg ggt tagttttcgc gggtttttgga atc 822
 Met Leu Met Gly
 230

<210> 54

<211> 233

<212> PRT

<213> Corynebacterium glutamicum

<400> 54

Met Glu Ile Phe Ile Thr Gly Leu Leu Leu Gly Ala Ser Leu Leu Leu
 1 5 10 15

Ser Ile Gly Pro Gln Asn Val Leu Val Ile Lys Gln Gly Ile Lys Arg
 20 25 30

Glu Gly Leu Ile Ala Val Leu Leu Val Cys Leu Ile Ser Asp Val Phe
 35 40 45

Leu Phe Ile Ala Gly Thr Leu Gly Val Asp Leu Leu Ser Asn Ala Ala
 50 55 60

Pro Ile Val Leu Asp Ile Met Arg Trp Gly Gly Ile Ala Tyr Leu Leu

65	70	75	80
Trp Phe Ala Val Met Ala Ala Lys Asp Ala Met Thr Asn Lys Val Glu	85	90	95
Ala Pro Gln Ile Ile Glu Glu Thr Glu Pro Thr Val Pro Asp Asp Thr	100	105	110
Pro Leu Gly Gly Ser Ala Val Ala Thr Asp Thr Arg Asn Arg Val Arg	115	120	125
Val Glu Val Ser Val Asp Lys Gln Arg Val Trp Val Lys Pro Met Leu	130	135	140
Met Ala Ile Val Leu Thr Trp Leu Asn Pro Asn Ala Tyr Leu Asp Ala	145	150	155
Phe Val Phe Ile Gly Gly Val Gly Ala Gln Tyr Gly Asp Thr Gly Arg	165	170	175
Trp Ile Phe Ala Ala Gly Ala Phe Ala Ala Ser Leu Ile Trp Phe Pro	180	185	190
Leu Val Gly Phe Gly Ala Ala Ala Leu Ser Arg Pro Leu Ser Ser Pro	195	200	205
Lys Val Trp Arg Trp Ile Asn Val Val Val Ala Val Val Met Thr Ala	210	215	220
Leu Ala Ile Lys Leu Met Leu Met Gly	225	230	

<210> 55
 <211> 1026
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1003)
 <223> RXA00865

<400> 55
 ttatcggaat gtggcttggg cgattgttat gcaaaagttg ttaggttttt tgcggggttg 60
 tttaaccccc aaatgaggga agaaggtaac cttgaactct atg agc aca ggt tta 115
 Met Ser Thr Gly Leu 5
 aca gct aag acc gga gta gag cac ttc ggc acc gtt gga gta gca atg 163
 Thr Ala Lys Thr Gly Val Glu His Phe Gly Thr Val Gly Val Ala Met 20
 gtt act cca ttc acg gaa tcc gga gac atc gat atc gct gct ggc cgc 211
 Val Thr Pro Phe Thr Glu Ser Gly Asp Ile Asp Ile Ala Ala Gly Arg 35
 gaa gtc gcg gct tat ttg gtt gat aag ggc ttg gat tct ttg gtt ctc 259
 Glu Val Ala Ala Tyr Leu Val Asp Lys Gly Leu Asp Ser Leu Val Leu 40 45 50

gcg ggc acc act ggt gaa tcc cca acg aca acc gcc gct gaa aaa cta	307
Ala Gly Thr Thr Gly Glu Ser Pro Thr Thr Thr Ala Ala Glu Lys Leu	
55 60 65	
gaa ctg ctc aag gcc gtt cgt gag gaa gtt ggg gat cgg gcg aag ctc	355
Glu Leu Leu Lys Ala Val Arg Glu Glu Val Gly Asp Arg Ala Lys Leu	
70 75 80 85	
atc gcc ggt gtc gga acc aac aac acg cgg aca tct gtg gaa ctt gcg	403
Ile Ala Gly Val Gly Thr Asn Asn Thr Arg Thr Ser Val Glu Leu Ala	
90 95 100	
gaa gct gct gct tct gct ggc gca gac ggc ctt tta gtt gta act cct	451
Glu Ala Ala Ala Ser Ala Gly Ala Asp Gly Leu Leu Val Val Thr Pro	
105 110 115	
tat tac tcc aag ccg agc caa gag gga ttg ctg gcg cac ttc ggt gca	499
Tyr Tyr Ser Lys Pro Ser Gln Glu Gly Leu Leu Ala His Phe Gly Ala	
120 125 130	
att gct gca gca aca gag gtt cca att tgt ctc tat gac att cct ggt	547
Ile Ala Ala Ala Thr Glu Val Pro Ile Cys Leu Tyr Asp Ile Pro Gly	
135 140 145	
cgg tca ggt att cca att gag tct gat acc atg aga cgc ctg agt gaa	595
Arg Ser Gly Ile Pro Ile Glu Ser Asp Thr Met Arg Arg Leu Ser Glu	
150 155 160 165	
tta cct acg att ttg gcg gtc aag gac gcc aag ggt gac ctc gtt gca	643
Leu Pro Thr Ile Leu Ala Val Lys Asp Ala Lys Gly Asp Leu Val Ala	
170 175 180	
gcc acg tca ttg atc aaa gaa acg gga ctt gcc tgg tat tca ggc gat	691
Ala Thr Ser Leu Ile Lys Glu Thr Gly Leu Ala Trp Tyr Ser Gly Asp	
185 190 195	
gac cca cta aac ctt gtt tgg ctt gct ttg ggc gga tca ggt ttc att	739
Asp Pro Leu Asn Leu Val Trp Leu Ala Leu Gly Gly Ser Gly Phe Ile	
200 205 210	
tcc gta att gga cat gca gcc ccc aca gca tta cgt gag ttg tac aca	787
Ser Val Ile Gly His Ala Ala Pro Thr Ala Leu Arg Glu Leu Tyr Thr	
215 220 225	
agc ttc gag gaa ggc gac ctc gtc cgt gcg cgg gaa atc aac gcc aaa	835
Ser Phe Glu Glu Gly Asp Leu Val Arg Ala Arg Glu Ile Asn Ala Lys	
230 235 240 245	
cta tca ccg ctg gta gct gcc caa ggt cgc ttg ggt gga gtc agc ttg	883
Leu Ser Pro Leu Val Ala Ala Gln Gly Arg Leu Gly Gly Val Ser Leu	
250 255 260	
gca aaa gct gct ctg cgt ctg cag ggc atc aac gta gga gat cct cga	931
Ala Lys Ala Ala Leu Arg Leu Gln Gly Ile Asn Val Gly Asp Pro Arg	
265 270 275	
ctt cca att atg gct cca aat gag cag gaa ctt gag gct ctc cga gaa	979
Leu Pro Ile Met Ala Pro Asn Glu Gln Glu Leu Glu Ala Leu Arg Glu	
280 285 290	

gac atg aaa aaa gct gga gtt cta taaatatgaa tgattcccga aat
1026

Asp Met Lys Lys Ala Gly Val Leu
295 300

<210> 56

<211> 301

<212> PRT

<213> Corynebacterium glutamicum

<400> 56

Met Ser Thr Gly Leu Thr Ala Lys Thr Gly Val Glu His Phe Gly Thr
1 5 10 15

Val Gly Val Ala Met Val Thr Pro Phe Thr Glu Ser Gly Asp Ile Asp
20 25 30

Ile Ala Ala Gly Arg Glu Val Ala Ala Tyr Leu Val Asp Lys Gly Leu
35 40 45

Asp Ser Leu Val Leu Ala Gly Thr Thr Gly Glu Ser Pro Thr Thr Thr
50 55 60

Ala Ala Glu Lys Leu Glu Leu Leu Lys Ala Val Arg Glu Glu Val Gly
65 70 75 80

Asp Arg Ala Lys Leu Ile Ala Gly Val Gly Thr Asn Asn Thr Arg Thr
85 90 95

Ser Val Glu Leu Ala Glu Ala Ala Ala Ser Ala Gly Ala Asp Gly Leu
100 105 110

Leu Val Val Thr Pro Tyr Tyr Ser Lys Pro Ser Gln Glu Gly Leu Leu
115 120 125

Ala His Phe Gly Ala Ile Ala Ala Ala Thr Glu Val Pro Ile Cys Leu
130 135 140

Tyr Asp Ile Pro Gly Arg Ser Gly Ile Pro Ile Glu Ser Asp Thr Met
145 150 155 160

Arg Arg Leu Ser Glu Leu Pro Thr Ile Leu Ala Val Lys Asp Ala Lys
165 170 175

Gly Asp Leu Val Ala Ala Thr Ser Leu Ile Lys Glu Thr Gly Leu Ala
180 185 190

Trp Tyr Ser Gly Asp Asp Pro Leu Asn Leu Val Trp Leu Ala Leu Gly
195 200 205

Gly Ser Gly Phe Ile Ser Val Ile Gly His Ala Ala Pro Thr Ala Leu
210 215 220

Arg Glu Leu Tyr Thr Ser Phe Glu Glu Gly Asp Leu Val Arg Ala Arg
225 230 235 240

Glu Ile Asn Ala Lys Leu Ser Pro Leu Val Ala Ala Gln Gly Arg Leu
245 250 255

Gly Gly Val Ser Leu Ala Lys Ala Ala Leu Arg Leu Gln Gly Ile Asn

260 265 270

Val Gly Asp Pro Arg Leu Pro Ile Met Ala Pro Asn Glu Gln Glu Leu
275 280 285

Glu Ala Leu Arg Glu Asp Met Lys Lys Ala Gly Val Leu
290 295 300

<210> 57
<211> 1071
<212> DNA
<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(1048)
<223> RXS02021

<400> 57
ttgggtcgcc gaggagatct aatcctgggt tgagttcaga gttcacaggt ttaagcctac 60

aaaccttagt taaaacatga tggaagcggc cgattaaaaa atg agt gaa aac att 115
Met Ser Glu Asn Ile
1 5

cgc gga gcc caa gca gtt gga atc gca aat atc gcc atg gac ggg acc 163
Arg Gly Ala Gln Ala Val Gly Ile Ala Asn Ile Ala Met Asp Gly Thr
10 15 20

atc ctg gac acg tgg tac cca gaa ccc caa att ttc aac ccg gat cag 211
Ile Leu Asp Thr Trp Tyr Pro Glu Pro Gln Ile Phe Asn Pro Asp Gln
25 30 35

tgg gct gaa cgc tac cca ttg gaa gtg ggc acc aca cgc ctc gga gca 259
Trp Ala Glu Arg Tyr Pro Leu Glu Val Gly Thr Thr Arg Leu Gly Ala
40 45 50

aac gaa ctc acc cca cgg atg ctg cag ttg gta aaa ctg gac caa gat 307
Asn Glu Leu Thr Pro Arg Met Leu Gln Leu Val Lys Leu Asp Gln Asp
55 60 65

cgc ctc gtc gaa cag gta gca gtc cgc acc gtt atc ccc gat ctg tct 355
Arg Leu Val Glu Gln Val Ala Val Arg Thr Val Ile Pro Asp Leu Ser
70 75 80 85

caa cct cca gta gac gcg cac gat gtt tac ctg cgc ctc cac ctg ctt 403
Gln Pro Pro Val Asp Ala His Asp Val Tyr Leu Arg Leu His Leu Leu
90 95 100

tcc cac cgg ctg gtc cgc ccc cac gaa atg cac atg caa aac acc ttg 451
Ser His Arg Leu Val Arg Pro His Glu Met His Met Gln Asn Thr Leu
105 110 115

gag ctg ctg tcc gac gtg gtg tgg aca aac aag ggc cct tgc ctt cct 499
Glu Leu Leu Ser Asp Val Val Trp Thr Asn Lys Gly Pro Cys Leu Pro
120 125 130

gaa aac ttt gag tgg gtg cgt ggt gct ctg cgg tcc cgc gga ctc atc 547
Glu Asn Phe Glu Trp Val Arg Gly Ala Leu Arg Ser Arg Gly Leu Ile
135 140 145

cac gtc tac tgt gtg gac cgt ctt ccc cgc atg gtc gac tat gtg gtt 595
 His Val Tyr Cys Val Asp Arg Leu Pro Arg Met Val Asp Tyr Val Val
 150 155 160 165

ccc cct gga gtc cgc atc tcc gaa gca gaa cgc gtg cgc cta ggt gca 643
 Pro Pro Gly Val Arg Ile Ser Glu Ala Glu Arg Val Arg Leu Gly Ala
 170 175 180

tac ctt gct ccg ggt acc tct gtg ctg cgt gaa ggt ttc gtg tct ttc 691
 Tyr Leu Ala Pro Gly Thr Ser Val Leu Arg Glu Gly Phe Val Ser Phe
 185 190 195

aac tcc ggc acc ttg ggt gcc gca aag gtg gaa ggc cgc ctg agt tcc 739
 Asn Ser Gly Thr Leu Gly Ala Ala Lys Val Glu Gly Arg Leu Ser Ser
 200 205 210

ggt gtg gtc atc ggt gaa ggt tcc gag att gga ctg tct tct act att 787
 Gly Val Val Ile Gly Glu Gly Ser Glu Ile Gly Leu Ser Ser Thr Ile
 215 220 225

cag tcc ccg aga gat gaa cag cgc cgc cgt ttg ccg ttg agc atc ggc 835
 Gln Ser Pro Arg Asp Glu Gln Arg Arg Arg Leu Pro Leu Ser Ile Gly
 230 235 240 245

caa aac tgc aac ttt ggt gtc agc tcc gga atc atc gga gtc agt ctg 883
 Gln Asn Cys Asn Phe Gly Val Ser Ser Gly Ile Ile Gly Val Ser Leu
 250 255 260

gga gac aat tgc gac atc gga aat aac att gtc ttg gat gga gat acc 931
 Gly Asp Asn Cys Asp Ile Gly Asn Asn Ile Val Leu Asp Gly Asp Thr
 265 270 275

ccc att tgg ttc gca gcc gat gag gag tta cgc act atc gac tcc atc 979
 Pro Ile Trp Phe Ala Ala Asp Glu Glu Leu Arg Thr Ile Asp Ser Ile
 280 285 290

gaa ggc caa gca aat tgg tca atc aag cgt gaa tcc ggc ttc cat gag
 1027
 Glu Gly Gln Ala Asn Trp Ser Ile Lys Arg Glu Ser Gly Phe His Glu
 295 300 305

cca gtt gcc cgc ctc aaa gct tgacccattt tcataaccag tgc
 1071
 Pro Val Ala Arg Leu Lys Ala
 310 315

<210> 58

<211> 316

<212> PRT

<213> Corynebacterium glutamicum

<400> 58

Met Ser Glu Asn Ile Arg Gly Ala Gln Ala Val Gly Ile Ala Asn Ile
 1 5 10 15

Ala Met Asp Gly Thr Ile Leu Asp Thr Trp Tyr Pro Glu Pro Gln Ile
 20 25 30

Phe Asn Pro Asp Gln Trp Ala Glu Arg Tyr Pro Leu Glu Val Gly Thr

35					40					45						
Thr	Arg	Leu	Gly	Ala	Asn	Glu	Leu	Thr	Pro	Arg	Met	Leu	Gln	Leu	Val	
50					55					60						
Lys	Leu	Asp	Gln	Asp	Arg	Leu	Val	Glu	Gln	Val	Ala	Val	Arg	Thr	Val	
65					70					75					80	
Ile	Pro	Asp	Leu	Ser	Gln	Pro	Pro	Val	Asp	Ala	His	Asp	Val	Tyr	Leu	
					85					90					95	
Arg	Leu	His	Leu	Leu	Ser	His	Arg	Leu	Val	Arg	Pro	His	Glu	Met	His	
					100					105					110	
Met	Gln	Asn	Thr	Leu	Glu	Leu	Leu	Ser	Asp	Val	Val	Trp	Thr	Asn	Lys	
					115					120					125	
Gly	Pro	Cys	Leu	Pro	Glu	Asn	Phe	Glu	Trp	Val	Arg	Gly	Ala	Leu	Arg	
					130					135					140	
Ser	Arg	Gly	Leu	Ile	His	Val	Tyr	Cys	Val	Asp	Arg	Leu	Pro	Arg	Met	
145					150					155					160	
Val	Asp	Tyr	Val	Val	Pro	Pro	Gly	Val	Arg	Ile	Ser	Glu	Ala	Glu	Arg	
					165					170					175	
Val	Arg	Leu	Gly	Ala	Tyr	Leu	Ala	Pro	Gly	Thr	Ser	Val	Leu	Arg	Glu	
					180					185					190	
Gly	Phe	Val	Ser	Phe	Asn	Ser	Gly	Thr	Leu	Gly	Ala	Ala	Lys	Val	Glu	
					195					200					205	
Gly	Arg	Leu	Ser	Ser	Gly	Val	Val	Ile	Gly	Glu	Gly	Ser	Glu	Ile	Gly	
					210					215					220	
Leu	Ser	Ser	Thr	Ile	Gln	Ser	Pro	Arg	Asp	Glu	Gln	Arg	Arg	Arg	Leu	
225					230					235					240	
Pro	Leu	Ser	Ile	Gly	Gln	Asn	Cys	Asn	Phe	Gly	Val	Ser	Ser	Gly	Ile	
					245					250					255	
Ile	Gly	Val	Ser	Leu	Gly	Asp	Asn	Cys	Asp	Ile	Gly	Asn	Asn	Ile	Val	
					260					265					270	
Leu	Asp	Gly	Asp	Thr	Pro	Ile	Trp	Phe	Ala	Ala	Asp	Glu	Glu	Leu	Arg	
					275					280					285	
Thr	Ile	Asp	Ser	Ile	Glu	Gly	Gln	Ala	Asn	Trp	Ser	Ile	Lys	Arg	Glu	
290					295					300						
Ser	Gly	Phe	His	Glu	Pro	Val	Ala	Arg	Leu	Lys	Ala					
305					310					315						

<210> 59

<211> 1296

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1273)

<223> RXS02157

<400> 59

gggtggaatt ggcacgatgg tgctgccgga tgtttttgat cgggagaatt atcctgaagg 60

caccgttttt agaaaagacg acaaggatgg ggaactgtaa atg agc acg ctg gaa 115
 Met Ser Thr Leu Glu
 1 5

act tgg cca cag gtc att att aat acg tac ggc acc cca cca gtt gag 163
 Thr Trp Pro Gln Val Ile Ile Asn Thr Tyr Gly Thr Pro Pro Val Glu
 10 15 20

ctg gtg tcc ggc aag ggc gca acc gtc act gat gac cag ggc aat gtc 211
 Leu Val Ser Gly Lys Gly Ala Thr Val Thr Asp Asp Gln Gly Asn Val
 25 30 35

tac atc gac ttg ctc gcg ggc atc gca gtc aac gcg ttg ggc cac gcc 259
 Tyr Ile Asp Leu Leu Ala Gly Ile Ala Val Asn Ala Leu Gly His Ala
 40 45 50

cac ccg gcg atc atc gag gcg gtc acc aac cag atc ggc caa ctt ggt 307
 His Pro Ala Ile Ile Glu Ala Val Thr Asn Gln Ile Gly Gln Leu Gly
 55 60 65

cac gtc tca aac ttg ttc gca tcc agg ccc gtc gtc gag gtc gcc gag 355
 His Val Ser Asn Leu Phe Ala Ser Arg Pro Val Val Glu Val Ala Glu
 70 75 80 85

gag ctc atc aag cgt ttt tcg ctt gac gac gcc acc ctc gcc gcg caa 403
 Glu Leu Ile Lys Arg Phe Ser Leu Asp Asp Ala Thr Leu Ala Ala Gln
 90 95 100

acc cgg gtt ttc ttc tgc aac tcg ggc gcc gaa gca aac gag gct gct 451
 Thr Arg Val Phe Phe Cys Asn Ser Gly Ala Glu Ala Asn Glu Ala Ala
 105 110 115

ttc aag att gca cgc ttg act ggt cgt tcc cgg att ctg gct gca gtt 499
 Phe Lys Ile Ala Arg Leu Thr Gly Arg Ser Arg Ile Leu Ala Ala Val
 120 125 130

cat ggt ttc cac ggc cgc acc atg ggt tcc ctc gcg ctg act ggc cag 547
 His Gly Phe His Gly Arg Thr Met Gly Ser Leu Ala Leu Thr Gly Gln
 135 140 145

cca gac aag cgt gaa gcg ttc ctg cca atg cca agc ggt gtg gag ttc 595
 Pro Asp Lys Arg Glu Ala Phe Leu Pro Met Pro Ser Gly Val Glu Phe
 150 155 160 165

tac cct tac ggc gac acc gat tac ttg cgc aaa atg gta gaa acc aac 643
 Tyr Pro Tyr Gly Asp Thr Asp Tyr Leu Arg Lys Met Val Glu Thr Asn
 170 175 180

cca acg gat gtg gct gct atc ttc ctc gag cca atc cag ggt gaa acg 691
 Pro Thr Asp Val Ala Ala Ile Phe Leu Glu Pro Ile Gln Gly Glu Thr
 185 190 195

ggc gtt gtt cca gca cct gaa gga ttc ctc aag gca gtg cgc gag ctg 739
 Gly Val Val Pro Ala Pro Glu Gly Phe Leu Lys Ala Val Arg Glu Leu
 200 205 210

tgc gat gag tac ggc atc ttg atg atc acc gat gaa gtc cag act ggc	787
Cys Asp Glu Tyr Gly Ile Leu Met Ile Thr Asp Glu Val Gln Thr Gly	
215 220 225	
gtt ggc cgt acc ggc gat ttc ttt gca cat cag cac gat ggc gtt gtt	835
Val Gly Arg Thr Gly Asp Phe Phe Ala His Gln His Asp Gly Val Val	
230 235 240 245	
ccc gat gtg gtg acc atg gcc aag gga ctt ggc ggc ggt ctt ccc atc	883
Pro Asp Val Val Thr Met Ala Lys Gly Leu Gly Gly Gly Leu Pro Ile	
250 255 260	
ggt gct tgt ttg gcc act ggc cgt gca gct gaa ttg atg acc cca ggc	931
Gly Ala Cys Leu Ala Thr Gly Arg Ala Ala Glu Leu Met Thr Pro Gly	
265 270 275	
aag cac ggc acc act ttc ggt ggc aac cca gtt gct tgt gca gct gcc	979
Lys His Gly Thr Thr Phe Gly Gly Asn Pro Val Ala Cys Ala Ala Ala	
280 285 290	
aag gca gtg ctg tct gtt gtc gat gac gct ttc tgc gca gaa gtt gcc	
1027	
Lys Ala Val Leu Ser Val Val Asp Asp Ala Phe Cys Ala Glu Val Ala	
295 300 305	
cgc aag ggc gag ctg ttc aag gaa ctt ctt gcc aag gtt gac ggc gtt	
1075	
Arg Lys Gly Glu Leu Phe Lys Glu Leu Leu Ala Lys Val Asp Gly Val	
310 315 320 325	
gta gac gtc cgt ggc agg ggc ttg atg ttg ggc gtg gtg ctg gag cgc	
1123	
Val Asp Val Arg Gly Arg Gly Leu Met Leu Gly Val Val Leu Glu Arg	
330 335 340	
gac gtc gca aag caa gct gtt ctt gat ggt ttt aag cac ggc gtt att	
1171	
Asp Val Ala Lys Gln Ala Val Leu Asp Gly Phe Lys His Gly Val Ile	
345 350 355	
ttg aat gca ccg gcg gac aac att atc cgt ttg acc ccg ccg ctg gtg	
1219	
Leu Asn Ala Pro Ala Asp Asn Ile Ile Arg Leu Thr Pro Pro Leu Val	
360 365 370	
atc acc gac gaa gaa atc gca gac gca gtc aag gct att gcc gag aca	
1267	
Ile Thr Asp Glu Glu Ile Ala Asp Ala Val Lys Ala Ile Ala Glu Thr	
375 380 385	
atc gca taaaggactc aaacttatga ctt	
1296	
Ile Ala	
390	

<210> 60

<211> 391

<212> PRT

<213> Corynebacterium glutamicum

<400> 60

Met	Ser	Thr	Leu	Glu	Thr	Trp	Pro	Gln	Val	Ile	Ile	Asn	Thr	Tyr	Gly	1	5	10	15
Thr	Pro	Pro	Val	Glu	Leu	Val	Ser	Gly	Lys	Gly	Ala	Thr	Val	Thr	Asp	20	25	30	
Asp	Gln	Gly	Asn	Val	Tyr	Ile	Asp	Leu	Leu	Ala	Gly	Ile	Ala	Val	Asn	35	40	45	
Ala	Leu	Gly	His	Ala	His	Pro	Ala	Ile	Ile	Glu	Ala	Val	Thr	Asn	Gln	50	55	60	
Ile	Gly	Gln	Leu	Gly	His	Val	Ser	Asn	Leu	Phe	Ala	Ser	Arg	Pro	Val	65	70	75	80
Val	Glu	Val	Ala	Glu	Glu	Leu	Ile	Lys	Arg	Phe	Ser	Leu	Asp	Asp	Ala	85	90	95	
Thr	Leu	Ala	Ala	Gln	Thr	Arg	Val	Phe	Phe	Cys	Asn	Ser	Gly	Ala	Glu	100	105	110	
Ala	Asn	Glu	Ala	Ala	Phe	Lys	Ile	Ala	Arg	Leu	Thr	Gly	Arg	Ser	Arg	115	120	125	
Ile	Leu	Ala	Ala	Val	His	Gly	Phe	His	Gly	Arg	Thr	Met	Gly	Ser	Leu	130	135	140	
Ala	Leu	Thr	Gly	Gln	Pro	Asp	Lys	Arg	Glu	Ala	Phe	Leu	Pro	Met	Pro	145	150	155	160
Ser	Gly	Val	Glu	Phe	Tyr	Pro	Tyr	Gly	Asp	Thr	Asp	Tyr	Leu	Arg	Lys	165	170	175	
Met	Val	Glu	Thr	Asn	Pro	Thr	Asp	Val	Ala	Ala	Ile	Phe	Leu	Glu	Pro	180	185	190	
Ile	Gln	Gly	Glu	Thr	Gly	Val	Val	Pro	Ala	Pro	Glu	Gly	Phe	Leu	Lys	195	200	205	
Ala	Val	Arg	Glu	Leu	Cys	Asp	Glu	Tyr	Gly	Ile	Leu	Met	Ile	Thr	Asp	210	215	220	
Glu	Val	Gln	Thr	Gly	Val	Gly	Arg	Thr	Gly	Asp	Phe	Phe	Ala	His	Gln	225	230	235	240
His	Asp	Gly	Val	Val	Pro	Asp	Val	Val	Thr	Met	Ala	Lys	Gly	Leu	Gly	245	250	255	
Gly	Gly	Leu	Pro	Ile	Gly	Ala	Cys	Leu	Ala	Thr	Gly	Arg	Ala	Ala	Glu	260	265	270	
Leu	Met	Thr	Pro	Gly	Lys	His	Gly	Thr	Thr	Phe	Gly	Gly	Asn	Pro	Val	275	280	285	
Ala	Cys	Ala	Ala	Ala	Lys	Ala	Val	Leu	Ser	Val	Val	Asp	Asp	Ala	Phe	290	295	300	
Cys	Ala	Glu	Val	Ala	Arg	Lys	Gly	Glu	Leu	Phe	Lys	Glu	Leu	Leu	Ala	305	310	315	320

Lys Val Asp Gly Val Val Asp Val Arg Gly Arg Gly Leu Met Leu Gly
 325 330 335

Val Val Leu Glu Arg Asp Val Ala Lys Gln Ala Val Leu Asp Gly Phe
 340 345 350

Lys His Gly Val Ile Leu Asn Ala Pro Ala Asp Asn Ile Ile Arg Leu
 355 360 365

Thr Pro Pro Leu Val Ile Thr Asp Glu Glu Ile Ala Asp Ala Val Lys
 370 375 380

Ala Ile Ala Glu Thr Ile Ala
 385 390

<210> 61

<211> 1008

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(985)

<223> RXC00733

<400> 61

acggcgaggt tgtcggtatt ggaacgcaca cgaatttgct gaacacgtgc ggtacctacc 60

gtgaaattgt tgaatcccaa gagactgcgc aggcgcaatc atg agt aat act gca 115
 Met Ser Asn Thr Ala
 1 5

ggc ccc cgc ggg cgt tcc cat cag gca gac gcc gcg ccg aat caa aag 163
 Gly Pro Arg Gly Arg Ser His Gln Ala Asp Ala Ala Pro Asn Gln Lys
 10 15 20

gca cag aat ttc gga cca tct gcc aaa agg ctt ttc gga att cta ggc 211
 Ala Gln Asn Phe Gly Pro Ser Ala Lys Arg Leu Phe Gly Ile Leu Gly
 25 30 35

cat gac cgt aac acc tta att ttt gtt atc ttc cta gcc gtc ctg agc 259
 His Asp Arg Asn Thr Leu Ile Phe Val Ile Phe Leu Ala Val Leu Ser
 40 45 50

gtt gga ctt acc gtc ttg ggc cca tgg ttg ctg ggt aaa gcc acc aac 307
 Val Gly Leu Thr Val Leu Gly Pro Trp Leu Leu Gly Lys Ala Thr Asn
 55 60 65

gtg gtg ttt gaa gga ttc cta tct aag cgc atg ccg gct ggt gcg tca 355
 Val Val Phe Glu Gly Phe Leu Ser Lys Arg Met Pro Ala Gly Ala Ser
 70 75 80 85

aag gaa gat atc atc gcg cag ttg cag gct gca ggt aaa cat aat cag 403
 Lys Glu Asp Ile Ile Ala Gln Leu Gln Ala Ala Gly Lys His Asn Gln
 90 95 100

gct tcc atg atg gaa gac atg aac ctt gtt cca ggc tca ggc att gat 451
 Ala Ser Met Met Glu Asp Met Asn Leu Val Pro Gly Ser Gly Ile Asp
 105 110 115

ttt gaa aaa tta gcc atg atc ctc gga ctg gtg atc ggt gct tat ctc 499
 Phe Glu Lys Leu Ala Met Ile Leu Gly Leu Val Ile Gly Ala Tyr Leu
 120 125 130

atc ggt agc ctg ttg tgc ttg ttc cag gcg cgg atg ctc aac cgc atc 547
 Ile Gly Ser Leu Leu Ser Leu Phe Gln Ala Arg Met Leu Asn Arg Ile
 135 140 145

gtg caa agt gcc atg cac cgg ctg cgc atg gag gtg gag gaa aaa atc 595
 Val Gln Ser Ala Met His Arg Leu Arg Met Glu Val Glu Glu Lys Ile
 150 155 160 165

cac cgc cta ccg ctg agc tat ttc gat tcc atc aaa cgt ggt gat ctg 643
 His Arg Leu Pro Leu Ser Tyr Phe Asp Ser Ile Lys Arg Gly Asp Leu
 170 175 180

ctt agc cgt gtg acc aac gat gtg gat aat atc ggt caa tcc ctg caa 691
 Leu Ser Arg Val Thr Asn Asp Val Asp Asn Ile Gly Gln Ser Leu Gln
 185 190 195

caa acc ttg tca cag gcg atc act tcc cta ctg acc gtc atc ggt gtg 739
 Gln Thr Leu Ser Gln Ala Ile Thr Ser Leu Leu Thr Val Ile Gly Val
 200 205 210

ttg gtg atg atg ttt atc atc tcc cca ctg ctc gca ctc gtg gcg ctg 787
 Leu Val Met Met Phe Ile Ile Ser Pro Leu Leu Ala Leu Val Ala Leu
 215 220 225

gta tcc att ccg gtc acc atc gtg gtc act gtg gtg gtt gcg agc cgt 835
 Val Ser Ile Pro Val Thr Ile Val Val Thr Val Val Val Ala Ser Arg
 230 235 240 245

tcc cag aaa ctc ttt gcg gaa cag tgg aag cag acc ggt att ttg aat 883
 Ser Gln Lys Leu Phe Ala Glu Gln Trp Lys Gln Thr Gly Ile Leu Asn
 250 255 260

gcg cgc ctg gag gaa acc tac tct ggc cac gcc gtg gtt aag gtt ttc 931
 Ala Arg Leu Glu Glu Thr Tyr Ser Gly His Ala Val Val Lys Val Phe
 265 270 275

gga cac caa aag gat gtt caa gaa gca ttc gag gaa gaa aat caa gct 979
 Gly His Gln Lys Asp Val Gln Glu Ala Phe Glu Glu Glu Asn Gln Ala
 280 285 290

tgt gta taaggccagc tttggtgccc agt
 1008
 Cys Val
 295

<210> 62
 <211> 295
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 62
 Met Ser Asn Thr Ala Gly Pro Arg Gly Arg Ser His Gln Ala Asp Ala
 1 5 10 15

Ala Pro Asn Gln Lys Ala Gln Asn Phe Gly Pro Ser Ala Lys Arg Leu

20					25					30						
Phe	Gly	Ile	Leu	Gly	His	Asp	Arg	Asn	Thr	Leu	Ile	Phe	Val	Ile	Phe	
35					40					45						
Leu	Ala	Val	Leu	Ser	Val	Gly	Leu	Thr	Val	Leu	Gly	Pro	Trp	Leu	Leu	
50					55					60						
Gly	Lys	Ala	Thr	Asn	Val	Val	Phe	Glu	Gly	Phe	Leu	Ser	Lys	Arg	Met	
65					70					75					80	
Pro	Ala	Gly	Ala	Ser	Lys	Glu	Asp	Ile	Ile	Ala	Gln	Leu	Gln	Ala	Ala	
85					90					95						
Gly	Lys	His	Asn	Gln	Ala	Ser	Met	Met	Glu	Asp	Met	Asn	Leu	Val	Pro	
100					105					110						
Gly	Ser	Gly	Ile	Asp	Phe	Glu	Lys	Leu	Ala	Met	Ile	Leu	Gly	Leu	Val	
115					120					125						
Ile	Gly	Ala	Tyr	Leu	Ile	Gly	Ser	Leu	Leu	Ser	Leu	Phe	Gln	Ala	Arg	
130					135					140						
Met	Leu	Asn	Arg	Ile	Val	Gln	Ser	Ala	Met	His	Arg	Leu	Arg	Met	Glu	
145					150					155					160	
Val	Glu	Glu	Lys	Ile	His	Arg	Leu	Pro	Leu	Ser	Tyr	Phe	Asp	Ser	Ile	
165					170					175						
Lys	Arg	Gly	Asp	Leu	Leu	Ser	Arg	Val	Thr	Asn	Asp	Val	Asp	Asn	Ile	
180					185					190						
Gly	Gln	Ser	Leu	Gln	Gln	Thr	Leu	Ser	Gln	Ala	Ile	Thr	Ser	Leu	Leu	
195					200					205						
Thr	Val	Ile	Gly	Val	Leu	Val	Met	Met	Phe	Ile	Ile	Ser	Pro	Leu	Leu	
210					215					220						
Ala	Leu	Val	Ala	Leu	Val	Ser	Ile	Pro	Val	Thr	Ile	Val	Val	Thr	Val	
225					230					235					240	
Val	Val	Ala	Ser	Arg	Ser	Gln	Lys	Leu	Phe	Ala	Glu	Gln	Trp	Lys	Gln	
245					250					255						
Thr	Gly	Ile	Leu	Asn	Ala	Arg	Leu	Glu	Glu	Thr	Tyr	Ser	Gly	His	Ala	
260					265					270						
Val	Val	Lys	Val	Phe	Gly	His	Gln	Lys	Asp	Val	Gln	Glu	Ala	Phe	Glu	
275					280					285						
Glu	Glu	Asn	Gln	Ala	Cys	Val										
290					295											

<210> 63

<211> 426

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(426)

<223> RXC00861

<400> 63

atg gct cct cac aag gtc atg ctg att acc act ggt act cag ggt gag	48
Met Ala Pro His Lys Val Met Leu Ile Thr Thr Gly Thr Gln Gly Glu	
1 5 10 15	
cct atg gct gcg ctg tct cgc atg gcg cgt cgt gag cac cga cag atc	96
Pro Met Ala Ala Leu Ser Arg Met Ala Arg Arg Glu His Arg Gln Ile	
20 25 30	
act gtc cgt gat gga gac ttg att atc ctt tct tcc tcc ctg gtt cca	144
Thr Val Arg Asp Gly Asp Leu Ile Ile Leu Ser Ser Ser Leu Val Pro	
35 40 45	
ggg aac gaa gaa gca gtg ttc ggt gtc atc aac atg ctg gct cag atc	192
Gly Asn Glu Glu Ala Val Phe Gly Val Ile Asn Met Leu Ala Gln Ile	
50 55 60	
ggg gca act gtt gtt acc ggt cgc gac gcc aag gtg cac acc tcg ggc	240
Gly Ala Thr Val Val Thr Gly Arg Asp Ala Lys Val His Thr Ser Gly	
65 70 75 80	
cac ggc tac tcc gga gag ctg ttg ttc ttg tac aac gcc gct cgt ccg	288
His Gly Tyr Ser Gly Glu Leu Leu Phe Leu Tyr Asn Ala Ala Arg Pro	
85 90 95	
aag aac gct atg cct gtc cac ggc gag tgg cgc cac ctg cgc gcc aac	336
Lys Asn Ala Met Pro Val His Gly Glu Trp Arg His Leu Arg Ala Asn	
100 105 110	
aag gaa ctg gct atc tcc act ggt gtt aac cgc gac aac gtt gtg ctt	384
Lys Glu Leu Ala Ile Ser Thr Gly Val Asn Arg Asp Asn Val Val Leu	
115 120 125	
gca caa aac ggt gtt gtg gtt gat atg gtc aac ggt cgc gca	426
Ala Gln Asn Gly Val Val Val Asp Met Val Asn Gly Arg Ala	
130 135 140	

<210> 64

<211> 142

<212> PRT

<213> Corynebacterium glutamicum

<400> 64

Met Ala Pro His Lys Val Met Leu Ile Thr Thr Gly Thr Gln Gly Glu	
1 5 10 15	
Pro Met Ala Ala Leu Ser Arg Met Ala Arg Arg Glu His Arg Gln Ile	
20 25 30	
Thr Val Arg Asp Gly Asp Leu Ile Ile Leu Ser Ser Ser Leu Val Pro	
35 40 45	
Gly Asn Glu Glu Ala Val Phe Gly Val Ile Asn Met Leu Ala Gln Ile	
50 55 60	
Gly Ala Thr Val Val Thr Gly Arg Asp Ala Lys Val His Thr Ser Gly	
65 70 75 80	

<400> 65																
gcacaaacgt agagatcct cgacttccaa ttatggctcc aaatgagcag gaacttgagg																60
ctctccgaga agacatgaaa aaagctggag ttctataaat																
										atg	aat	gat	tcc	cga		115
										Met	Asn	Asp	Ser	Arg		
										1				5		
aat cgc ggc cgg aag gtt acc cgc aag gcg ggc cca cca gaa gct ggt																163
Asn	Arg	Gly	Arg	Lys	Val	Thr	Arg	Lys	Ala	Gly	Pro	Pro	Glu	Ala	Gly	
				10					15					20		
cag gaa aac cat ctg gat acc cct gtc ttt cag gca cca gat gct tcc																211
Gln	Glu	Asn	His	Leu	Asp	Thr	Pro	Val	Phe	Gln	Ala	Pro	Asp	Ala	Ser	
			25					30					35			
tct aac cag agc gct gta aaa gct gag acc gcc gga aac gac aat cgg																259
Ser	Asn	Gln	Ser	Ala	Val	Lys	Ala	Glu	Thr	Ala	Gly	Asn	Asp	Asn	Arg	
		40					45					50				
gat gct gcg caa ggt gct caa gga tcc caa gat tct cag ggt tcc cag																307
Asp	Ala	Ala	Gln	Gly	Ala	Gln	Gly	Ser	Gln	Asp	Ser	Gln	Gly	Ser	Gln	
	55					60					65					
aac gct caa ggt tcc cag aac cgc gag tcc gga aac aac aac cgc aac																355
Asn	Ala	Gln	Gly	Ser	Gln	Asn	Arg	Glu	Ser	Gly	Asn	Asn	Asn	Arg	Asn	
70					75					80					85	
cgt tcc aac aac aac cgt cgc ggt ggt cgt gga cgt cgt gga tcc gga																403
Arg	Ser	Asn	Asn	Asn	Arg	Arg	Gly	Gly	Arg	Gly	Arg	Arg	Gly	Ser	Gly	
				90					95					100		
aac gcc aat gag ggc gcg aac aac aac agc ggt aac cag aac cgt cag																451
Asn	Ala	Asn	Glu	Gly	Ala	Asn	Asn	Asn	Ser	Gly	Asn	Gln	Asn	Arg	Gln	
			105					110				115				
ggc gga aac cgt ggc aac cgc ggt ggc gga cgc cga aac gtt gtt aag																499
Gly	Gly	Asn	Arg	Gly	Asn	Arg	Gly	Gly	Gly	Arg	Arg	Asn	Val	Val	Lys	

120	125	130	
tcg atg cag ggt gcg gat ctg acc cag cgc ctg cca gag cca cca aag			547
Ser Met Gln Gly Ala Asp Leu Thr Gln Arg Leu Pro Glu Pro Pro Lys			
135	140	145	
gca ccg gca aac ggt ctg cgt att tac gca ctt ggt ggc att tcc gaa			595
Ala Pro Ala Asn Gly Leu Arg Ile Tyr Ala Leu Gly Gly Ile Ser Glu			
150	155	160	165
atc ggt cgc aac atg acc gtg ttt gag tac aac aac cgt ctg ctc atc			643
Ile Gly Arg Asn Met Thr Val Phe Glu Tyr Asn Asn Arg Leu Leu Ile			
	170	175	180
gtg gac tgt ggt gtg ctc ttc cca tct tca ggt gag cca ggc gtt gac			691
Val Asp Cys Gly Val Leu Phe Pro Ser Ser Gly Glu Pro Gly Val Asp			
	185	190	195
ctg att ctt cct gac ttc ggc cca att gag gat cac ctg cac cgc gtc			739
Leu Ile Leu Pro Asp Phe Gly Pro Ile Glu Asp His Leu His Arg Val			
	200	205	210
gat gca ttg gtg gtt act cac gga cac gaa gac cac att ggt gct att			787
Asp Ala Leu Val Val Thr His Gly His Glu Asp His Ile Gly Ala Ile			
	215	220	225
ccc tgg ctg ctg aag ctg cgc aac gat atc cca atc ttg gca tcc cgt			835
Pro Trp Leu Leu Lys Leu Arg Asn Asp Ile Pro Ile Leu Ala Ser Arg			
230	235	240	245
ttc acc ttg gct ctg att gca gct aag tgt aag gaa cac cgt cag cgt			883
Phe Thr Leu Ala Leu Ile Ala Ala Lys Cys Lys Glu His Arg Gln Arg			
	250	255	260
ccg aag ctg atc gag gtc aac gag cag tcc aat gag gac cgc gga ccg			931
Pro Lys Leu Ile Glu Val Asn Glu Gln Ser Asn Glu Asp Arg Gly Pro			
	265	270	275
ttc aac att cgc ttc tgg gct gtt aac cac tcc atc cca gac tgc ctt			979
Phe Asn Ile Arg Phe Trp Ala Val Asn His Ser Ile Pro Asp Cys Leu			
	280	285	290
ggt ctt gct atc aag act cct gct ggt ttg gtc atc cac acc ggt gac			
1027			
Gly Leu Ala Ile Lys Thr Pro Ala Gly Leu Val Ile His Thr Gly Asp			
	295	300	305
atc aag ctg gat cag act cct cct gat gga cgc cca act			
1066			
Ile Lys Leu Asp Gln Thr Pro Pro Asp Gly Arg Pro Thr			
310	315	320	
<210> 66			
<211> 322			
<212> PRT			
<213> Corynebacterium glutamicum			
<400> 66			
Met Asn Asp Ser Arg Asn Arg Gly Arg Lys Val Thr Arg Lys Ala Gly			
1	5	10	15

Pro Pro Glu Ala Gly Gln Glu Asn His Leu Asp Thr Pro Val Phe Gln
 20 25 30
 Ala Pro Asp Ala Ser Ser Asn Gln Ser Ala Val Lys Ala Glu Thr Ala
 35 40 45
 Gly Asn Asp Asn Arg Asp Ala Ala Gln Gly Ala Gln Gly Ser Gln Asp
 50 55 60
 Ser Gln Gly Ser Gln Asn Ala Gln Gly Ser Gln Asn Arg Glu Ser Gly
 65 70 75 80
 Asn Asn Asn Arg Asn Arg Ser Asn Asn Asn Arg Arg Gly Gly Arg Gly
 85 90 95
 Arg Arg Gly Ser Gly Asn Ala Asn Glu Gly Ala Asn Asn Asn Ser Gly
 100 105 110
 Asn Gln Asn Arg Gln Gly Gly Asn Arg Gly Asn Arg Gly Gly Gly Arg
 115 120 125
 Arg Asn Val Val Lys Ser Met Gln Gly Ala Asp Leu Thr Gln Arg Leu
 130 135 140
 Pro Glu Pro Pro Lys Ala Pro Ala Asn Gly Leu Arg Ile Tyr Ala Leu
 145 150 155 160
 Gly Gly Ile Ser Glu Ile Gly Arg Asn Met Thr Val Phe Glu Tyr Asn
 165 170 175
 Asn Arg Leu Leu Ile Val Asp Cys Gly Val Leu Phe Pro Ser Ser Gly
 180 185 190
 Glu Pro Gly Val Asp Leu Ile Leu Pro Asp Phe Gly Pro Ile Glu Asp
 195 200 205
 His Leu His Arg Val Asp Ala Leu Val Val Thr His Gly His Glu Asp
 210 215 220
 His Ile Gly Ala Ile Pro Trp Leu Leu Lys Leu Arg Asn Asp Ile Pro
 225 230 235 240
 Ile Leu Ala Ser Arg Phe Thr Leu Ala Leu Ile Ala Ala Lys Cys Lys
 245 250 255
 Glu His Arg Gln Arg Pro Lys Leu Ile Glu Val Asn Glu Gln Ser Asn
 260 265 270
 Glu Asp Arg Gly Pro Phe Asn Ile Arg Phe Trp Ala Val Asn His Ser
 275 280 285
 Ile Pro Asp Cys Leu Gly Leu Ala Ile Lys Thr Pro Ala Gly Leu Val
 290 295 300
 Ile His Thr Gly Asp Ile Lys Leu Asp Gln Thr Pro Pro Asp Gly Arg
 305 310 315 320
 Pro Thr

<210> 67
 <211> 1527
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1504)
 <223> RXC02095

<400> 67
 ctctcttggg cctctcccca cccattttta agtactcaag acccttccaa cagaaaggat 60

tactcccca acaggctcaa aaatactgaa aggctcacgc atg aaa act gag caa 115
 Met Lys Thr Glu Gln
 1 5

tcc caa aaa gca caa tta gcc cct aag aaa gca cct gaa aag cca caa 163
 Ser Gln Lys Ala Gln Leu Ala Pro Lys Lys Ala Pro Glu Lys Pro Gln
 10 15 20

cgc atc cgc caa ctt att tcc gtg gcg tgg cag cga cct tgg ctc acc 211
 Arg Ile Arg Gln Leu Ile Ser Val Ala Trp Gln Arg Pro Trp Leu Thr
 25 30 35

tca ttc acc gta atc agc gct tta gct gca acg ttg ttt gaa ctt aca 259
 Ser Phe Thr Val Ile Ser Ala Leu Ala Ala Thr Leu Phe Glu Leu Thr
 40 45 50

ctt cct ctt ttg acc ggt ggc gcc atc gat atc gcg ctc gga aat acc 307
 Leu Pro Leu Leu Thr Gly Gly Ala Ile Asp Ile Ala Leu Gly Asn Thr
 55 60 65

gga gat act tta acc act gac ctg ctg gac cgg ttc act ccg agt gga 355
 Gly Asp Thr Leu Thr Thr Asp Leu Leu Asp Arg Phe Thr Pro Ser Gly
 70 75 80 85

tta agc gtg ttg acc agc gtc att gcc ctt atc gtg ctt ctc gcg ttg 403
 Leu Ser Val Leu Thr Ser Val Ile Ala Leu Ile Val Leu Leu Ala Leu
 90 95 100

ctt cgc tat gcc agt caa ttt gga cgg cga tac acc gca ggc aag ctc 451
 Leu Arg Tyr Ala Ser Gln Phe Gly Arg Arg Tyr Thr Ala Gly Lys Leu
 105 110 115

agc atg ggg gta cag cat gat gtc cgg ctt aaa acg atg cgc tca ttg 499
 Ser Met Gly Val Gln His Asp Val Arg Leu Lys Thr Met Arg Ser Leu
 120 125 130

cag aac ctc gat ggg cca ggt cag gac tct att cgc aca ggc caa gta 547
 Gln Asn Leu Asp Gly Pro Gly Gln Asp Ser Ile Arg Thr Gly Gln Val
 135 140 145

gtc agt cgg tcc att tcg gat atc aac atg gtg caa agc ctt gtg gcg 595
 Val Ser Arg Ser Ile Ser Asp Ile Asn Met Val Gln Ser Leu Val Ala
 150 155 160 165

atg ttg ccg atg ttg atc gga aat gtg gtc aag ctt gtg ctc act ttg 643
 Met Leu Pro Met Leu Ile Gly Asn Val Val Lys Leu Val Leu Thr Leu
 170 175 180

gtg atc atg ctg gct att tcc ccg ccg ctg acc atc atc gct gca gtg	691
Val Ile Met Leu Ala Ile Ser Pro Pro Leu Thr Ile Ile Ala Ala Val	
185 190 195	
ttg gtg cct ttg ctg ttg tgg gcc gtg gcc tat tcg cga aaa gcg ctt	739
Leu Val Pro Leu Leu Leu Trp Ala Val Ala Tyr Ser Arg Lys Ala Leu	
200 205 210	
ttt gcg tcc acg tgg tcg gcc cag caa aag gct gcg gat ctg acc act	787
Phe Ala Ser Thr Trp Ser Ala Gln Gln Lys Ala Ala Asp Leu Thr Thr	
215 220 225	
cat gtg gaa gaa act gtc acg ggt atc cgc gtg gtc aag gca ttt gcg	835
His Val Glu Glu Thr Val Thr Gly Ile Arg Val Val Lys Ala Phe Ala	
230 235 240 245	
cag gaa gac cgc gag acc gac aaa ttg gat ctc acc gca cgt gag tta	883
Gln Glu Asp Arg Glu Thr Asp Lys Leu Asp Leu Thr Ala Arg Glu Leu	
250 255 260	
ttt gcc cag cgc atg cgc act gca cgt ctg acg gca aag ttc atc ccc	931
Phe Ala Gln Arg Met Arg Thr Ala Arg Leu Thr Ala Lys Phe Ile Pro	
265 270 275	
atg gtt gag cag ctt ccg cag ctt gct ttg gtg gtc aac att gtt ggc	979
Met Val Glu Gln Leu Pro Gln Leu Ala Leu Val Val Asn Ile Val Gly	
280 285 290	
ggt ggc tat ttg gcc atg act ggt cac atc acg gtg ggc acg ttt gtg	
1027 Gly Gly Tyr Leu Ala Met Thr Gly His Ile Thr Val Gly Thr Phe Val	
295 300 305	
gcg ttt tct tcc tat ctc act agc ttg tcg gcg gtg gct agg tcc ctg	
1075 Ala Phe Ser Ser Tyr Leu Thr Ser Leu Ser Ala Val Ala Arg Ser Leu	
310 315 320 325	
tcg ggc atg ctc atg cgc gtg cag ttg gcg ctg tct tct gtg gag cgc	
1123 Ser Gly Met Leu Met Arg Val Gln Leu Ala Leu Ser Ser Val Glu Arg	
330 335 340	
atc ttt gaa gtc att gat ctt cag cct gaa cgc acc gat cct gca cac	
1171 Ile Phe Glu Val Ile Asp Leu Gln Pro Glu Arg Thr Asp Pro Ala His	
345 350 355	
ccc ctg tca ctt ccc gac act ccc ctg ggt ctg tcg ttc aac aac gta	
1219 Pro Leu Ser Leu Pro Asp Thr Pro Leu Gly Leu Ser Phe Asn Asn Val	
360 365 370	
gat ttc cgt ggg att ctc aac ggt ttt gag ctg ggt gtt cag gcc ggt	
1267 Asp Phe Arg Gly Ile Leu Asn Gly Phe Glu Leu Gly Val Gln Ala Gly	
375 380 385	
gaa acc gtt gtg ttg gtg ggc cct cca ggt tca ggc aag acc atg gct	
1315	

Glu Thr Val Val Leu Val Gly Pro Pro Gly Ser Gly Lys Thr Met Ala
390 395 400 405

gtg cag ctt gct gga aac ttt tat caa cca gac agc ggc cac atc gcc
1363

Val Gln Leu Ala Gly Asn Phe Tyr Gln Pro Asp Ser Gly His Ile Ala
410 415 420

ttt gat agc aac ggc cat cgc act cgc ttc gac gac ctc acc cac agc
1411

Phe Asp Ser Asn Gly His Arg Thr Arg Phe Asp Asp Leu Thr His Ser
425 430 435

gat atc cgc agg aat ctc atc gcg gtt ttt gat gag ccg ttc ttg tac
1459

Asp Ile Arg Arg Asn Leu Ile Ala Val Phe Asp Glu Pro Phe Leu Tyr
440 445 450

tcc tcc tcc ata ccg cga gaa cat ctc gat ggg ttt gga tgt cag
1504

Ser Ser Ser Ile Pro Arg Glu His Leu Asp Gly Phe Gly Cys Gln
455 460 465

tgatgagcag atcgaacacg cag
1527

<210> 68

<211> 468

<212> PRT

<213> Corynebacterium glutamicum

<400> 68

Met Lys Thr Glu Gln Ser Gln Lys Ala Gln Leu Ala Pro Lys Lys Ala
1 5 10 15

Pro Glu Lys Pro Gln Arg Ile Arg Gln Leu Ile Ser Val Ala Trp Gln
20 25 30

Arg Pro Trp Leu Thr Ser Phe Thr Val Ile Ser Ala Leu Ala Ala Thr
35 40 45

Leu Phe Glu Leu Thr Leu Pro Leu Leu Thr Gly Gly Ala Ile Asp Ile
50 55 60

Ala Leu Gly Asn Thr Gly Asp Thr Leu Thr Thr Asp Leu Leu Asp Arg
65 70 75 80

Phe Thr Pro Ser Gly Leu Ser Val Leu Thr Ser Val Ile Ala Leu Ile
85 90 95

Val Leu Leu Ala Leu Leu Arg Tyr Ala Ser Gln Phe Gly Arg Arg Tyr
100 105 110

Thr Ala Gly Lys Leu Ser Met Gly Val Gln His Asp Val Arg Leu Lys
115 120 125

Thr Met Arg Ser Leu Gln Asn Leu Asp Gly Pro Gly Gln Asp Ser Ile
130 135 140

Arg Thr Gly Gln Val Val Ser Arg Ser Ile Ser Asp Ile Asn Met Val

145					150					155				160
Gln	Ser	Leu	Val	Ala	Met	Leu	Pro	Met	Leu	Ile	Gly	Asn	Val	Val
				165					170					175
Leu	Val	Leu	Thr	Leu	Val	Ile	Met	Leu	Ala	Ile	Ser	Pro	Pro	Leu
			180					185					190	
Ile	Ile	Ala	Ala	Val	Leu	Val	Pro	Leu	Leu	Leu	Trp	Ala	Val	Ala
		195					200					205		Tyr
Ser	Arg	Lys	Ala	Leu	Phe	Ala	Ser	Thr	Trp	Ser	Ala	Gln	Gln	Lys
	210					215					220			Ala
Ala	Asp	Leu	Thr	Thr	His	Val	Glu	Glu	Thr	Val	Thr	Gly	Ile	Arg
225					230					235				240
Val	Lys	Ala	Phe	Ala	Gln	Glu	Asp	Arg	Glu	Thr	Asp	Lys	Leu	Asp
				245					250					255
Thr	Ala	Arg	Glu	Leu	Phe	Ala	Gln	Arg	Met	Arg	Thr	Ala	Arg	Leu
			260					265					270	Thr
Ala	Lys	Phe	Ile	Pro	Met	Val	Glu	Gln	Leu	Pro	Gln	Leu	Ala	Leu
		275					280					285		Val
Val	Asn	Ile	Val	Gly	Gly	Gly	Tyr	Leu	Ala	Met	Thr	Gly	His	Ile
	290					295					300			Thr
Val	Gly	Thr	Phe	Val	Ala	Phe	Ser	Ser	Tyr	Leu	Thr	Ser	Leu	Ser
305					310					315				320
Val	Ala	Arg	Ser	Leu	Ser	Gly	Met	Leu	Met	Arg	Val	Gln	Leu	Ala
				325					330					335
Ser	Ser	Val	Glu	Arg	Ile	Phe	Glu	Val	Ile	Asp	Leu	Gln	Pro	Glu
			340					345					350	Arg
Thr	Asp	Pro	Ala	His	Pro	Leu	Ser	Leu	Pro	Asp	Thr	Pro	Leu	Gly
		355					360					365		Leu
Ser	Phe	Asn	Asn	Val	Asp	Phe	Arg	Gly	Ile	Leu	Asn	Gly	Phe	Glu
	370					375					380			Leu
Gly	Val	Gln	Ala	Gly	Glu	Thr	Val	Val	Leu	Val	Gly	Pro	Pro	Gly
385					390					395				400
Gly	Lys	Thr	Met	Ala	Val	Gln	Leu	Ala	Gly	Asn	Phe	Tyr	Gln	Pro
				405					410					415
Ser	Gly	His	Ile	Ala	Phe	Asp	Ser	Asn	Gly	His	Arg	Thr	Arg	Phe
			420					425					430	Asp
Asp	Leu	Thr	His	Ser	Asp	Ile	Arg	Arg	Asn	Leu	Ile	Ala	Val	Phe
		435					440					445		Asp
Glu	Pro	Phe	Leu	Tyr	Ser	Ser	Ser	Ile	Pro	Arg	Glu	His	Leu	Asp
	450					455					460			Gly
Phe	Gly	Cys	Gln											
465														

<220>

<221> CDS

<222> (101)..(4630)

<223> RXN00367

<400> 71

```

atcgaaagta acccttttgt tacttgcggt gcaggtagtg tccctgattt tcttattatc 60
gaacgattga tagaaacagg attaaagtga ggtatcccgc atg aaa cca caa gga 115
                                         Met Lys Pro Gln Gly
                                         1                               5
ctc tac aac cct gcg cat gaa cat gac gcc tgc ggt gtg gcg ttt att 163
Leu Tyr Asn Pro Ala His Glu His Asp Ala Cys Gly Val Ala Phe Ile
                               10                               15                               20
gcg gat atc cac ggt cga ccc agc cgc agc att gtt gat cgt gca ctt 211
Ala Asp Ile His Gly Arg Pro Ser Arg Ser Ile Val Asp Arg Ala Leu
                               25                               30                               35
gag gcg ctt cgc aac att gac cac cga ggt gcc gcc ggt gca gag aag 259
Glu Ala Leu Arg Asn Ile Asp His Arg Gly Ala Ala Gly Ala Glu Lys
                               40                               45                               50
aac act ggc gat ggt gcg ggc atc ctc atg cag att ccg gac ggc ttt 307
Asn Thr Gly Asp Gly Ala Gly Ile Leu Met Gln Ile Pro Asp Gly Phe
                               55                               60                               65
tat cgt gaa gta tct ggc att gag ctt cct gag gca ggg gag tat gcc 355
Tyr Arg Glu Val Ser Gly Ile Glu Leu Pro Glu Ala Gly Glu Tyr Ala
                               70                               75                               80                               85
act ggt att gcg ttc ttg cct cgc ggt cgc atg gcg atg atg gat gct 403
Thr Gly Ile Ala Phe Leu Pro Arg Gly Arg Met Ala Met Met Asp Ala
                               90                               95                               100
cag aag gaa att gag cgc atc gca aag caa gaa ggt gcc gat gtg ctt 451
Gln Lys Glu Ile Glu Arg Ile Ala Lys Gln Glu Gly Ala Asp Val Leu
                               105                               110                               115
ggt tgg cgc atg gtt cct ttt gat tct cgt gat ttg ggt tcc atg gct 499
Gly Trp Arg Met Val Pro Phe Asp Ser Arg Asp Leu Gly Ser Met Ala
                               120                               125                               130
gag gag gcg atg cct agt ttc gcg cag att ttc ctt act gtg cct gga 547
Glu Glu Ala Met Pro Ser Phe Ala Gln Ile Phe Leu Thr Val Pro Gly
                               135                               140                               145
aaa tct ggt gaa gat ctt gac cgt gtg atg ttc ttt atc cgt aag cgt 595
Lys Ser Gly Glu Asp Leu Asp Arg Val Met Phe Phe Ile Arg Lys Arg
                               150                               155                               160                               165
tgt gag cgt gag ctg ggc acc acc aat ggt cgc gat acg gtg tat ttc 643
Cys Glu Arg Glu Leu Gly Thr Thr Asn Gly Arg Asp Thr Val Tyr Phe
                               170                               175                               180
ccg tcg cta tct tca cgc acc atc att tac aaa ggc atg ttg acc act 691
Pro Ser Leu Ser Ser Arg Thr Ile Ile Tyr Lys Gly Met Leu Thr Thr
                               185                               190                               195
ctg cag ctt gag ggc ttc ttt gag gat ctg ggt gat gct cgc ctg gag 739
Leu Gln Leu Glu Gly Phe Phe Glu Asp Leu Gly Asp Ala Arg Leu Glu

```

200	205	210	
tcg gcc att gct att gtg cac	tcg cgt ttc tcc acg aac act ttc cca	787	
Ser Ala Ile Ala Ile Val His	Ser Arg Phe Ser Thr Asn Thr Phe Pro		
215	220 225		
agc tgg ccg ctg gcg cac ccg tac cgt ttc gtt gcc cac aac ggt gag	835		
Ser Trp Pro Leu Ala His Pro Tyr Arg Phe Val Ala His Asn Gly Glu			
230	235 240 245		
atc aac act gtg cgt ggc aat gaa aac tgg atg cgc gcc cgc gag gcg	883		
Ile Asn Thr Val Arg Gly Asn Glu Asn Trp Met Arg Ala Arg Glu Ala			
250	255 260		
ctt atc aaa aac gac aag ctg ggc aat ttg agc agc gtg ctg cct atc	931		
Leu Ile Lys Asn Asp Lys Leu Gly Asn Leu Ser Ser Val Leu Pro Ile			
265	270 275		
tgc acc ccg gag ggc tcg gat acc gcg cgt ttc gac gag gct ttg gag	979		
Cys Thr Pro Glu Gly Ser Asp Thr Ala Arg Phe Asp Glu Ala Leu Glu			
280	285 290		
ctt ttg cac ctg ggc gga tac tca ctt ccg cat gct gtt gcg atg atg			
1027			
Leu Leu His Leu Gly Gly Tyr Ser Leu Pro His Ala Val Ala Met Met			
295	300 305		
atc cct cag gcg tgg gaa cac aac aag acg ctg agc cct gag ctg cgt			
1075			
Ile Pro Gln Ala Trp Glu His Asn Lys Thr Leu Ser Pro Glu Leu Arg			
310	315 320 325		
gat ttc tac gaa tac cac tct tgt ctg atg gag cca tgg gat ggt cct			
1123			
Asp Phe Tyr Glu Tyr His Ser Cys Leu Met Glu Pro Trp Asp Gly Pro			
330	335 340		
gca gcg ctg gca ttt act gac ggt cgt ttt gtg ggt gcc gtg ctg gac			
1171			
Ala Ala Leu Ala Phe Thr Asp Gly Arg Phe Val Gly Ala Val Leu Asp			
345	350 355		
cgt aat ggc ctg cga cct ggg cga atc acc att act gat tcg ggt ttg			
1219			
Arg Asn Gly Leu Arg Pro Gly Arg Ile Thr Ile Thr Asp Ser Gly Leu			
360	365 370		
gtt gtg atg gct tct gaa tcg gga gtg ttg gac ttg agg gag gag agc			
1267			
Val Val Met Ala Ser Glu Ser Gly Val Leu Asp Leu Arg Glu Glu Ser			
375	380 385		
gtc gta aag cgt act cgc gta cag cct gga cgc atg ttc ctt gtt gac			
1315			
Val Val Lys Arg Thr Arg Val Gln Pro Gly Arg Met Phe Leu Val Asp			
390	395 400 405		
act gcc gag ggc cgc atc gtt gaa gac gag gaa atc aag cag aaa tta			
1363			
Thr Ala Glu Gly Arg Ile Val Glu Asp Glu Glu Ile Lys Gln Lys Leu			
410	415 420		

agc gaa gcg cag cca tat ggt gag tgg att cgc gat aat ttt gtg cat
 1411
 Ser Glu Ala Gln Pro Tyr Gly Glu Trp Ile Arg Asp Asn Phe Val His
 425 430 435

ctg gat cgt ctg cct cag aca cgc tac aac tac atg gcg cac tct cgt
 1459
 Leu Asp Arg Leu Pro Gln Thr Arg Tyr Asn Tyr Met Ala His Ser Arg
 440 445 450

gct gtg ttg cgt cag cgt gtt ttc gga atc act gaa gaa gat gtg gat
 1507
 Ala Val Leu Arg Gln Arg Val Phe Gly Ile Thr Glu Glu Asp Val Asp
 455 460 465

ttg ttg ctg ctg ccg atg gcc cgc cag ggt gct gag gcg att ggt tcc
 1555
 Leu Leu Leu Leu Pro Met Ala Arg Gln Gly Ala Glu Ala Ile Gly Ser
 470 475 480 485

atg ggt tcg gat acg cca att gcg gcg cta tcc cag cga cca cgc atg
 1603
 Met Gly Ser Asp Thr Pro Ile Ala Ala Leu Ser Gln Arg Pro Arg Met
 490 495 500

ctt tat gat ttc ttc gcg cag cgc ttt gct cag gtg aca aac cca ccg
 1651
 Leu Tyr Asp Phe Phe Ala Gln Arg Phe Ala Gln Val Thr Asn Pro Pro
 505 510 515

ttg gac tct atc cgc gaa aag cct gtg acc agc atg ttc act ttg ttg
 1699
 Leu Asp Ser Ile Arg Glu Lys Pro Val Thr Ser Met Phe Thr Leu Leu
 520 525 530

ggt gcg cag tct gac gtg ctc aat ccg ggt cct gat gcg gcg cga cgt
 1747
 Gly Ala Gln Ser Asp Val Leu Asn Pro Gly Pro Asp Ala Ala Arg Arg
 535 540 545

atc cgt ttg gaa tcg ccg atc att gat aac cat gag ctg gcc acc ttg
 1795
 Ile Arg Leu Glu Ser Pro Ile Ile Asp Asn His Glu Leu Ala Thr Leu
 550 555 560 565

atc aat gcc aac gcg cat ggt gag tgg gat tcc ttt ggt gct gct gta
 1843
 Ile Asn Ala Asn Ala His Gly Glu Trp Asp Ser Phe Gly Ala Ala Val
 570 575 580

att tct ggt ttg tac cca gtg gct cac cat ggt gcc ggc atg aag gct
 1891
 Ile Ser Gly Leu Tyr Pro Val Ala His His Gly Ala Gly Met Lys Ala
 585 590 595

gcg att gct cgt gtg cgc cgc gag gtt tct gaa gca atc cgc aat ggc
 1939
 Ala Ile Ala Arg Val Arg Arg Glu Val Ser Glu Ala Ile Arg Asn Gly
 600 605 610

aag acg ttg atc gtg ctg tcg gat cgt gaa tct gat gag cgc atg gca
1987

Lys Thr Leu Ile Val Leu Ser Asp Arg Glu Ser Asp Glu Arg Met Ala
615 620 625

cct atc cct gcg ctg ctg ctg act tcc gct gtg cat cag tac ttg gtg
2035

Pro Ile Pro Ala Leu Leu Leu Thr Ser Ala Val His Gln Tyr Leu Val
630 635 640 645

cag caa cgt acc cgt acc cag tgc tcc ctg gtg gtg gaa tcc ggc gat
2083

Gln Gln Arg Thr Arg Thr Gln Cys Ser Leu Val Val Glu Ser Gly Asp
650 655 660

gcc cgc gag gtt cat cac ctg gcg atg ctc att ggt ttt ggt gcc gat
2131

Ala Arg Glu Val His His Leu Ala Met Leu Ile Gly Phe Gly Ala Asp
665 670 675

gcg atc aac ccg tac atg gca ttt gaa acc atc gat gag ctg cgc atg
2179

Ala Ile Asn Pro Tyr Met Ala Phe Glu Thr Ile Asp Glu Leu Arg Met
680 685 690

aag ggt cag ttg ggt gat ctt tct ttg gat gag gca tcc cga aac tac
2227

Lys Gly Gln Leu Gly Asp Leu Ser Leu Asp Glu Ala Ser Arg Asn Tyr
695 700 705

atc aag gca gcc acc act ggt gtg ctg aag gtg atg tcc aag atg ggc
2275

Ile Lys Ala Ala Thr Thr Gly Val Leu Lys Val Met Ser Lys Met Gly
710 715 720 725

att gca acg gtg tct tcg tac cgt ggc gcg cag ctt gcc gat gtc act
2323

Ile Ala Thr Val Ser Ser Tyr Arg Gly Ala Gln Leu Ala Asp Val Thr
730 735 740

ggt ctg cac cag gat ctc ctg gac aac tac ttc ggt ggt att gct tca
2371

Gly Leu His Gln Asp Leu Leu Asp Asn Tyr Phe Gly Gly Ile Ala Ser
745 750 755

cca att tct ggc atc ggt ctg gat gaa gtt gca gct gac gta gaa gct
2419

Pro Ile Ser Gly Ile Gly Leu Asp Glu Val Ala Ala Asp Val Glu Ala
760 765 770

cgt cac cgc agc gca ttt ttg cca cgc cct gaa gag cac gct cac cgt
2467

Arg His Arg Ser Ala Phe Leu Pro Arg Pro Glu Glu His Ala His Arg
775 780 785

gaa ttg gat ttg ggt ggt gaa tac aag tgg cgc cgc gaa ggt gaa tac
2515

Glu Leu Asp Leu Gly Gly Glu Tyr Lys Trp Arg Arg Glu Gly Glu Tyr
790 795 800 805

cac ctg ttc aac cca gaa acc atc ttc aag ctg cag cat gca acg cgt
2563

His Leu Phe Asn Pro Glu Thr Ile Phe Lys Leu Gln His Ala Thr Arg
810 815 820

tct ggc agc tac gag att ttc aag gat tac acc cgc aag gtt gat gat
2611

Ser Gly Ser Tyr Glu Ile Phe Lys Asp Tyr Thr Arg Lys Val Asp Asp
825 830 835

caa tcc act cgc ttg ggt act att cgt gga ctg ttt gag ttc agc acg
2659

Gln Ser Thr Arg Leu Gly Thr Ile Arg Gly Leu Phe Glu Phe Ser Thr
840 845 850

gac cgc aag cca att tcg gtg tct gag gtg gag ccg gtc agt gag atc
2707

Asp Arg Lys Pro Ile Ser Val Ser Glu Val Glu Pro Val Ser Glu Ile
855 860 865

gtg aag cgt ttc tcc act ggt gcg atg tct tat ggc tcg att tct gct
2755

Val Lys Arg Phe Ser Thr Gly Ala Met Ser Tyr Gly Ser Ile Ser Ala
870 875 880 885

gaa gcc cat gag gtc ttg gcc atc gcc atg aac cga ctg ggc ggt atg
2803

Glu Ala His Glu Val Leu Ala Ile Ala Met Asn Arg Leu Gly Gly Met
890 895 900

tcc aac tcc ggc gaa ggt ggc gag gac gcc cgc cga ttt gat gtg gaa
2851

Ser Asn Ser Gly Glu Gly Gly Glu Asp Ala Arg Arg Phe Asp Val Glu
905 910 915

ccc aac ggt gac tgg aag cgc tct gcc att aag cag gtg gcc tcg gga
2899

Pro Asn Gly Asp Trp Lys Arg Ser Ala Ile Lys Gln Val Ala Ser Gly
920 925 930

cgt ttc ggc gtg acc agc cac tac ttg aac aac tgc acc gat att cag
2947

Arg Phe Gly Val Thr Ser His Tyr Leu Asn Asn Cys Thr Asp Ile Gln
935 940 945

atc aag atg gca cag ggc gca aag ccc ggt gaa ggt ggc cag ctg cca
2995

Ile Lys Met Ala Gln Gly Ala Lys Pro Gly Glu Gly Gly Gln Leu Pro
950 955 960 965

cca aac aag gtg tac cca tgg gtt gca gaa gtc cgc atc acc acc cca
3043

Pro Asn Lys Val Tyr Pro Trp Val Ala Glu Val Arg Ile Thr Thr Pro
970 975 980

ggc gtt ggt ctg att tcc cct cca cca cac cac gat att tac tcc att
3091

Gly Val Gly Leu Ile Ser Pro Pro Pro His His Asp Ile Tyr Ser Ile
985 990 995

gag gat ctg gct cag ctg atc cac gac ctg aag aac gct aac cca cgc
3139

Glu Asp Leu Ala Gln Leu Ile His Asp Leu Lys Asn Ala Asn Pro Arg
1000 1005 1010

gca cga atc cac gtg aag cta gtg gca gaa caa ggc gtg ggc acc gtt
3187

Ala Arg Ile His Val Lys Leu Val Ala Glu Gln Gly Val Gly Thr Val
1015 1020 1025

gcc gca ggt gtg tcc aaa gca cac gct gat gtg gtg ctt att tcc ggc
3235

Ala Ala Gly Val Ser Lys Ala His Ala Asp Val Val Leu Ile Ser Gly
1030 1035 1040 1045

cac gat ggc gga act ggc gca tct cct ttg acc tcc ctg aag cat gcc
3283

His Asp Gly Gly Thr Gly Ala Ser Pro Leu Thr Ser Leu Lys His Ala
1050 1055 1060

ggt ggt cca tgg gag ttg ggc ttg gct gaa acc cag caa acg ttg ctg
3331

Gly Gly Pro Trp Glu Leu Gly Leu Ala Glu Thr Gln Gln Thr Leu Leu
1065 1070 1075

ctc aac ggc ctg cgc gat cgt att cgc gtg cag tgc gat ggt cag ctg
3379

Leu Asn Gly Leu Arg Asp Arg Ile Arg Val Gln Cys Asp Gly Gln Leu
1080 1085 1090

aaa act ggc cga gac gtg gtt atc gca gct ctt ctc ggt gcc gaa gaa
3427

Lys Thr Gly Arg Asp Val Val Ile Ala Ala Leu Leu Gly Ala Glu Glu
1095 1100 1105

ttc ggt ttt gcc acc gca ccg ctg gtg gtt gaa ggc tgc atc atg atg
3475

Phe Gly Phe Ala Thr Ala Pro Leu Val Val Glu Gly Cys Ile Met Met
1110 1115 1120 1125

cgc gtc tgc cac ctg gac acc tgc ccg gtg ggt atc gct acc cag aac
3523

Arg Val Cys His Leu Asp Thr Cys Pro Val Gly Ile Ala Thr Gln Asn
1130 1135 1140

ccg gat ttg cgt tcc aag ttc acc ggc aag gct gaa cac gtg gtc aac
3571

Pro Asp Leu Arg Ser Lys Phe Thr Gly Lys Ala Glu His Val Val Asn
1145 1150 1155

ttc ttc acc ttc atc gcc cag gaa gtc cgt gag tac ttg gca cag ctt
3619

Phe Phe Thr Phe Ile Ala Gln Glu Val Arg Glu Tyr Leu Ala Gln Leu
1160 1165 1170

ggt ttc cgc tct att gat gaa gcc gtc gga caa gcc cag gtg ctg cgc
3667

Gly Phe Arg Ser Ile Asp Glu Ala Val Gly Gln Ala Gln Val Leu Arg
1175 1180 1185

aag cgt tcc gga atc cca gct gat tcc cgc gca gca cac ctg gat ttg
3715
Lys Arg Ser Gly Ile Pro Ala Asp Ser Arg Ala Ala His Leu Asp Leu
1190 1195 1200 1205

agc cca att ttc cat cgc cca gaa act cca cac ttc cca act cag gat
3763
Ser Pro Ile Phe His Arg Pro Glu Thr Pro His Phe Pro Thr Gln Asp
1210 1215 1220

gtg cgt tgc acc aag acc cag gaa cac agc cta gaa aaa gcc ctg gac
3811
Val Arg Cys Thr Lys Thr Gln Glu His Ser Leu Glu Lys Ala Leu Asp
1225 1230 1235

aac gca ttt att gat aag gct tcg gac acg atc acc cgt gcc gca gcg
3859
Asn Ala Phe Ile Asp Lys Ala Ser Asp Thr Ile Thr Arg Ala Ala Ala
1240 1245 1250

ggg gtg gaa acc agc att gtt att gat agc tcc atc agc aac gtc aac
3907
Gly Val Glu Thr Ser Ile Val Ile Asp Ser Ser Ile Ser Asn Val Asn
1255 1260 1265

cgt tca gtt ggc acg atg ctg ggt tct gca gtc agc cgc gtg gct ggt
3955
Arg Ser Val Gly Thr Met Leu Gly Ser Ala Val Ser Arg Val Ala Gly
1270 1275 1280 1285

gcc caa ggt ttg cca gac ggc acc atc acc ttg aat ctt caa ggc tgc
4003
Ala Gln Gly Leu Pro Asp Gly Thr Ile Thr Leu Asn Leu Gln Gly Cys
1290 1295 1300

gcc ggt aac tcc ttt ggc gcg ttc atc cca cga ggc atc acc atc aac
4051
Ala Gly Asn Ser Phe Gly Ala Phe Ile Pro Arg Gly Ile Thr Ile Asn
1305 1310 1315

ctc acc ggc gat gcc aat gac ttt gtg ggc aag gga tta tct ggc gga
4099
Leu Thr Gly Asp Ala Asn Asp Phe Val Gly Lys Gly Leu Ser Gly Gly
1320 1325 1330

aag att gtg atc aag cct tcc gct cag gct ccg aag cag ctg aag aac
4147
Lys Ile Val Ile Lys Pro Ser Ala Gln Ala Pro Lys Gln Leu Lys Asn
1335 1340 1345

aat cca aat atc att gcc gga aac gtg ctt gga tac ggc gca acc agt
4195
Asn Pro Asn Ile Ile Ala Gly Asn Val Leu Gly Tyr Gly Ala Thr Ser
1350 1355 1360 1365

ggg gaa ttg ttc att cgt ggc cag gtc ggc gaa cgt ttc tgc gtc cgt
4243
Gly Glu Leu Phe Ile Arg Gly Gln Val Gly Glu Arg Phe Cys Val Arg
1370 1375 1380

aac tct ggc gcc acc gca gtg gtt gaa ggt atc gga aac cac ggt tgt
4291

Asn Ser Gly Ala Thr Ala Val Val Glu Gly Ile Gly Asn His Gly Cys
1385 1390 1395

gag tac atg act ggc ggc cga gtc ctg gtt ttg ggc ccg gtt ggt gag
4339

Glu Tyr Met Thr Gly Gly Arg Val Leu Val Leu Gly Pro Val Gly Glu
1400 1405 1410

aac ttt ggt gcc ggc atg tct ggt ggc att gca tac ctg gct aat tcc
4387

Asn Phe Gly Ala Gly Met Ser Gly Gly Ile Ala Tyr Leu Ala Asn Ser
1415 1420 1425

ccg gac cta aac cag aag atc aat ggc gaa ttg gtg gat gtt gtt cca
4435

Pro Asp Leu Asn Gln Lys Ile Asn Gly Glu Leu Val Asp Val Val Pro
1430 1435 1440 1445

ctg agc gct gac gat ctg acg tgg gct gat gag ctc att gct cgc cac
4483

Leu Ser Ala Asp Asp Leu Thr Trp Ala Asp Glu Leu Ile Ala Arg His
1450 1455 1460

cgc gaa ctc acc gga tcc gag acc aag ctg cgt gca caa gat ttg gtg
4531

Arg Glu Leu Thr Gly Ser Glu Thr Lys Leu Arg Ala Gln Asp Leu Val
1465 1470 1475

aaa atc atg ccg cgc gat ttc caa aaa gta ctc aac atc atc gaa acg
4579

Lys Ile Met Pro Arg Asp Phe Gln Lys Val Leu Asn Ile Ile Glu Thr
1480 1485 1490

gcc cac gct gag ggc caa gac cca gca atc aag atc atg gag gca gtg
4627

Ala His Ala Glu Gly Gln Asp Pro Ala Ile Lys Ile Met Glu Ala Val
1495 1500 1505

agc taatggccga cccacaagga ttc
4653

Ser
1510

<210> 72

<211> 1510

<212> PRT

<213> Corynebacterium glutamicum

<400> 72

Met Lys Pro Gln Gly Leu Tyr Asn Pro Ala His Glu His Asp Ala Cys
1 5 10 15

Gly Val Ala Phe Ile Ala Asp Ile His Gly Arg Pro Ser Arg Ser Ile
20 25 30

Val Asp Arg Ala Leu Glu Ala Leu Arg Asn Ile Asp His Arg Gly Ala
35 40 45

Ala Gly Ala Glu Lys Asn Thr Gly Asp Gly Ala Gly Ile Leu Met Gln
 50 55 60
 Ile Pro Asp Gly Phe Tyr Arg Glu Val Ser Gly Ile Glu Leu Pro Glu
 65 70 75 80
 Ala Gly Glu Tyr Ala Thr Gly Ile Ala Phe Leu Pro Arg Gly Arg Met
 85 90 95
 Ala Met Met Asp Ala Gln Lys Glu Ile Glu Arg Ile Ala Lys Gln Glu
 100 105 110
 Gly Ala Asp Val Leu Gly Trp Arg Met Val Pro Phe Asp Ser Arg Asp
 115 120 125
 Leu Gly Ser Met Ala Glu Glu Ala Met Pro Ser Phe Ala Gln Ile Phe
 130 135 140
 Leu Thr Val Pro Gly Lys Ser Gly Glu Asp Leu Asp Arg Val Met Phe
 145 150 155 160
 Phe Ile Arg Lys Arg Cys Glu Arg Glu Leu Gly Thr Thr Asn Gly Arg
 165 170 175
 Asp Thr Val Tyr Phe Pro Ser Leu Ser Ser Arg Thr Ile Ile Tyr Lys
 180 185 190
 Gly Met Leu Thr Thr Leu Gln Leu Glu Gly Phe Phe Glu Asp Leu Gly
 195 200 205
 Asp Ala Arg Leu Glu Ser Ala Ile Ala Ile Val His Ser Arg Phe Ser
 210 215 220
 Thr Asn Thr Phe Pro Ser Trp Pro Leu Ala His Pro Tyr Arg Phe Val
 225 230 235 240
 Ala His Asn Gly Glu Ile Asn Thr Val Arg Gly Asn Glu Asn Trp Met
 245 250 255
 Arg Ala Arg Glu Ala Leu Ile Lys Asn Asp Lys Leu Gly Asn Leu Ser
 260 265 270
 Ser Val Leu Pro Ile Cys Thr Pro Glu Gly Ser Asp Thr Ala Arg Phe
 275 280 285
 Asp Glu Ala Leu Glu Leu Leu His Leu Gly Gly Tyr Ser Leu Pro His
 290 295 300
 Ala Val Ala Met Met Ile Pro Gln Ala Trp Glu His Asn Lys Thr Leu
 305 310 315 320
 Ser Pro Glu Leu Arg Asp Phe Tyr Glu Tyr His Ser Cys Leu Met Glu
 325 330 335
 Pro Trp Asp Gly Pro Ala Ala Leu Ala Phe Thr Asp Gly Arg Phe Val
 340 345 350
 Gly Ala Val Leu Asp Arg Asn Gly Leu Arg Pro Gly Arg Ile Thr Ile
 355 360 365
 Thr Asp Ser Gly Leu Val Val Met Ala Ser Glu Ser Gly Val Leu Asp

370					375					380					
Leu	Arg	Glu	Glu	Ser	Val	Val	Lys	Arg	Thr	Arg	Val	Gln	Pro	Gly	Arg
385					390					395					400
Met	Phe	Leu	Val	Asp	Thr	Ala	Glu	Gly	Arg	Ile	Val	Glu	Asp	Glu	Glu
				405					410					415	
Ile	Lys	Gln	Lys	Leu	Ser	Glu	Ala	Gln	Pro	Tyr	Gly	Glu	Trp	Ile	Arg
			420					425					430		
Asp	Asn	Phe	Val	His	Leu	Asp	Arg	Leu	Pro	Gln	Thr	Arg	Tyr	Asn	Tyr
		435					440					445			
Met	Ala	His	Ser	Arg	Ala	Val	Leu	Arg	Gln	Arg	Val	Phe	Gly	Ile	Thr
	450					455					460				
Glu	Glu	Asp	Val	Asp	Leu	Leu	Leu	Leu	Pro	Met	Ala	Arg	Gln	Gly	Ala
465					470					475					480
Glu	Ala	Ile	Gly	Ser	Met	Gly	Ser	Asp	Thr	Pro	Ile	Ala	Ala	Leu	Ser
				485					490					495	
Gln	Arg	Pro	Arg	Met	Leu	Tyr	Asp	Phe	Phe	Ala	Gln	Arg	Phe	Ala	Gln
			500					505					510		
Val	Thr	Asn	Pro	Pro	Leu	Asp	Ser	Ile	Arg	Glu	Lys	Pro	Val	Thr	Ser
		515					520					525			
Met	Phe	Thr	Leu	Leu	Gly	Ala	Gln	Ser	Asp	Val	Leu	Asn	Pro	Gly	Pro
	530					535					540				
Asp	Ala	Ala	Arg	Arg	Ile	Arg	Leu	Glu	Ser	Pro	Ile	Ile	Asp	Asn	His
545					550					555					560
Glu	Leu	Ala	Thr	Leu	Ile	Asn	Ala	Asn	Ala	His	Gly	Glu	Trp	Asp	Ser
				565					570					575	
Phe	Gly	Ala	Ala	Val	Ile	Ser	Gly	Leu	Tyr	Pro	Val	Ala	His	His	Gly
			580					585					590		
Ala	Gly	Met	Lys	Ala	Ala	Ile	Ala	Arg	Val	Arg	Arg	Glu	Val	Ser	Glu
		595					600					605			
Ala	Ile	Arg	Asn	Gly	Lys	Thr	Leu	Ile	Val	Leu	Ser	Asp	Arg	Glu	Ser
	610					615					620				
Asp	Glu	Arg	Met	Ala	Pro	Ile	Pro	Ala	Leu	Leu	Leu	Thr	Ser	Ala	Val
625					630					635					640
His	Gln	Tyr	Leu	Val	Gln	Gln	Arg	Thr	Arg	Thr	Gln	Cys	Ser	Leu	Val
				645					650					655	
Val	Glu	Ser	Gly	Asp	Ala	Arg	Glu	Val	His	His	Leu	Ala	Met	Leu	Ile
			660					665					670		
Gly	Phe	Gly	Ala	Asp	Ala	Ile	Asn	Pro	Tyr	Met	Ala	Phe	Glu	Thr	Ile
		675					680					685			
Asp	Glu	Leu	Arg	Met	Lys	Gly	Gln	Leu	Gly	Asp	Leu	Ser	Leu	Asp	Glu
	690					695					700				

Ala	Ser	Arg	Asn	Tyr	Ile	Lys	Ala	Ala	Thr	Thr	Gly	Val	Leu	Lys	Val	705	710	715	720
Met	Ser	Lys	Met	Gly	Ile	Ala	Thr	Val	Ser	Ser	Tyr	Arg	Gly	Ala	Gln	725	730	735	
Leu	Ala	Asp	Val	Thr	Gly	Leu	His	Gln	Asp	Leu	Leu	Asp	Asn	Tyr	Phe	740	745	750	
Gly	Gly	Ile	Ala	Ser	Pro	Ile	Ser	Gly	Ile	Gly	Leu	Asp	Glu	Val	Ala	755	760	765	
Ala	Asp	Val	Glu	Ala	Arg	His	Arg	Ser	Ala	Phe	Leu	Pro	Arg	Pro	Glu	770	775	780	
Glu	His	Ala	His	Arg	Glu	Leu	Asp	Leu	Gly	Gly	Glu	Tyr	Lys	Trp	Arg	785	790	795	800
Arg	Glu	Gly	Glu	Tyr	His	Leu	Phe	Asn	Pro	Glu	Thr	Ile	Phe	Lys	Leu	805	810	815	
Gln	His	Ala	Thr	Arg	Ser	Gly	Ser	Tyr	Glu	Ile	Phe	Lys	Asp	Tyr	Thr	820	825	830	
Arg	Lys	Val	Asp	Asp	Gln	Ser	Thr	Arg	Leu	Gly	Thr	Ile	Arg	Gly	Leu	835	840	845	
Phe	Glu	Phe	Ser	Thr	Asp	Arg	Lys	Pro	Ile	Ser	Val	Ser	Glu	Val	Glu	850	855	860	
Pro	Val	Ser	Glu	Ile	Val	Lys	Arg	Phe	Ser	Thr	Gly	Ala	Met	Ser	Tyr	865	870	875	880
Gly	Ser	Ile	Ser	Ala	Glu	Ala	His	Glu	Val	Leu	Ala	Ile	Ala	Met	Asn	885	890	895	
Arg	Leu	Gly	Gly	Met	Ser	Asn	Ser	Gly	Glu	Gly	Gly	Glu	Asp	Ala	Arg	900	905	910	
Arg	Phe	Asp	Val	Glu	Pro	Asn	Gly	Asp	Trp	Lys	Arg	Ser	Ala	Ile	Lys	915	920	925	
Gln	Val	Ala	Ser	Gly	Arg	Phe	Gly	Val	Thr	Ser	His	Tyr	Leu	Asn	Asn	930	935	940	
Cys	Thr	Asp	Ile	Gln	Ile	Lys	Met	Ala	Gln	Gly	Ala	Lys	Pro	Gly	Glu	945	950	955	960
Gly	Gly	Gln	Leu	Pro	Pro	Asn	Lys	Val	Tyr	Pro	Trp	Val	Ala	Glu	Val	965	970	975	
Arg	Ile	Thr	Thr	Pro	Gly	Val	Gly	Leu	Ile	Ser	Pro	Pro	Pro	His	His	980	985	990	
Asp	Ile	Tyr	Ser	Ile	Glu	Asp	Leu	Ala	Gln	Leu	Ile	His	Asp	Leu	Lys	995	1000	1005	
Asn	Ala	Asn	Pro	Arg	Ala	Arg	Ile	His	Val	Lys	Leu	Val	Ala	Glu	Gln	1010	1015	1020	

Gly Val Gly Thr Val Ala Ala Gly Val Ser Lys Ala His Ala Asp Val
 1025 1030 1035 1040
 Val Leu Ile Ser Gly His Asp Gly Gly Thr Gly Ala Ser Pro Leu Thr
 1045 1050 1055
 Ser Leu Lys His Ala Gly Gly Pro Trp Glu Leu Gly Leu Ala Glu Thr
 1060 1065 1070
 Gln Gln Thr Leu Leu Leu Asn Gly Leu Arg Asp Arg Ile Arg Val Gln
 1075 1080 1085
 Cys Asp Gly Gln Leu Lys Thr Gly Arg Asp Val Val Ile Ala Ala Leu
 1090 1095 1100
 Leu Gly Ala Glu Glu Phe Gly Phe Ala Thr Ala Pro Leu Val Val Glu
 1105 1110 1115 1120
 Gly Cys Ile Met Met Arg Val Cys His Leu Asp Thr Cys Pro Val Gly
 1125 1130 1135
 Ile Ala Thr Gln Asn Pro Asp Leu Arg Ser Lys Phe Thr Gly Lys Ala
 1140 1145 1150
 Glu His Val Val Asn Phe Phe Thr Phe Ile Ala Gln Glu Val Arg Glu
 1155 1160 1165
 Tyr Leu Ala Gln Leu Gly Phe Arg Ser Ile Asp Glu Ala Val Gly Gln
 1170 1175 1180
 Ala Gln Val Leu Arg Lys Arg Ser Gly Ile Pro Ala Asp Ser Arg Ala
 1185 1190 1195 1200
 Ala His Leu Asp Leu Ser Pro Ile Phe His Arg Pro Glu Thr Pro His
 1205 1210 1215
 Phe Pro Thr Gln Asp Val Arg Cys Thr Lys Thr Gln Glu His Ser Leu
 1220 1225 1230
 Glu Lys Ala Leu Asp Asn Ala Phe Ile Asp Lys Ala Ser Asp Thr Ile
 1235 1240 1245
 Thr Arg Ala Ala Ala Gly Val Glu Thr Ser Ile Val Ile Asp Ser Ser
 1250 1255 1260
 Ile Ser Asn Val Asn Arg Ser Val Gly Thr Met Leu Gly Ser Ala Val
 1265 1270 1275 1280
 Ser Arg Val Ala Gly Ala Gln Gly Leu Pro Asp Gly Thr Ile Thr Leu
 1285 1290 1295
 Asn Leu Gln Gly Cys Ala Gly Asn Ser Phe Gly Ala Phe Ile Pro Arg
 1300 1305 1310
 Gly Ile Thr Ile Asn Leu Thr Gly Asp Ala Asn Asp Phe Val Gly Lys
 1315 1320 1325
 Gly Leu Ser Gly Gly Lys Ile Val Ile Lys Pro Ser Ala Gln Ala Pro
 1330 1335 1340
 Lys Gln Leu Lys Asn Asn Pro Asn Ile Ile Ala Gly Asn Val Leu Gly

1345 1350 1355 1360
 Tyr Gly Ala Thr Ser Gly Glu Leu Phe Ile Arg Gly Gln Val Gly Glu
 1365 1370 1375
 Arg Phe Cys Val Arg Asn Ser Gly Ala Thr Ala Val Val Glu Gly Ile
 1380 1385 1390
 Gly Asn His Gly Cys Glu Tyr Met Thr Gly Gly Arg Val Leu Val Leu
 1395 1400 1405
 Gly Pro Val Gly Glu Asn Phe Gly Ala Gly Met Ser Gly Gly Ile Ala
 1410 1415 1420
 Tyr Leu Ala Asn Ser Pro Asp Leu Asn Gln Lys Ile Asn Gly Glu Leu
 1425 1430 1435 1440
 Val Asp Val Val Pro Leu Ser Ala Asp Asp Leu Thr Trp Ala Asp Glu
 1445 1450 1455
 Leu Ile Ala Arg His Arg Glu Leu Thr Gly Ser Glu Thr Lys Leu Arg
 1460 1465 1470
 Ala Gln Asp Leu Val Lys Ile Met Pro Arg Asp Phe Gln Lys Val Leu
 1475 1480 1485
 Asn Ile Ile Glu Thr Ala His Ala Glu Gly Gln Asp Pro Ala Ile Lys
 1490 1495 1500
 Ile Met Glu Ala Val Ser
 1505 1510

<210> 73
 <211> 1906
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101) .. (1906)
 <223> FRXA00007

<400> 73
 atcgaaagta acccttttgt tacttgcggt gcaggtagtg tccctgattt tcttattatc 60
 gaacgattga tagaaacagg attaaagtga ggtatcccgc atg aaa cca caa gga 115
 Met Lys Pro Gln Gly
 1 5
 ctc tac aac cct gcg cat gaa cat gac gcc tgc ggt gtg gcg ttt att 163
 Leu Tyr Asn Pro Ala His Glu His Asp Ala Cys Gly Val Ala Phe Ile
 10 15 20
 gcg gat atc cac ggt cga ccc agc cgc agc att gtt gat cgt gca ctt 211
 Ala Asp Ile His Gly Arg Pro Ser Arg Ser Ile Val Asp Arg Ala Leu
 25 30 35
 gag gcg ctt cgc aac att gac cac cga ggt gcc gcc ggt gca gag aag 259
 Glu Ala Leu Arg Asn Ile Asp His Arg Gly Ala Ala Gly Ala Glu Lys
 40 45 50

aac act ggc gat ggt gcg ggc atc ctc atg cag att ccg gac ggc ttt	307
Asn Thr Gly Asp Gly Ala Gly Ile Leu Met Gln Ile Pro Asp Gly Phe	
55 60 65	
tat cgt gaa gta tct ggc att gag ctt cct gag gca ggg gag tat gcc	355
Tyr Arg Glu Val Ser Gly Ile Glu Leu Pro Glu Ala Gly Glu Tyr Ala	
70 75 80 85	
act ggt att gcg ttc ttg cct cgc ggt cgc atg gcg atg atg gat gct	403
Thr Gly Ile Ala Phe Leu Pro Arg Gly Arg Met Ala Met Met Asp Ala	
90 95 100	
cag aag gaa att gag cgc atc gca aag caa gaa ggt gcc gat gtg ctt	451
Gln Lys Glu Ile Glu Arg Ile Ala Lys Gln Glu Gly Ala Asp Val Leu	
105 110 115	
ggt tgg cgc atg gtt cct ttt gat tct cgt gat ttg ggt tcc atg gct	499
Gly Trp Arg Met Val Pro Phe Asp Ser Arg Asp Leu Gly Ser Met Ala	
120 125 130	
gag gag gcg atg cct agt ttc gcg cag att ttc ctt act gtg cct gga	547
Glu Glu Ala Met Pro Ser Phe Ala Gln Ile Phe Leu Thr Val Pro Gly	
135 140 145	
aaa tct ggt gaa gat ctt gac cgt gtg atg ttc ttt atc cgt aag cgt	595
Lys Ser Gly Glu Asp Leu Asp Arg Val Met Phe Phe Ile Arg Lys Arg	
150 155 160 165	
tgt gag cgt gag ctg ggc acc acc aat ggt cgc gat acg gtg tat ttc	643
Cys Glu Arg Glu Leu Gly Thr Thr Asn Gly Arg Asp Thr Val Tyr Phe	
170 175 180	
ccg tcg cta tct tca cgc acc atc att tac aaa ggc atg ttg acc act	691
Pro Ser Leu Ser Ser Arg Thr Ile Ile Tyr Lys Gly Met Leu Thr Thr	
185 190 195	
ctg cag ctt gag ggc ttc ttt gag gat ctg ggt gat gct cgc ctg gag	739
Leu Gln Leu Glu Gly Phe Phe Glu Asp Leu Gly Asp Ala Arg Leu Glu	
200 205 210	
tcg gcc att gct att gtg cac tcg cgt ttc tcc acg aac act ttc cca	787
Ser Ala Ile Ala Ile Val His Ser Arg Phe Ser Thr Asn Thr Phe Pro	
215 220 225	
agc tgg ccg ctg gcg cac ccg tac cgt ttc gtt gcc cac aac ggt gag	835
Ser Trp Pro Leu Ala His Pro Tyr Arg Phe Val Ala His Asn Gly Glu	
230 235 240 245	
atc aac act gtg cgt ggc aat gaa aac tgg atg cgc gcc cgc gag gcg	883
Ile Asn Thr Val Arg Gly Asn Glu Asn Trp Met Arg Ala Arg Glu Ala	
250 255 260	
ctt atc aaa aac gac aag ctg ggc aat ttg agc agc gtg ctg cct atc	931
Leu Ile Lys Asn Asp Lys Leu Gly Asn Leu Ser Ser Val Leu Pro Ile	
265 270 275	
tgc acc ccg gag ggc tcg gat acc gcg cgt ttc gac gag gct ttg gag	979
Cys Thr Pro Glu Gly Ser Asp Thr Ala Arg Phe Asp Glu Ala Leu Glu	
280 285 290	

ctt ttg cac ctg ggc gga tac tca ctt ccg cat gct gtt gcg atg atg
 1027
 Leu Leu His Leu Gly Gly Tyr Ser Leu Pro His Ala Val Ala Met Met
 295 300 305

atc cct cag gcg tgg gaa cac aac aag acg ctg agc cct gag ctg cgt
 1075
 Ile Pro Gln Ala Trp Glu His Asn Lys Thr Leu Ser Pro Glu Leu Arg
 310 315 320 325

gat ttc tac gaa tac cac tct tgt ctg atg gag cca tgg gat ggt cct
 1123
 Asp Phe Tyr Glu Tyr His Ser Cys Leu Met Glu Pro Trp Asp Gly Pro
 330 335 340

gca gcg ctg gca ttt act gac ggt cgt ttt gtg ggt gcc gtg ctg gac
 1171
 Ala Ala Leu Ala Phe Thr Asp Gly Arg Phe Val Gly Ala Val Leu Asp
 345 350 355

cgt aat ggc ctg cga cct ggg cga atc acc att act gat tcg ggt ttg
 1219
 Arg Asn Gly Leu Arg Pro Gly Arg Ile Thr Ile Thr Asp Ser Gly Leu
 360 365 370

gtt gtg atg gct tct gaa tcg gga gtg ttg gac ttg agg gag gag agc
 1267
 Val Val Met Ala Ser Glu Ser Gly Val Leu Asp Leu Arg Glu Glu Ser
 375 380 385

gtc gta aag cgt act cgc gta cag cct gga cgc atg ttc ctt gtt gac
 1315
 Val Val Lys Arg Thr Arg Val Gln Pro Gly Arg Met Phe Leu Val Asp
 390 395 400 405

act gcc gag ggc cgc atc gtt gaa gac gag gaa atc aag cag aaa tta
 1363
 Thr Ala Glu Gly Arg Ile Val Glu Asp Glu Glu Ile Lys Gln Lys Leu
 410 415 420

agc gaa gcg cag cca tat ggt gag tgg att cgc gat aat ttt gtg cat
 1411
 Ser Glu Ala Gln Pro Tyr Gly Glu Trp Ile Arg Asp Asn Phe Val His
 425 430 435

ctg gat cgt ctg cct cag aca cgc tac aac tac atg gcg cac tct cgt
 1459
 Leu Asp Arg Leu Pro Gln Thr Arg Tyr Asn Tyr Met Ala His Ser Arg
 440 445 450

gct gtg ttg cgt cag cgt gtt ttc gga atc act gaa gaa gat gtg gat
 1507
 Ala Val Leu Arg Gln Arg Val Phe Gly Ile Thr Glu Glu Asp Val Asp
 455 460 465

ttg ttg ctg ctg ccg atg gcc cgc cag ggt gct gag gcg att ggt tcc
 1555
 Leu Leu Leu Leu Pro Met Ala Arg Gln Gly Ala Glu Ala Ile Gly Ser
 470 475 480 485

atg ggt tcg gat acg cca att gcg gcg cta tcc cag cga cca cgc atg
1603
Met Gly Ser Asp Thr Pro Ile Ala Ala Leu Ser Gln Arg Pro Arg Met
490 495 500

ctt tat gat ttc ttc gcg cag cgc ttt gct cag gtg aca aac cca ccg
1651
Leu Tyr Asp Phe Phe Ala Gln Arg Phe Ala Gln Val Thr Asn Pro Pro
505 510 515

ttg gac tct atc cgc gaa aag cct gtg acc agc atg ttc act ttg ttg
1699
Leu Asp Ser Ile Arg Glu Lys Pro Val Thr Ser Met Phe Thr Leu Leu
520 525 530

ggt gcg cag tct gac gtg ctc aat ccg ggt cct gat gcg gcg cga cgt
1747
Gly Ala Gln Ser Asp Val Leu Asn Pro Gly Pro Asp Ala Ala Arg Arg
535 540 545

att cgt ttg gaa tcg ccg atc att gat aac cat gag ctg gcc acc ttg
1795
Ile Arg Leu Glu Ser Pro Ile Ile Asp Asn His Glu Leu Ala Thr Leu
550 555 560 565

atc aat gcc aac gcg cat ggt gag tgg gat tcc ttt ggt gct gct gta
1843
Ile Asn Ala Asn Ala His Gly Glu Trp Asp Ser Phe Gly Ala Ala Val
570 575 580

att tct ggt ttg tac cca gtg gct cac cat ggt gcc ggc atg aag gct
1891
Ile Ser Gly Leu Tyr Pro Val Ala His His Gly Ala Gly Met Lys Ala
585 590 595

gcg att gct cgt gtg
1906
Ala Ile Ala Arg Val
600

<210> 74
<211> 602
<212> PRT
<213> Corynebacterium glutamicum

<400> 74
Met Lys Pro Gln Gly Leu Tyr Asn Pro Ala His Glu His Asp Ala Cys
1 5 10 15
Gly Val Ala Phe Ile Ala Asp Ile His Gly Arg Pro Ser Arg Ser Ile
20 25 30
Val Asp Arg Ala Leu Glu Ala Leu Arg Asn Ile Asp His Arg Gly Ala
35 40 45
Ala Gly Ala Glu Lys Asn Thr Gly Asp Gly Ala Gly Ile Leu Met Gln
50 55 60
Ile Pro Asp Gly Phe Tyr Arg Glu Val Ser Gly Ile Glu Leu Pro Glu
65 70 75 80

117

Met Phe Leu Val Asp Thr Ala Glu Gly Arg Ile Val Glu Asp Glu Glu
 405 410 415
 Ile Lys Gln Lys Leu Ser Glu Ala Gln Pro Tyr Gly Glu Trp Ile Arg
 420 425 430
 Asp Asn Phe Val His Leu Asp Arg Leu Pro Gln Thr Arg Tyr Asn Tyr
 435 440 445
 Met Ala His Ser Arg Ala Val Leu Arg Gln Arg Val Phe Gly Ile Thr
 450 455 460
 Glu Glu Asp Val Asp Leu Leu Leu Leu Pro Met Ala Arg Gln Gly Ala
 465 470 475 480
 Glu Ala Ile Gly Ser Met Gly Ser Asp Thr Pro Ile Ala Ala Leu Ser
 485 490 495
 Gln Arg Pro Arg Met Leu Tyr Asp Phe Phe Ala Gln Arg Phe Ala Gln
 500 505 510
 Val Thr Asn Pro Pro Leu Asp Ser Ile Arg Glu Lys Pro Val Thr Ser
 515 520 525
 Met Phe Thr Leu Leu Gly Ala Gln Ser Asp Val Leu Asn Pro Gly Pro
 530 535 540
 Asp Ala Ala Arg Arg Ile Arg Leu Glu Ser Pro Ile Ile Asp Asn His
 545 550 555 560
 Glu Leu Ala Thr Leu Ile Asn Ala Asn Ala His Gly Glu Trp Asp Ser
 565 570 575
 Phe Gly Ala Ala Val Ile Ser Gly Leu Tyr Pro Val Ala His His Gly
 580 585 590
 Ala Gly Met Lys Ala Ala Ile Ala Arg Val
 595 600

<210> 75
 <211> 1362
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (70)..(1362)
 <223> FRXA00364

<400> 75
 accaatttct ggcattcggtc tggatgaagt tgcagctgac gtagaaagct cgtcaccgca 60
 gcgcattttttg cca cgc cct gaa gag cac gct cac cgt gaa ttg gat ttg 111
 Leu Pro Arg Pro Glu Glu His Ala His Arg Glu Leu Asp Leu
 1 5 10
 ggt ggt gaa tac aag tgg cgc cgc gaa ggt gaa tac cac ctg ttc aac 159
 Gly Gly Glu Tyr Lys Trp Arg Arg Glu Gly Glu Tyr His Leu Phe Asn
 15 20 25 30

cca gaa acc atc ttc aag ctg cag cat gca acg cgt tct ggc agc tac	207
Pro Glu Thr Ile Phe Lys Leu Gln His Ala Thr Arg Ser Gly Ser Tyr	
35 40 45	
gag att ttc aag gat tac acc cgc aag gtt gat gat caa tcc act cgc	255
Glu Ile Phe Lys Asp Tyr Thr Arg Lys Val Asp Asp Gln Ser Thr Arg	
50 55 60	
ttg ggt act att cgt gga ctg ttt gag ttc agc acg gac cgc aag cca	303
Leu Gly Thr Ile Arg Gly Leu Phe Glu Phe Ser Thr Asp Arg Lys Pro	
65 70 75	
att tcg gtg tct gag gtg gag ccg gtc agt gag atc gtg aag cgt ttc	351
Ile Ser Val Ser Glu Val Glu Pro Val Ser Glu Ile Val Lys Arg Phe	
80 85 90	
tcc act ggt gcg atg tct tat ggc tcg att tct gct gaa gcc cat gag	399
Ser Thr Gly Ala Met Ser Tyr Gly Ser Ile Ser Ala Glu Ala His Glu	
95 100 105 110	
gtc ttg gcc atc gcc atg aac cga ctg ggc ggt atg tcc aac tcc ggc	447
Val Leu Ala Ile Ala Met Asn Arg Leu Gly Gly Met Ser Asn Ser Gly	
115 120 125	
gaa ggt ggc gag gac gcc cgc cga ttt gat gtg gaa ccc aac ggt gac	495
Glu Gly Gly Glu Asp Ala Arg Arg Phe Asp Val Glu Pro Asn Gly Asp	
130 135 140	
tgg aag cgc tct gcc att aag cag gtg gcc tcg gga cgt ttc ggc gtg	543
Trp Lys Arg Ser Ala Ile Lys Gln Val Ala Ser Gly Arg Phe Gly Val	
145 150 155	
acc agc cac tac ttg aac aac tgc acc gat att cag atc aag atg gca	591
Thr Ser His Tyr Leu Asn Asn Cys Thr Asp Ile Gln Ile Lys Met Ala	
160 165 170	
cag ggc gca aag ccc ggt gaa ggt ggc cag ctg cca cca aac aag gtg	639
Gln Gly Ala Lys Pro Gly Glu Gly Gly Gln Leu Pro Pro Asn Lys Val	
175 180 185 190	
tac cca tgg gtt gca gaa gtc cgc atc acc acc cca ggc gtt ggt ctg	687
Tyr Pro Trp Val Ala Glu Val Arg Ile Thr Thr Pro Gly Val Gly Leu	
195 200 205	
att tcc cct cca cca cac cac gat att tac tcc att gag gat ctg gct	735
Ile Ser Pro Pro Pro His His Asp Ile Tyr Ser Ile Glu Asp Leu Ala	
210 215 220	
cag ctg atc cac gac ctg aag aac gct aac cca cgc gca cga atc cac	783
Gln Leu Ile His Asp Leu Lys Asn Ala Asn Pro Arg Ala Arg Ile His	
225 230 235	
gtg aag cta gtg gca gaa caa ggc gtg ggc acc gtt gcc gca ggt gtg	831
Val Lys Leu Val Ala Glu Gln Gly Val Gly Thr Val Ala Ala Gly Val	
240 245 250	
tcc aaa gca cac gct gat gtg gtg ctt att tcc ggc cac gat ggc gga	879
Ser Lys Ala His Ala Asp Val Val Leu Ile Ser Gly His Asp Gly Gly	
255 260 265 270	
act ggc gca tct cct ttg acc tcc ctg aag cat gcc ggt ggt cca tgg	927

Thr Gly Ala Ser Pro Leu Thr Ser Leu Lys His Ala Gly Gly Pro Trp
 275 280 285
 gag ttg ggc ttg gct gaa acc cag caa acg ttg ctg ctc aac ggc ctg 975
 Glu Leu Gly Leu Ala Glu Thr Gln Gln Thr Leu Leu Leu Asn Gly Leu
 290 295 300
 cgc gat cgt att cgc gtg cag tgc gat ggt cag ctg aaa act ggc cga
 1023
 Arg Asp Arg Ile Arg Val Gln Cys Asp Gly Gln Leu Lys Thr Gly Arg
 305 310 315
 gac gtg gtt atc gca gct ctt ctc ggt gcc gaa gaa ttc ggt ttt gcc
 1071
 Asp Val Val Ile Ala Ala Leu Leu Gly Ala Glu Glu Phe Gly Phe Ala
 320 325 330
 acc gca ccg ctg gtg gtt gaa ggc tgc atc atg atg cgc gtc tgc cac
 1119
 Thr Ala Pro Leu Val Val Glu Gly Cys Ile Met Met Arg Val Cys His
 335 340 345 350
 ctg gac acc tgc ccg gtg ggt atc gct acc cag aac ccg gat ttg cgt
 1167
 Leu Asp Thr Cys Pro Val Gly Ile Ala Thr Gln Asn Pro Asp Leu Arg
 355 360 365
 tcc aag ttc acc ggc aag gct gaa cac gtg gtc aac ttc ttc acc ttc
 1215
 Ser Lys Phe Thr Gly Lys Ala Glu His Val Val Asn Phe Phe Thr Phe
 370 375 380
 atc gcc cag gaa gtc cgt gag tac ttg gca cag ctt ggt ttc cgc tct
 1263
 Ile Ala Gln Glu Val Arg Glu Tyr Leu Ala Gln Leu Gly Phe Arg Ser
 385 390 395
 att gat gaa gcc gtc gga caa gcc cag gtg ctg cgc aag cgt tcc gga
 1311
 Ile Asp Glu Ala Val Gly Gln Ala Gln Val Leu Arg Lys Arg Ser Gly
 400 405 410
 atc cca gct gat tcc cgc gca gca cac ctg gat ttg agc cca att ttc
 1359
 Ile Pro Ala Asp Ser Arg Ala Ala His Leu Asp Leu Ser Pro Ile Phe
 415 420 425 430
 atc
 1362
 Ile

<210> 76

<211> 431

<212> PRT

<213> Corynebacterium glutamicum

<400> 76

Leu Pro Arg Pro Glu Glu His Ala His Arg Glu Leu Asp Leu Gly Gly
 1 5 10 15

Glu Tyr Lys Trp Arg Arg Glu Gly Glu Tyr His Leu Phe Asn Pro Glu
 20 25 30
 Thr Ile Phe Lys Leu Gln His Ala Thr Arg Ser Gly Ser Tyr Glu Ile
 35 40 45
 Phe Lys Asp Tyr Thr Arg Lys Val Asp Asp Gln Ser Thr Arg Leu Gly
 50 55 60
 Thr Ile Arg Gly Leu Phe Glu Phe Ser Thr Asp Arg Lys Pro Ile Ser
 65 70 75 80
 Val Ser Glu Val Glu Pro Val Ser Glu Ile Val Lys Arg Phe Ser Thr
 85 90 95
 Gly Ala Met Ser Tyr Gly Ser Ile Ser Ala Glu Ala His Glu Val Leu
 100 105 110
 Ala Ile Ala Met Asn Arg Leu Gly Gly Met Ser Asn Ser Gly Glu Gly
 115 120 125
 Gly Glu Asp Ala Arg Arg Phe Asp Val Glu Pro Asn Gly Asp Trp Lys
 130 135 140
 Arg Ser Ala Ile Lys Gln Val Ala Ser Gly Arg Phe Gly Val Thr Ser
 145 150 155 160
 His Tyr Leu Asn Asn Cys Thr Asp Ile Gln Ile Lys Met Ala Gln Gly
 165 170 175
 Ala Lys Pro Gly Glu Gly Gly Gln Leu Pro Pro Asn Lys Val Tyr Pro
 180 185 190
 Trp Val Ala Glu Val Arg Ile Thr Thr Pro Gly Val Gly Leu Ile Ser
 195 200 205
 Pro Pro Pro His His Asp Ile Tyr Ser Ile Glu Asp Leu Ala Gln Leu
 210 215 220
 Ile His Asp Leu Lys Asn Ala Asn Pro Arg Ala Arg Ile His Val Lys
 225 230 235 240
 Leu Val Ala Glu Gln Gly Val Gly Thr Val Ala Ala Gly Val Ser Lys
 245 250 255
 Ala His Ala Asp Val Val Leu Ile Ser Gly His Asp Gly Gly Thr Gly
 260 265 270
 Ala Ser Pro Leu Thr Ser Leu Lys His Ala Gly Gly Pro Trp Glu Leu
 275 280 285
 Gly Leu Ala Glu Thr Gln Gln Thr Leu Leu Leu Asn Gly Leu Arg Asp
 290 295 300
 Arg Ile Arg Val Gln Cys Asp Gly Gln Leu Lys Thr Gly Arg Asp Val
 305 310 315 320
 Val Ile Ala Ala Leu Leu Gly Ala Glu Glu Phe Gly Phe Ala Thr Ala
 325 330 335

Pro Leu Val Val Glu Gly Cys Ile Met Met Arg Val Cys His Leu Asp
 340 345 350

Thr Cys Pro Val Gly Ile Ala Thr Gln Asn Pro Asp Leu Arg Ser Lys
 355 360 365

Phe Thr Gly Lys Ala Glu His Val Val Asn Phe Phe Thr Phe Ile Ala
 370 375 380

Gln Glu Val Arg Glu Tyr Leu Ala Gln Leu Gly Phe Arg Ser Ile Asp
 385 390 395 400

Glu Ala Val Gly Gln Ala Gln Val Leu Arg Lys Arg Ser Gly Ile Pro
 405 410 415

Ala Asp Ser Arg Ala Ala His Leu Asp Leu Ser Pro Ile Phe Ile
 420 425 430

<210> 77
 <211> 866
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (1)..(843)
 <223> FRXA00367

<400> 77

cac	agc	cta	gaa	aaa	gcc	ctg	gac	aac	gca	ttt	att	gat	aag	gct	tcg	48
His	Ser	Leu	Glu	Lys	Ala	Leu	Asp	Asn	Ala	Phe	Ile	Asp	Lys	Ala	Ser	
1				5					10					15		
gac	acg	atc	acc	cgt	gcc	gca	gcg	ggt	gtg	gaa	acc	agc	att	gtt	att	96
Asp	Thr	Ile	Thr	Arg	Ala	Ala	Ala	Gly	Val	Glu	Thr	Ser	Ile	Val	Ile	
			20					25					30			
gat	agc	tcc	atc	agc	aac	gtc	aac	cgt	tca	gtt	ggc	acg	atg	ctg	ggt	144
Asp	Ser	Ser	Ile	Ser	Asn	Val	Asn	Arg	Ser	Val	Gly	Thr	Met	Leu	Gly	
		35				40						45				
tct	gca	gtc	agc	cgc	gtg	gct	ggt	gcc	caa	ggt	ttg	cca	gac	ggc	acc	192
Ser	Ala	Val	Ser	Arg	Val	Ala	Gly	Ala	Gln	Gly	Leu	Pro	Asp	Gly	Thr	
	50					55					60					
atc	acc	ttg	aat	ctt	caa	ggc	tgc	gcc	ggt	aac	tcc	ttt	ggc	gcg	ttc	240
Ile	Thr	Leu	Asn	Leu	Gln	Gly	Cys	Ala	Gly	Asn	Ser	Phe	Gly	Ala	Phe	
65					70					75					80	
atc	cca	cga	ggc	atc	acc	atc	aac	ctc	acc	ggc	gat	gcc	aat	gac	ttt	288
Ile	Pro	Arg	Gly	Ile	Thr	Ile	Asn	Leu	Thr	Gly	Asp	Ala	Asn	Asp	Phe	
				85					90					95		
gtg	ggc	aag	gga	tta	tct	ggc	gga	aag	att	gtg	atc	aag	cct	tcc	gct	336
Val	Gly	Lys	Gly	Leu	Ser	Gly	Gly	Lys	Ile	Val	Ile	Lys	Pro	Ser	Ala	
			100					105					110			
cag	gct	ccg	aag	cag	ctg	aag	aac	aat	cca	aat	atc	att	gcc	gga	aac	384
Gln	Ala	Pro	Lys	Gln	Leu	Lys	Asn	Asn	Pro	Asn	Ile	Ile	Ala	Gly	Asn	
		115					120					125				

gtg ctt gga tac ggc gca acc agt ggt gaa ttg ttc att cgt ggc cag 432
 Val Leu Gly Tyr Gly Ala Thr Ser Gly Glu Leu Phe Ile Arg Gly Gln
 130 135 140
 gtc ggc gaa cgt ttc tgc gtc cgt aac tct ggc gcc acc gca gtg gtt 480
 Val Gly Glu Arg Phe Cys Val Arg Asn Ser Gly Ala Thr Ala Val Val
 145 150 155 160
 gaa ggt atc gga aac cac ggt tgt gag tac atg act ggc ggc cga gtc 528
 Glu Gly Ile Gly Asn His Gly Cys Glu Tyr Met Thr Gly Gly Arg Val
 165 170 175
 ctg gtt ttg ggc ccg gtt ggt gag aac ttt ggt gcc ggc atg tct ggt 576
 Leu Val Leu Gly Pro Val Gly Glu Asn Phe Gly Ala Gly Met Ser Gly
 180 185 190
 ggc att gca tac ctg gct aat tcc ccg gac cta aac cag aag atc aat 624
 Gly Ile Ala Tyr Leu Ala Asn Ser Pro Asp Leu Asn Gln Lys Ile Asn
 195 200 205
 ggc gaa ttg gtg gat gtt gtt cca ctg agc gct gac gat ctg acg tgg 672
 Gly Glu Leu Val Asp Val Val Pro Leu Ser Ala Asp Asp Leu Thr Trp
 210 215 220
 gct gat gag ctc att gct cgc cac cgc gaa ctc acc gga tcc gag acc 720
 Ala Asp Glu Leu Ile Ala Arg His Arg Glu Leu Thr Gly Ser Glu Thr
 225 230 235 240
 aag ctg cgt gca caa gat ttg gtg aaa atc atg ccg cgc gat ttc caa 768
 Lys Leu Arg Ala Gln Asp Leu Val Lys Ile Met Pro Arg Asp Phe Gln
 245 250 255
 aaa gta ctc aac atc atc gaa acg gcc cac gct gag ggc caa gac cca 816
 Lys Val Leu Asn Ile Ile Glu Thr Ala His Ala Glu Gly Gln Asp Pro
 260 265 270
 gca atc aag atc atg gag gca gtg agc taatggccga cccacaagga 863
 Ala Ile Lys Ile Met Glu Ala Val Ser
 275 280
 ttc 866

<210> 78

<211> 281

<212> PRT

<213> Corynebacterium glutamicum

<400> 78

His Ser Leu Glu Lys Ala Leu Asp Asn Ala Phe Ile Asp Lys Ala Ser
 1 5 10 15

Asp Thr Ile Thr Arg Ala Ala Ala Gly Val Glu Thr Ser Ile Val Ile
 20 25 30

Asp Ser Ser Ile Ser Asn Val Asn Arg Ser Val Gly Thr Met Leu Gly
 35 40 45

Ser Ala Val Ser Arg Val Ala Gly Ala Gln Gly Leu Pro Asp Gly Thr
 50 55 60

Ile Thr Leu Asn Leu Gln Gly Cys Ala Gly Asn Ser Phe Gly Ala Phe
 65 70 75 80
 Ile Pro Arg Gly Ile Thr Ile Asn Leu Thr Gly Asp Ala Asn Asp Phe
 85 90 95
 Val Gly Lys Gly Leu Ser Gly Gly Lys Ile Val Ile Lys Pro Ser Ala
 100 105 110
 Gln Ala Pro Lys Gln Leu Lys Asn Asn Pro Asn Ile Ile Ala Gly Asn
 115 120 125
 Val Leu Gly Tyr Gly Ala Thr Ser Gly Glu Leu Phe Ile Arg Gly Gln
 130 135 140
 Val Gly Glu Arg Phe Cys Val Arg Asn Ser Gly Ala Thr Ala Val Val
 145 150 155 160
 Glu Gly Ile Gly Asn His Gly Cys Glu Tyr Met Thr Gly Gly Arg Val
 165 170 175
 Leu Val Leu Gly Pro Val Gly Glu Asn Phe Gly Ala Gly Met Ser Gly
 180 185 190
 Gly Ile Ala Tyr Leu Ala Asn Ser Pro Asp Leu Asn Gln Lys Ile Asn
 195 200 205
 Gly Glu Leu Val Asp Val Val Pro Leu Ser Ala Asp Asp Leu Thr Trp
 210 215 220
 Ala Asp Glu Leu Ile Ala Arg His Arg Glu Leu Thr Gly Ser Glu Thr
 225 230 235 240
 Lys Leu Arg Ala Gln Asp Leu Val Lys Ile Met Pro Arg Asp Phe Gln
 245 250 255
 Lys Val Leu Asn Ile Ile Glu Thr Ala His Ala Glu Gly Gln Asp Pro
 260 265 270
 Ala Ile Lys Ile Met Glu Ala Val Ser
 275 280

<210> 79
 <211> 1494
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1471)
 <223> RXN00076

<400> 79
 tctaggagtg ttaaacagcc tggacttgaa acacctttaa ctacttgatt ttcacaccct 60
 tgtttccata aaagggctca cgaaaggcaa cttcaaacac atg aca act ccc ctg 115
 Met Thr Thr Pro Leu
 1 5

cgc gta gcc gtc atc gga gct ggc cct gct ggc att tac gca tcc gac	163
Arg Val Ala Val Ile Gly Ala Gly Pro Ala Gly Ile Tyr Ala Ser Asp	
10 15 20	
ctc ctc atc cgc aat gaa gag cgc gaa gtg ttc gtt gac ctt ttc gag	211
Leu Leu Ile Arg Asn Glu Glu Arg Glu Val Phe Val Asp Leu Phe Glu	
25 30 35	
caa atg cct gca ccg ttc gga ctc atc cgt tac ggc gtt gct cca gac	259
Gln Met Pro Ala Pro Phe Gly Leu Ile Arg Tyr Gly Val Ala Pro Asp	
40 45 50	
cac cca cgc atc aag ggc atc gtt aag tcc ctg cac aac gtg ttg gac	307
His Pro Arg Ile Lys Gly Ile Val Lys Ser Leu His Asn Val Leu Asp	
55 60 65	
aag cca cgc ctg cgc ctg ctc ggt aac att gaa atc ggc aaa gac atc	355
Lys Pro Arg Leu Arg Leu Leu Gly Asn Ile Glu Ile Gly Lys Asp Ile	
70 75 80 85	
acc gtc gaa gaa ctc cgc gac tac tac gat gca gtc gtg ttc tcc acc	403
Thr Val Glu Glu Leu Arg Asp Tyr Tyr Asp Ala Val Val Phe Ser Thr	
90 95 100	
ggc gca gtt gca gac cgc gac ctc aac atc ccc gga att gaa gca gaa	451
Gly Ala Val Ala Asp Arg Asp Leu Asn Ile Pro Gly Ile Glu Ala Glu	
105 110 115	
ggc tcc ttc ggt gcc ggc gag ttc gtt ggc ttc tac gac ggc aac cca	499
Gly Ser Phe Gly Ala Gly Glu Phe Val Gly Phe Tyr Asp Gly Asn Pro	
120 125 130	
cgc ttc gag cgc tcc tgg gat ctg tct gca cag tcc gtc gct gtt atc	547
Arg Phe Glu Arg Ser Trp Asp Leu Ser Ala Gln Ser Val Ala Val Ile	
135 140 145	
ggc gtt ggt aac gtc ggc ctc gac gta gcc cgc atc ctg gct aag aca	595
Gly Val Gly Asn Val Gly Leu Asp Val Ala Arg Ile Leu Ala Lys Thr	
150 155 160 165	
ggc gac gag ctc aaa gtc acc gaa att tcc gac aac gtc tac gac tcc	643
Gly Asp Glu Leu Lys Val Thr Glu Ile Ser Asp Asn Val Tyr Asp Ser	
170 175 180	
ctc aaa gaa aac aag gcc act gaa gtg cac gtt ttc gga cgt cgt ggc	691
Leu Lys Glu Asn Lys Ala Thr Glu Val His Val Phe Gly Arg Arg Gly	
185 190 195	
cca gca cag gtc aag ttc acc cca cag gaa ctc aaa gaa ctc gac cac	739
Pro Ala Gln Val Lys Phe Thr Pro Gln Glu Leu Lys Glu Leu Asp His	
200 205 210	
tcc ccc acc atc aac gtg gtt gtt gat cca gaa gac atc gac tac gac	787
Ser Pro Thr Ile Asn Val Val Val Asp Pro Glu Asp Ile Asp Tyr Asp	
215 220 225	
ggc gcc tct gaa gaa gcc cgc cgc gca tcc aag tcc cag gac ctg gtc	835
Gly Ala Ser Glu Glu Ala Arg Arg Ala Ser Lys Ser Gln Asp Leu Val	
230 235 240 245	
tgc cag atc ctg gaa cag tac gca atc cgc gag cca aag gac gct ccg	883

Cys	Gln	Ile	Leu	Glu	Gln	Tyr	Ala	Ile	Arg	Glu	Pro	Lys	Asp	Ala	Pro	
				250					255					260		
cac	acc	ctg	cag	atc	cac	ctc	ttt	gaa	aac	cca	gtt	gag	gtt	ctt	caa	931
His	Thr	Leu	Gln	Ile	His	Leu	Phe	Glu	Asn	Pro	Val	Glu	Val	Leu	Gln	
			265					270					275			
aag	gac	ggc	aag	gtt	gtt	ggc	ctg	cgc	acc	gaa	cgc	acc	tca	ctt	gat	979
Lys	Asp	Gly	Lys	Val	Val	Gly	Leu	Arg	Thr	Glu	Arg	Thr	Ser	Leu	Asp	
		280					285					290				
ggc	aac	ggc	ggc	gta	aac	gga	acc	ggc	gaa	ttc	aag	gac	tgg	cca	gtc	
1027																
Gly	Asn	Gly	Gly	Val	Asn	Gly	Thr	Gly	Glu	Phe	Lys	Asp	Trp	Pro	Val	
	295					300					305					
cag	gct	gtc	tac	cgc	gca	gtc	ggc	tac	aag	tcc	gac	ccc	atc	gac	ggc	
1075																
Gln	Ala	Val	Tyr	Arg	Ala	Val	Gly	Tyr	Lys	Ser	Asp	Pro	Ile	Asp	Gly	
310					315					320					325	
gtc	cca	ttc	gat	gag	aac	aag	cac	gtc	atc	cct	aat	gac	ggc	gga	cat	
1123																
Val	Pro	Phe	Asp	Glu	Asn	Lys	His	Val	Ile	Pro	Asn	Asp	Gly	Gly	His	
				330					335					340		
gtc	ctc	acc	gct	cca	ggc	gca	gaa	cca	gta	cca	ggc	ctc	tat	gca	acc	
1171																
Val	Leu	Thr	Ala	Pro	Gly	Ala	Glu	Pro	Val	Pro	Gly	Leu	Tyr	Ala	Thr	
			345					350					355			
ggc	tgg	atc	aag	cgt	gga	cca	atc	ggt	cta	atc	ggc	aac	acc	aag	tcc	
1219																
Gly	Trp	Ile	Lys	Arg	Gly	Pro	Ile	Gly	Leu	Ile	Gly	Asn	Thr	Lys	Ser	
		360					365					370				
gac	gcc	aag	gaa	acc	acc	gac	atc	ctc	atc	aag	gat	gcc	gtc	gcc	ggt	
1267																
Asp	Ala	Lys	Glu	Thr	Thr	Asp	Ile	Leu	Ile	Lys	Asp	Ala	Val	Ala	Gly	
	375					380					385					
gta	ctt	gaa	gct	cca	aag	cac	cag	ggc	gaa	gaa	gcc	atc	atc	gag	ctt	
1315																
Val	Leu	Glu	Ala	Pro	Lys	His	Gln	Gly	Glu	Glu	Ala	Ile	Ile	Glu	Leu	
390					395					400					405	
ctc	gat	tcc	cgc	aac	atc	cca	ttc	acc	acc	tgg	gaa	ggc	tgg	tac	aaa	
1363																
Leu	Asp	Ser	Arg	Asn	Ile	Pro	Phe	Thr	Thr	Trp	Glu	Gly	Trp	Tyr	Lys	
				410					415					420		
ctc	gac	gca	gca	gag	cgc	gca	ctc	ggt	gaa	gcc	gaa	ggc	cgc	gag	cgc	
1411																
Leu	Asp	Ala	Ala	Glu	Arg	Ala	Leu	Gly	Glu	Ala	Glu	Gly	Arg	Glu	Arg	
			425					430					435			
aag	aag	att	gtt	gat	tgg	gaa	gaa	atg	gtc	cgc	cag	gcc	cgc	gaa	gct	
1459																
Lys	Lys	Ile	Val	Asp	Trp	Glu	Glu	Met	Val	Arg	Gln	Ala	Arg	Glu	Ala	
		440					445					450				

cca gca att gtc taaattgttt taacgcgtga agc

1494

Pro Ala Ile Val

455

<210> 80

<211> 457

<212> PRT

<213> Corynebacterium glutamicum

<400> 80

Met Thr Thr Pro Leu Arg Val Ala Val Ile Gly Ala Gly Pro Ala Gly
1 5 10 15

Ile Tyr Ala Ser Asp Leu Leu Ile Arg Asn Glu Glu Arg Glu Val Phe
20 25 30

Val Asp Leu Phe Glu Gln Met Pro Ala Pro Phe Gly Leu Ile Arg Tyr
35 40 45

Gly Val Ala Pro Asp His Pro Arg Ile Lys Gly Ile Val Lys Ser Leu
50 55 60

His Asn Val Leu Asp Lys Pro Arg Leu Arg Leu Leu Gly Asn Ile Glu
65 70 75 80

Ile Gly Lys Asp Ile Thr Val Glu Glu Leu Arg Asp Tyr Tyr Asp Ala
85 90 95

Val Val Phe Ser Thr Gly Ala Val Ala Asp Arg Asp Leu Asn Ile Pro
100 105 110

Gly Ile Glu Ala Glu Gly Ser Phe Gly Ala Gly Glu Phe Val Gly Phe
115 120 125

Tyr Asp Gly Asn Pro Arg Phe Glu Arg Ser Trp Asp Leu Ser Ala Gln
130 135 140

Ser Val Ala Val Ile Gly Val Gly Asn Val Gly Leu Asp Val Ala Arg
145 150 155 160

Ile Leu Ala Lys Thr Gly Asp Glu Leu Lys Val Thr Glu Ile Ser Asp
165 170 175

Asn Val Tyr Asp Ser Leu Lys Glu Asn Lys Ala Thr Glu Val His Val
180 185 190

Phe Gly Arg Arg Gly Pro Ala Gln Val Lys Phe Thr Pro Gln Glu Leu
195 200 205

Lys Glu Leu Asp His Ser Pro Thr Ile Asn Val Val Val Asp Pro Glu
210 215 220

Asp Ile Asp Tyr Asp Gly Ala Ser Glu Glu Ala Arg Arg Ala Ser Lys
225 230 235 240

Ser Gln Asp Leu Val Cys Gln Ile Leu Glu Gln Tyr Ala Ile Arg Glu
245 250 255

Pro Lys Asp Ala Pro His Thr Leu Gln Ile His Leu Phe Glu Asn Pro

260 265 270
 Val Glu Val Leu Gln Lys Asp Gly Lys Val Val Gly Leu Arg Thr Glu
 275 280 285
 Arg Thr Ser Leu Asp Gly Asn Gly Gly Val Asn Gly Thr Gly Glu Phe
 290 295 300
 Lys Asp Trp Pro Val Gln Ala Val Tyr Arg Ala Val Gly Tyr Lys Ser
 305 310 315 320
 Asp Pro Ile Asp Gly Val Pro Phe Asp Glu Asn Lys His Val Ile Pro
 325 330 335
 Asn Asp Gly Gly His Val Leu Thr Ala Pro Gly Ala Glu Pro Val Pro
 340 345 350
 Gly Leu Tyr Ala Thr Gly Trp Ile Lys Arg Gly Pro Ile Gly Leu Ile
 355 360 365
 Gly Asn Thr Lys Ser Asp Ala Lys Glu Thr Thr Asp Ile Leu Ile Lys
 370 375 380
 Asp Ala Val Ala Gly Val Leu Glu Ala Pro Lys His Gln Gly Glu Glu
 385 390 395 400
 Ala Ile Ile Glu Leu Leu Asp Ser Arg Asn Ile Pro Phe Thr Thr Trp
 405 410 415
 Glu Gly Trp Tyr Lys Leu Asp Ala Ala Glu Arg Ala Leu Gly Glu Ala
 420 425 430
 Glu Gly Arg Glu Arg Lys Lys Ile Val Asp Trp Glu Glu Met Val Arg
 435 440 445
 Gln Ala Arg Glu Ala Pro Ala Ile Val
 450 455

<210> 81
 <211> 786
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(763)
 <223> FRXA00075

<400> 81
 tctaggagtg ttaaacagcc tggacttgaa acacctttaa ctacttgatt ttcacaccct 60
 tgtttccata aaagggctca cgaaaggcaa cttcaaacac atg aca act ccc ctg 115
 Met Thr Thr Pro Leu
 1 5
 cgc gta gcc gtc atc gga gct ggc cct gct ggc att tac gca tcc gac 163
 Arg Val Ala Val Ile Gly Ala Gly Pro Ala Gly Ile Tyr Ala Ser Asp
 10 15 20
 ctc ctc atc cgc aat gaa gag cgc gaa gtg ttc gtt gac ctt ttc gag 211

Leu Leu Ile Arg Asn Glu Glu Arg Glu Val Phe Val Asp Leu Phe Glu
 25 30 35
 caa atg cct gca ccg ttc gga ctc atc cgt tac ggc gtt gct cca gac 259
 Gln Met Pro Ala Pro Phe Gly Leu Ile Arg Tyr Gly Val Ala Pro Asp
 40 45 50
 cac cca cgc atc aag ggc atc gtt aag tcc ctg cac aac gtg ttg gac 307
 His Pro Arg Ile Lys Gly Ile Val Lys Ser Leu His Asn Val Leu Asp
 55 60 65
 aag cca cgc ctg cgc ctg ctc ggt aac att gaa atc ggc aaa gac atc 355
 Lys Pro Arg Leu Arg Leu Leu Gly Asn Ile Glu Ile Gly Lys Asp Ile
 70 75 80 85
 acc gtc gaa gaa ctc cgc gac tac tac gat gca gtc gtg ttc tcc acc 403
 Thr Val Glu Glu Leu Arg Asp Tyr Tyr Asp Ala Val Val Phe Ser Thr
 90 95 100
 ggc gca gtt gca gac cgc gac ctc aac atc ccc gga att gaa gca gaa 451
 Gly Ala Val Ala Asp Arg Asp Leu Asn Ile Pro Gly Ile Glu Ala Glu
 105 110 115
 ggc tcc ttc ggt gcc ggc gag ttc gtt ggc ttc tac gac ggc aac cca 499
 Gly Ser Phe Gly Ala Gly Glu Phe Val Gly Phe Tyr Asp Gly Asn Pro
 120 125 130
 cgc ttc gag cgc tcc tgg gat ctg tct gca cag tcc gtc gct gtt atc 547
 Arg Phe Glu Arg Ser Trp Asp Leu Ser Ala Gln Ser Val Ala Val Ile
 135 140 145
 ggc gtt ggt aac gtc ggc ctc gac gta gcc cgc atc ctg gct aag aca 595
 Gly Val Gly Asn Val Gly Leu Asp Val Ala Arg Ile Leu Ala Lys Thr
 150 155 160 165
 ggc gac gag ctc aaa gtc acc gaa att tcc gac aac gtc tac gac tcc 643
 Gly Asp Glu Leu Lys Val Thr Glu Ile Ser Asp Asn Val Tyr Asp Ser
 170 175 180
 ctc aaa gaa aac aag gyc wct gaa gtg cac gtt ttc gga cgt cgg tgg 691
 Leu Lys Glu Asn Lys Xaa Xaa Glu Val His Val Phe Gly Arg Arg Trp
 185 190 195
 ccc agc aca ggt caa gtt cac ccc aca gga act maa aga act cgr cca 739
 Pro Ser Thr Gly Gln Val His Pro Thr Gly Thr Xaa Arg Thr Xaa Pro
 200 205 210
 ctc ccc cac cat caa cgt ggt tgt tgatccagaa gacatcgact acg 786
 Leu Pro His His Gln Arg Gly Cys
 215 220

<210> 82

<211> 221

<212> PRT

<213> Corynebacterium glutamicum

<400> 82

Met Thr Thr Pro Leu Arg Val Ala Val Ile Gly Ala Gly Pro Ala Gly
 1 5 10 15

```
<210> 83
<211> 672
<212> DNA
<213> Corynebacterium glutamicum
```

```
<220>  
<221> CDS  
<222> (101)..(649)  
<223> RXN00198
```

```

<400> 83
atgcaggatt agagcagcag caacggagcc agaatcagtc tcccaatttg atatccagcc 60

ccgcgctcct ttccagcgcg ccgattccac tccatggccg atg tac ccc aac ctc 115
                                         Met Tyr Pro Asn Leu
                                         1                               5

ttc cgc acc gca acg gct cac gaa gaa ggc gaa tac atc atc act ggc 163
Phe Arg Thr Ala Thr Ala His Glu Glu Gly Glu Tyr Ile Ile Thr Gly
          10                      15                      20

```

gat gaa tca gcc gat gaa atc gca gcc ctg ggc ctc gcc gaa cgt gcc 211
Asp Glu Ser Ala Asp Glu Ile Ala Ala Leu Gly Leu Ala Glu Arg Ala
25 30 35

gca ggc tcc acg ctt ggt gaa cgt aaa ttt gct gtc aac acc gtg gaa 259
Ala Gly Ser Thr Leu Gly Glu Arg Lys Phe Ala Val Asn Thr Val Glu
40 45 50

ttc cac ggc aac aac ggc cac gtc acc gga ctc acc ggc aac caa atc 307
Phe His Gly Asn Asn Gly His Val Thr Gly Leu Thr Gly Asn Gln Ile
55 60 65

cga gtt gtc aac ggc aaa cgt gaa cca atc gaa ggc acc gaa ttc ccc 355
Arg Val Val Asn Gly Lys Arg Glu Pro Ile Glu Gly Thr Glu Phe Pro
70 75 80 85

ttc gaa gca gac ctc gtt ctt gtt gca ctt ggc ttc acc ggc gca gaa 403
Phe Glu Ala Asp Leu Val Leu Val Ala Leu Gly Phe Thr Gly Ala Glu
90 95 100

caa ggc gga ttg gca cac gaa cta ggc gta ggt ttc gac gac cgg ggc 451
Gln Gly Gly Leu Ala His Glu Leu Gly Val Gly Phe Asp Asp Arg Gly
105 110 115

cgc atc ctc cgc gat tcc gaa tac cgc agc ccc acc aac tcc cgc gtt 499
Arg Ile Leu Arg Asp Ser Glu Tyr Arg Ser Pro Thr Asn Ser Arg Val
120 125 130

tac atc gca ggc gac aac ggc cgt ggc cag tcc ctg atc gtg tgg gca 547
Tyr Ile Ala Gly Asp Asn Gly Arg Gly Gln Ser Leu Ile Val Trp Ala
135 140 145

atc gcc gaa ggc cgc gca tgc gcc gca gct atc gac gcc gat ctc atg 595
Ile Ala Glu Gly Arg Ala Cys Ala Ala Ile Asp Ala Asp Leu Met
150 155 160 165

ggt gaa act gca ctc cct gta gca gtt gca cca cag gac gtg ccg ctg 643
Gly Glu Thr Ala Leu Pro Val Ala Val Ala Pro Gln Asp Val Pro Leu
170 175 180

gct gtc tagcttggt agaaaatgct aga 672
Ala Val

<210> 84
<211> 183
<212> PRT
<213> Corynebacterium glutamicum

<400> 84
Met Tyr Pro Asn Leu Phe Arg Thr Ala Thr Ala His Glu Glu Gly Glu
1 5 10 15
Tyr Ile Ile Thr Gly Asp Glu Ser Ala Asp Glu Ile Ala Ala Leu Gly
20 25 30
Leu Ala Glu Arg Ala Ala Gly Ser Thr Leu Gly Glu Arg Lys Phe Ala
35 40 45
Val Asn Thr Val Glu Phe His Gly Asn Asn Gly His Val Thr Gly Leu

50		55		60
Thr Gly Asn Gln Ile Arg Val Val Asn Gly Lys Arg Glu Pro Ile Glu				
65		70		75
Gly Thr Glu Phe Pro Phe Glu Ala Asp Leu Val Leu Val Ala Leu Gly				
		85		90
Phe Thr Gly Ala Glu Gln Gly Gly Leu Ala His Glu Leu Gly Val Gly				
		100		105
Phe Asp Asp Arg Gly Arg Ile Leu Arg Asp Ser Glu Tyr Arg Ser Pro				
		115		120
Thr Asn Ser Arg Val Tyr Ile Ala Gly Asp Asn Gly Arg Gly Gln Ser				
		130		135
Leu Ile Val Trp Ala Ile Ala Glu Gly Arg Ala Cys Ala Ala Ala Ile				
		145		150
Asp Ala Asp Leu Met Gly Glu Thr Ala Leu Pro Val Ala Val Ala Pro				
		165		170
Gln Asp Val Pro Leu Ala Val				
		180		

<210> 85
 <211> 305
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (1)..(282)
 <223> FRXA00198

<400> 85	
ctc gtt ctt gtt gca ctt ggc ttc acc ggc gca gaa caa ggc gga ttg	48
Leu Val Leu Val Ala Leu Gly Phe Thr Gly Ala Glu Gln Gly Gly Leu	
1 5 10 15	
gca cac gaa cta ggc gta ggt ttc gac gac cgg ggc cgc atc ctc cgc	96
Ala His Glu Leu Gly Val Gly Phe Asp Asp Arg Gly Arg Ile Leu Arg	
20 25 30	
gat tcc gaa tac cgc agc ccc acc aac tcc cgc gtt tac atc gca ggc	144
Asp Ser Glu Tyr Arg Ser Pro Thr Asn Ser Arg Val Tyr Ile Ala Gly	
35 40 45	
gac aac ggc cgt ggc cag tcc ctg atc gtg tgg gca atc gcc gaa ggc	192
Asp Asn Gly Arg Gly Gln Ser Leu Ile Val Trp Ala Ile Ala Glu Gly	
50 55 60	
cgc gca tgc gcc gca gct atc gac gcc gat ctc atg ggt gaa act gca	240
Arg Ala Cys Ala Ala Ala Ile Asp Ala Asp Leu Met Gly Glu Thr Ala	
65 70 75 80	
ctc cct gta gca gtt gca cca cag gac gtg ccg ctg gct gtc	282
Leu Pro Val Ala Val Ala Pro Gln Asp Val Pro Leu Ala Val	
85 90	

tagcttgggt agaaaatgct aga

305

<210> 86

<211> 94

<212> PRT

<213> Corynebacterium glutamicum

<400> 86

Leu Val Leu Val Ala Leu Gly Phe Thr Gly Ala Glu Gln Gly Gly Leu
 1 5 10 15

Ala His Glu Leu Gly Val Gly Phe Asp Asp Arg Gly Arg Ile Leu Arg
 20 25 30

Asp Ser Glu Tyr Arg Ser Pro Thr Asn Ser Arg Val Tyr Ile Ala Gly
 35 40 45

Asp Asn Gly Arg Gly Gln Ser Leu Ile Val Trp Ala Ile Ala Glu Gly
 50 55 60

Arg Ala Cys Ala Ala Ala Ile Asp Ala Asp Leu Met Gly Glu Thr Ala
 65 70 75 80

Leu Pro Val Ala Val Ala Pro Gln Asp Val Pro Leu Ala Val
 85 90

<210> 87

<211> 727

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(727)

<223> RXN00365

<400> 87

gaagcctacg atcgcttgca cgcgaccaac aatttccccg agttcaccgg ccgtttgtgc 60

cccgccaccct gcgaaggcgc ctgcgtgctc ggtatcaacg atg att ctg tca cca 115
 Met Ile Leu Ser Pro
 1 5

tca aaa acg ttt gag ctg gaa atc gtc gaa aaa gca ttc cgc gaa ggc 163
 Ser Lys Thr Phe Glu Leu Glu Ile Val Glu Lys Ala Phe Arg Glu Gly
 10 15 20

tgg gtg caa cca gta atc cca tcc atg tct acc ggg ctg tca gtc gcc 211
 Trp Val Gln Pro Val Ile Pro Ser Met Ser Thr Gly Leu Ser Val Ala
 25 30 35

gtc gtc ggt tcc ggc ccc gct ggc ctt gcc gcc gcg cag cag ctc acc 259
 Val Val Gly Ser Gly Pro Ala Gly Leu Ala Ala Ala Gln Gln Leu Thr
 40 45 50

cgc gca ggc cac agc gtt acc gtc ttt gaa cgc gac gac cgc ctc ggc 307
 Arg Ala Gly His Ser Val Thr Val Phe Glu Arg Asp Asp Arg Leu Gly
 55 60 65

ggc ctc atg cgc tac ggc gtg cca gaa tac aaa atg gag aac cgc tgg 355
 Gly Leu Met Arg Tyr Gly Val Pro Glu Tyr Lys Met Glu Asn Arg Trp
 70 75 80 85
 atc gac cgc cgc atc gag caa atg gaa gca gag ggc aca act ttc cag 403
 Ile Asp Arg Arg Ile Glu Gln Met Glu Ala Glu Gly Thr Thr Phe Gln
 90 95 100
 gta ggc acc tcg ccg cgc gcc gct gaa cta gcg ctt ttc gac gcg atc 451
 Val Gly Thr Ser Pro Arg Ala Ala Glu Leu Ala Leu Phe Asp Ala Ile
 105 110 115
 ctc ctc gca acc ggc acc cca gtg gcc cgc gaa ctc tca gtt cca ggc 499
 Leu Leu Ala Thr Gly Thr Pro Val Ala Arg Glu Leu Ser Val Pro Gly
 120 125 130
 cac gat ctc aac ggc atc cat gcg gca atg gat tac ctc acc gcc caa 547
 His Asp Leu Asn Gly Ile His Ala Ala Met Asp Tyr Leu Thr Ala Gln
 135 140 145
 aac cgc atc aac gaa ggc gac ggt gaa gtc tct cca atc aac gcc aaa 595
 Asn Arg Ile Asn Glu Gly Asp Gly Glu Val Ser Pro Ile Asn Ala Lys
 150 155 160 165
 ggc aag aaa gtt gtc atc atc ggt ggc ggc gac acc ggc acc gac tgc 643
 Gly Lys Lys Val Val Ile Ile Gly Gly Gly Asp Thr Gly Thr Asp Cys
 170 175 180
 ttc ggc acc gca ctg cgc caa gga gca gaa tca gtc acc caa ttt gat 691
 Phe Gly Thr Ala Leu Arg Gln Gly Ala Glu Ser Val Thr Gln Phe Asp
 185 190 195
 atc cgc ccc cgc gct cct ttc cag cgc gcc gat tcc 727
 Ile Arg Pro Arg Ala Pro Phe Gln Arg Ala Asp Ser
 200 205

<210> 88

<211> 209

<212> PRT

<213> Corynebacterium glutamicum

<400> 88

Met Ile Leu Ser Pro Ser Lys Thr Phe Glu Leu Glu Ile Val Glu Lys
 1 5 10 15
 Ala Phe Arg Glu Gly Trp Val Gln Pro Val Ile Pro Ser Met Ser Thr
 20 25 30
 Gly Leu Ser Val Ala Val Val Gly Ser Gly Pro Ala Gly Leu Ala Ala
 35 40 45
 Ala Gln Gln Leu Thr Arg Ala Gly His Ser Val Thr Val Phe Glu Arg
 50 55 60
 Asp Asp Arg Leu Gly Gly Leu Met Arg Tyr Gly Val Pro Glu Tyr Lys
 65 70 75 80
 Met Glu Asn Arg Trp Ile Asp Arg Arg Ile Glu Gln Met Glu Ala Glu
 85 90 95

Gly Thr Thr Phe Gln Val Gly Thr Ser Pro Arg Ala Ala Glu Leu Ala
 100 105 110
 Leu Phe Asp Ala Ile Leu Leu Ala Thr Gly Thr Pro Val Ala Arg Glu
 115 120 125
 Leu Ser Val Pro Gly His Asp Leu Asn Gly Ile His Ala Ala Met Asp
 130 135 140
 Tyr Leu Thr Ala Gln Asn Arg Ile Asn Glu Gly Asp Gly Glu Val Ser
 145 150 155 160
 Pro Ile Asn Ala Lys Gly Lys Lys Val Val Ile Ile Gly Gly Gly Asp
 165 170 175
 Thr Gly Thr Asp Cys Phe Gly Thr Ala Leu Arg Gln Gly Ala Glu Ser
 180 185 190
 Val Thr Gln Phe Asp Ile Arg Pro Arg Ala Pro Phe Gln Arg Ala Asp
 195 200 205

Ser

<210> 89
 <211> 727
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(727)
 <223> FRXA00365

<400> 89
 gaagcctacg atcgcttgca cgcgaccaac aatttccccg agttcacccg ccgtttgtgc 60
 cccgcaccct gcgaaggcgc ctgcgtgctc ggtatcaacg atg att ctg tca cca 115
 Met Ile Leu Ser Pro
 1 5
 tca aaa acg ttt gag ctg gaa atc gtc gaa aaa gca ttc cgc gaa ggc 163
 Ser Lys Thr Phe Glu Leu Glu Ile Val Glu Lys Ala Phe Arg Glu Gly
 10 15 20
 tgg gtg caa cca gta atc cca tcc atg tct acc ggg ctg tca gtc gcc 211
 Trp Val Gln Pro Val Ile Pro Ser Met Ser Thr Gly Leu Ser Val Ala
 25 30 35
 gtc gtc ggt tcc ggc ccc gct ggc ctt gcc gcc gcg cag cag ctc acc 259
 Val Val Gly Ser Gly Pro Ala Gly Leu Ala Ala Ala Gln Gln Leu Thr
 40 45 50
 cgc gca ggc cac agc gtt acc gtc ttt gaa cgc gac gac cgc ctc ggc 307
 Arg Ala Gly His Ser Val Thr Val Phe Glu Arg Asp Asp Arg Leu Gly
 55 60 65
 ggc ctc atg cgc tac ggc gtg cca gaa tac aaa atg gag aac cgc tgg 355
 Gly Leu Met Arg Tyr Gly Val Pro Glu Tyr Lys Met Glu Asn Arg Trp

70	75	80	85	
atc gac cgc cgc atc gag caa atg gaa gca gag ggc aca act ttc cag				403
Ile Asp Arg Arg Ile Glu Gln Met Glu Ala Glu Gly Thr Thr Phe Gln	90	95	100	
gta ggc acc tcg ccg cgc gcc gct gaa cta gcg ctt ttc gac gcg atc				451
Val Gly Thr Ser Pro Arg Ala Ala Glu Leu Ala Leu Phe Asp Ala Ile	105	110	115	
ctc ctc gca acc ggc acc cca gtg gcc cgc gaa ctc tca gtt cca ggc				499
Leu Leu Ala Thr Gly Thr Pro Val Ala Arg Glu Leu Ser Val Pro Gly	120	125	130	
cac gat ctc aac ggc atc cat gcg gca atg gat tac ctc acc gcc caa				547
His Asp Leu Asn Gly Ile His Ala Ala Met Asp Tyr Leu Thr Ala Gln	135	140	145	
aac cgc atc aac gaa ggc gac ggt gaa gtc tct cca atc aac gcc aaa				595
Asn Arg Ile Asn Glu Gly Asp Gly Glu Val Ser Pro Ile Asn Ala Lys	150	155	160	165
ggc aag aaa gtt gtc atc atc ggt ggc ggc gac acc ggc acc gac tgc				643
Gly Lys Lys Val Val Ile Ile Gly Gly Gly Asp Thr Gly Thr Asp Cys	170	175	180	
ttc ggc acc gca ctg cgc caa gga gca gaa tca gtc acc caa ttt gat				691
Phe Gly Thr Ala Leu Arg Gln Gly Ala Glu Ser Val Thr Gln Phe Asp	185	190	195	
atc cgc ccc cgc gct cct ttc cag cgc gcc gat tcc				727
Ile Arg Pro Arg Ala Pro Phe Gln Arg Ala Asp Ser	200	205		

<210> 90
 <211> 209
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 90
 Met Ile Leu Ser Pro Ser Lys Thr Phe Glu Leu Glu Ile Val Glu Lys
 1 5 10 15
 Ala Phe Arg Glu Gly Trp Val Gln Pro Val Ile Pro Ser Met Ser Thr
 20 25 30
 Gly Leu Ser Val Ala Val Val Gly Ser Gly Pro Ala Gly Leu Ala Ala
 35 40 45
 Ala Gln Gln Leu Thr Arg Ala Gly His Ser Val Thr Val Phe Glu Arg
 50 55 60
 Asp Asp Arg Leu Gly Gly Leu Met Arg Tyr Gly Val Pro Glu Tyr Lys
 65 70 75 80
 Met Glu Asn Arg Trp Ile Asp Arg Arg Ile Glu Gln Met Glu Ala Glu
 85 90 95
 Gly Thr Thr Phe Gln Val Gly Thr Ser Pro Arg Ala Ala Glu Leu Ala
 100 105 110

Leu Phe Asp Ala Ile Leu Leu Ala Thr Gly Thr Pro Val Ala Arg Glu
 115 120 125
 Leu Ser Val Pro Gly His Asp Leu Asn Gly Ile His Ala Ala Met Asp
 130 135 140
 Tyr Leu Thr Ala Gln Asn Arg Ile Asn Glu Gly Asp Gly Glu Val Ser
 145 150 155 160
 Pro Ile Asn Ala Lys Gly Lys Lys Val Val Ile Ile Gly Gly Gly Asp
 165 170 175
 Thr Gly Thr Asp Cys Phe Gly Thr Ala Leu Arg Gln Gly Ala Glu Ser
 180 185 190
 Val Thr Gln Phe Asp Ile Arg Pro Arg Ala Pro Phe Gln Arg Ala Asp
 195 200 205
 Ser

<210> 91
 <211> 480
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(457)
 <223> RXA00366

<400> 91
 aaatcatgcc gcgcgatttc caaaaagtac tcaacatcat cgaaacggcc cacgctgagg 60
 gccaaagaccc agcaatcaag atcatggagg cagtgaagcta atg gcc gac cca caa 115
 Met Ala Asp Pro Gln
 1 5
 gga ttc atc aaa tac tcc cga cgc gag cct gca cac cgc ccg gtc ccg 163
 Gly Phe Ile Lys Tyr Ser Arg Arg Glu Pro Ala His Arg Pro Val Pro
 10 15 20
 ctg cgc ctc atg gac cac tcc gag gtc tac gaa aag gca ccg gca ggt 211
 Leu Arg Leu Met Asp His Ser Glu Val Tyr Glu Lys Ala Pro Ala Gly
 25 30 35
 cag atc gag gaa cag gct gcc cgc tgc atg gat tgc ggt gtc ccg ttc 259
 Gln Ile Glu Glu Gln Ala Ala Arg Cys Met Asp Cys Gly Val Pro Phe
 40 45 50
 tgc cac gaa ggc tgc cca ctg ggc aac atc atc cct gag tgg aat gat 307
 Cys His Glu Gly Cys Pro Leu Gly Asn Ile Ile Pro Glu Trp Asn Asp
 55 60 65
 ctg gta cgc caa ggt cgg tgg aag gaa gcc tac gat cgc ttg cac gcg 355
 Leu Val Arg Gln Gly Arg Trp Lys Glu Ala Tyr Asp Arg Leu His Ala
 70 75 80 85
 acc aac aat ttc ccc gag ttc acc ggc cgt ttg tgc ccc gca ccc tgc 403

Thr Asn Asn Phe Pro Glu Phe Thr Gly Arg Leu Cys Pro Ala Pro Cys
 90 95 100

gaa ggc gcc tgc gtg ctc ggt atc aac gat gat tct gtc acc atc aaa 451
 Glu Gly Ala Cys Val Leu Gly Ile Asn Asp Asp Ser Val Thr Ile Lys
 105 110 115

aac gtt tgagctggaa atcgctcgaaa aag 480
 Asn Val

<210> 92
 <211> 119
 <212> PRT
 <213> Corynebacterium glutamicum

<400> 92
 Met Ala Asp Pro Gln Gly Phe Ile Lys Tyr Ser Arg Arg Glu Pro Ala
 1 5 10 15
 His Arg Pro Val Pro Leu Arg Leu Met Asp His Ser Glu Val Tyr Glu
 20 25 30
 Lys Ala Pro Ala Gly Gln Ile Glu Glu Gln Ala Ala Arg Cys Met Asp
 35 40 45
 Cys Gly Val Pro Phe Cys His Glu Gly Cys Pro Leu Gly Asn Ile Ile
 50 55 60
 Pro Glu Trp Asn Asp Leu Val Arg Gln Gly Arg Trp Lys Glu Ala Tyr
 65 70 75 80
 Asp Arg Leu His Ala Thr Asn Asn Phe Pro Glu Phe Thr Gly Arg Leu
 85 90 95
 Cys Pro Ala Pro Cys Glu Gly Ala Cys Val Leu Gly Ile Asn Asp Asp
 100 105 110
 Ser Val Thr Ile Lys Asn Val
 115

<210> 93
 <211> 1464
 <212> DNA
 <213> Corynebacterium glutamicum

<220>
 <221> CDS
 <222> (101)..(1441)
 <223> RXA02072

<400> 93
 tacatggtgc cctcaatggg aaccaccaac atcactaaat ggcccaggta cacactttaa 60
 aatcggtgcgc gcatgcagcc gagatgggaa cgaggaaatc atg aca gtt gat gag 115
 Met Thr Val Asp Glu
 1 5
 cag gtc tct aac tat tac gac atg ctt ctg aag cgc aat gct ggc gag 163

Gln	Val	Ser	Asn	Tyr	Tyr	Asp	Met	Leu	Leu	Lys	Arg	Asn	Ala	Gly	Glu	
				10					15					20		
cct	gaa	ttt	cac	cag	gca	gtg	gca	gag	ggt	ttg	gaa	tct	ttg	aag	atc	211
Pro	Glu	Phe	His	Gln	Ala	Val	Ala	Glu	Val	Leu	Glu	Ser	Leu	Lys	Ile	
			25					30					35			
gtc	ctg	gaa	aag	gac	cct	cat	tac	gct	gat	tac	ggc	ctc	atc	cag	cgc	259
Val	Leu	Glu	Lys	Asp	Pro	His	Tyr	Ala	Asp	Tyr	Gly	Leu	Ile	Gln	Arg	
		40					45					50				
ctg	tgc	gag	cct	gag	cgt	cag	ctc	atc	ttc	cgt	gtg	cct	tgg	ggt	gat	307
Leu	Cys	Glu	Pro	Glu	Arg	Gln	Leu	Ile	Phe	Arg	Val	Pro	Trp	Val	Asp	
	55					60					65					
gac	cag	ggc	cag	gtc	cac	gtc	aac	cgt	ggc	ttc	cgc	gtg	cag	ttc	aac	355
Asp	Gln	Gly	Gln	Val	His	Val	Asn	Arg	Gly	Phe	Arg	Val	Gln	Phe	Asn	
	70				75					80					85	
tct	gca	ctt	gga	cca	tac	aag	ggc	ggc	ctg	cgc	ttc	cac	cca	tct	gta	403
Ser	Ala	Leu	Gly	Pro	Tyr	Lys	Gly	Gly	Leu	Arg	Phe	His	Pro	Ser	Val	
				90					95					100		
aac	ctg	ggc	att	gtg	aag	ttc	ctg	ggc	ttt	gag	cag	atc	ttt	aaa	aac	451
Asn	Leu	Gly	Ile	Val	Lys	Phe	Leu	Gly	Phe	Glu	Gln	Ile	Phe	Lys	Asn	
			105					110					115			
tcc	cta	acc	ggc	ctg	cca	atc	ggc	ggc	ggc	aag	ggc	gga	tcc	gac	ttc	499
Ser	Leu	Thr	Gly	Leu	Pro	Ile	Gly	Gly	Gly	Lys	Gly	Gly	Ser	Asp	Phe	
		120					125					130				
gac	cct	aag	ggc	aag	tcc	gat	ctg	gaa	atc	atg	cgt	ttc	tgc	cag	tcc	547
Asp	Pro	Lys	Gly	Lys	Ser	Asp	Leu	Glu	Ile	Met	Arg	Phe	Cys	Gln	Ser	
	135					140					145					
ttc	atg	acc	gag	ctg	cac	cgc	cac	atc	ggc	gag	tac	cgc	gac	ggt	cct	595
Phe	Met	Thr	Glu	Leu	His	Arg	His	Ile	Gly	Glu	Tyr	Arg	Asp	Val	Pro	
	150				155					160					165	
gca	ggc	aac	atc	gga	ggt	ggc	cac	gag	atc	ggc	tac	ctg	ttt	ggc		643
Ala	Gly	Asn	Ile	Gly	Val	Gly	Gly	His	Glu	Ile	Gly	Tyr	Leu	Phe	Gly	
				170				175						180		
cac	tac	cgt	cgc	atg	gct	aac	cag	cac	gag	tcc	ggc	ggt	ttg	acc	ggc	691
His	Tyr	Arg	Arg	Met	Ala	Asn	Gln	His	Glu	Ser	Gly	Val	Leu	Thr	Gly	
			185				190						195			
aag	ggc	ctg	acc	tgg	ggc	gga	tcc	ctg	gtc	cgc	acc	gag	gca	act	ggc	739
Lys	Gly	Leu	Thr	Trp	Gly	Gly	Ser	Leu	Val	Arg	Thr	Glu	Ala	Thr	Gly	
		200					205					210				
tac	ggc	tgc	ggt	tac	ttc	gtg	agt	gaa	atg	atc	aag	gct	aag	ggc	gag	787
Tyr	Gly	Cys	Val	Tyr	Phe	Val	Ser	Glu	Met	Ile	Lys	Ala	Lys	Gly	Glu	
	215					220					225					
agc	atc	agc	ggc	cag	aag	atc	atc	ggt	tcc	ggc	tcc	ggc	aac	gta	gca	835
Ser	Ile	Ser	Gly	Gln	Lys	Ile	Ile	Val	Ser	Gly	Ser	Gly	Asn	Val	Ala	
	230				235					240					245	
acc	tac	gcg	att	gaa	aag	gct	cag	gaa	ctc	ggc	gca	acc	ggt	att	ggc	883
Thr	Tyr	Ala	Ile	Glu	Lys	Ala	Gln	Glu	Leu	Gly	Ala	Thr	Val	Ile	Gly	

250										255					260					
ttc	tcc	gat	tcc	agc	ggg	tgg	gtt	cat	acc	cct	aac	ggc	gtt	gac	gtg	931				
Phe	Ser	Asp	Ser	Ser	Gly	Trp	Val	His	Thr	Pro	Asn	Gly	Val	Asp	Val					
			265					270					275							
gct	aag	ctc	cgc	gaa	atc	aag	gaa	gtt	cgt	cgc	gca	cgc	gta	tcc	gtg	979				
Ala	Lys	Leu	Arg	Glu	Ile	Lys	Glu	Val	Arg	Arg	Ala	Arg	Val	Ser	Val					
		280					285					290								
tac	gcc	gac	gaa	gtt	gaa	ggc	gca	acc	tac	cac	acc	gac	ggg	tcc	atc					
1027																				
Tyr	Ala	Asp	Glu	Val	Glu	Gly	Ala	Thr	Tyr	His	Thr	Asp	Gly	Ser	Ile					
	295					300					305									
tgg	gat	ctc	aag	tgc	gat	atc	gct	ctt	cct	tgt	gca	act	cag	aac	gag					
1075																				
Trp	Asp	Leu	Lys	Cys	Asp	Ile	Ala	Leu	Pro	Cys	Ala	Thr	Gln	Asn	Glu					
310					315					320					325					
ctc	aac	ggc	gag	aac	gct	aag	act	ctt	gca	gac	aac	ggc	tgc	cgt	ttc					
1123																				
Leu	Asn	Gly	Glu	Asn	Ala	Lys	Thr	Leu	Ala	Asp	Asn	Gly	Cys	Arg	Phe					
				330					335					340						
gtt	gct	gaa	ggc	gcg	aac	atg	cct	tcc	acc	cct	gag	gct	gtt	gag	gtc					
1171																				
Val	Ala	Glu	Gly	Ala	Asn	Met	Pro	Ser	Thr	Pro	Glu	Ala	Val	Glu	Val					
			345					350					355							
ttc	cgt	gag	cgc	gac	atc	cgc	ttc	gga	cca	ggc	aag	gca	gct	aac	gct					
1219																				
Phe	Arg	Glu	Arg	Asp	Ile	Arg	Phe	Gly	Pro	Gly	Lys	Ala	Ala	Asn	Ala					
		360					365					370								
ggg	ggc	gtt	gca	acc	tcc	gct	ctg	gag	atg	cag	cag	aac	gct	tcg	cgc					
1267																				
Gly	Gly	Val	Ala	Thr	Ser	Ala	Leu	Glu	Met	Gln	Gln	Asn	Ala	Ser	Arg					
	375					380					385									
gat	tcc	tgg	agc	ttc	gag	tac	acc	gac	gag	cgc	ctc	cag	gtg	atc	atg					
1315																				
Asp	Ser	Trp	Ser	Phe	Glu	Tyr	Thr	Asp	Glu	Arg	Leu	Gln	Val	Ile	Met					
390					395					400					405					
aag	aac	atc	ttc	aag	acc	tgt	gca	gag	acc	gca	gca	gag	tat	gga	cac					
1363																				
Lys	Asn	Ile	Phe	Lys	Thr	Cys	Ala	Glu	Thr	Ala	Ala	Glu	Tyr	Gly	His					
				410					415					420						
gag	aac	gat	tac	gtt	gtc	ggc	gct	aac	att	gct	ggc	ttc	aag	aag	gta					
1411																				
Glu	Asn	Asp	Tyr	Val	Val	Gly	Ala	Asn	Ile	Ala	Gly	Phe	Lys	Lys	Val					
			425					430					435							
gct	gac	gcg	atg	ctg	gca	cag	ggc	gtc	atc	taagacc	ccct	gcgctt	tact							
1461																				
Ala	Asp	Ala	Met	Leu	Ala	Gln	Gly	Val	Ile											
		440					445													

```
<210> 94
<211> 447
<212> PRT
<213> Corynebacterium glutamicum
```

Met Thr Val Asp Glu Gln Val Ser Asn Tyr Tyr Asp Met Leu Leu Lys
1 5 10 15

Arg Asn Ala Gly Glu Pro Glu Phe His Gln Ala Val Ala Glu Val Leu
20 25 30

Glu Ser Leu Lys Ile Val Leu Glu Lys Asp Pro His Tyr Ala Asp Tyr
35 40 45

Gly Leu Ile Gln Arg Leu Cys Glu Pro Glu Arg Gln Leu Ile Phe Arg
50 55 60

Val	Pro	Trp	Val	Asp	Asp	Gln	Gly	Gln	Val	His	Val	Asn	Arg	Gly	Phe
65					70					75					80

Arg Val Gln Phe Asn Ser Ala Leu Gly Pro Tyr Lys Gly Gly Leu Arg
85 90 95

Phe His Pro Ser Val Asn Leu Gly Ile Val Lys Phe Leu Gly Phe Glu
100 105 110

Gln Ile Phe Lys Asn Ser Leu Thr Gly Leu Pro Ile Gly Gly Gly Lys
115 120 125

Gly Gly Ser Asp Phe Asp Pro Lys Gly Lys Ser Asp Leu Glu Ile Met
130 135 140

Arg Phe Cys Gln Ser Phe Met Thr Glu Leu His Arg His Ile Gly Glu
145 150 155 160

Tyr Arg Asp Val Pro Ala Gly Asn Ile Gly Val Gly Gly His Glu Ile
165 170 175

Gly Tyr Leu Phe Gly His Tyr Arg Arg Met Ala Asn Gln His Glu Ser
180 185 190

Gly Val Leu Thr Gly Lys Gly Leu Thr Trp Gly Gly Ser Leu Val Arg
195 200 205

Thr Glu Ala Thr Gly Tyr Gly Cys Val Tyr Phe Val Ser Glu Met Ile
210 215 220

Lys Ala Lys Gly Glu Ser Ile Ser Gly Gln Lys Ile Ile Val Ser Gly
225 230 235 240

Ser Gly Asn Val Ala Thr Tyr Ala Ile Glu Lys Ala Gln Glu Leu Gly
245 250 255

Ala Thr Val Ile Gly Phe Ser Asp Ser Ser Gly Trp Val His Thr Pro
260 265 270

Asn Gly Val Asp Val Ala Lys Leu Arg Glu Ile Lys Glu Val Arg Arg
 275 280 285

Ala Arg Val Ser Val Tyr Ala Asp Glu Val Glu Gly Ala Thr Tyr His
 290 295 300

Thr Asp Gly Ser Ile Trp Asp Leu Lys Cys Asp Ile Ala Leu Pro Cys
 305 310 315 320

Ala Thr Gln Asn Glu Leu Asn Gly Glu Asn Ala Lys Thr Leu Ala Asp
 325 330 335

Asn Gly Cys Arg Phe Val Ala Glu Gly Ala Asn Met Pro Ser Thr Pro
 340 345 350

Glu Ala Val Glu Val Phe Arg Glu Arg Asp Ile Arg Phe Gly Pro Gly
 355 360 365

Lys Ala Ala Asn Ala Gly Gly Val Ala Thr Ser Ala Leu Glu Met Gln
 370 375 380

Gln Asn Ala Ser Arg Asp Ser Trp Ser Phe Glu Tyr Thr Asp Glu Arg
 385 390 395 400

Leu Gln Val Ile Met Lys Asn Ile Phe Lys Thr Cys Ala Glu Thr Ala
 405 410 415

Ala Glu Tyr Gly His Glu Asn Asp Tyr Val Val Gly Ala Asn Ile Ala
 420 425 430

Gly Phe Lys Lys Val Ala Asp Ala Met Leu Ala Gln Gly Val Ile
 435 440 445

<210> 95

<211> 1461

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1438)

<223> RXA00323

<400> 95

cgcgacatcc ttgagtaact ctgagaaaaa ctacccccga tgggagtata aaagtggcaa 60

atgcgcagtc gatgtcccat cgctgcgtag attagttttc atg aac agc gaa cag 115
 Met Asn Ser Glu Gln
 1 5

gaa ttt gta ctc agc gcc att gaa gaa cgc gac att aag ttt gtg cgt 163
 Glu Phe Val Leu Ser Ala Ile Glu Glu Arg Asp Ile Lys Phe Val Arg
 10 15 20

cta tgg ttc act gac att ctt ggc cac ttg aag tca gtg gtt gtg gct 211
 Leu Trp Phe Thr Asp Ile Leu Gly His Leu Lys Ser Val Val Val Ala
 25 30 35

cct gca gaa cta gag tct gcg ttg gaa gaa ggc atc gga ttc gat ggc 259
 Pro Ala Glu Leu Glu Ser Ala Leu Glu Glu Gly Ile Gly Phe Asp Gly

40	45	50	
tca gcc att gag ggc tac gcg cgt atc tcg gaa gcg gac acc att gcc Ser Ala Ile Glu Gly Tyr Ala Arg Ile Ser Glu Ala Asp Thr Ile Ala 55 60 65			307
cgc cca gat cca tcg aca ttc cag gtc ctc cca cta gaa gcg ggc atc Arg Pro Asp Pro Ser Thr Phe Gln Val Leu Pro Leu Glu Ala Gly Ile 70 75 80 85			355
tca aaa ctg cag gca gca gcg ctg ttt tgc gat gtc acg atg cca gac Ser Lys Leu Gln Ala Ala Arg Leu Phe Cys Asp Val Thr Met Pro Asp 90 95 100			403
gga cag cca tct ttt tct gac ccg gcg caa gtg ctg gcg agg cag gtc Gly Gln Pro Ser Phe Ser Asp Pro Arg Gln Val Leu Arg Arg Gln Val 105 110 115			451
caa cta gct gca gat gaa ggc ttg acc tgc atg atc tca cca gag att Gln Leu Ala Ala Asp Glu Gly Leu Thr Cys Met Ile Ser Pro Glu Ile 120 125 130			499
gag ttc tat ttg gtg caa agc ctt gcg acc aac gga ctg cca cct gtg Glu Phe Tyr Leu Val Gln Ser Leu Arg Thr Asn Gly Leu Pro Pro Val 135 140 145			547
ccc act gac aac ggc gga tat ttc gac caa gcc aca ttc aat gag gcg Pro Thr Asp Asn Gly Gly Tyr Phe Asp Gln Ala Thr Phe Asn Glu Ala 150 155 160 165			595
ccg aat ttc cgt cga aac gcg atg gta gcg ctg gag gaa ctc ggc atc Pro Asn Phe Arg Arg Asn Ala Met Val Ala Leu Glu Glu Leu Gly Ile 170 175 180			643
cct gtc gag ttc tcc cac cat gaa act gca cct ggc cag caa gaa atc Pro Val Glu Phe Ser His His Glu Thr Ala Pro Gly Gln Gln Glu Ile 185 190 195			691
gat tta cgc cat gcg gat gcg ctc acc atg gcc gac aac atc atg acc Asp Leu Arg His Ala Asp Ala Leu Thr Met Ala Asp Asn Ile Met Thr 200 205 210			739
ttc cgc tac atc atg aaa cag gtg gca agg gac caa ggc gtc ggg gca Phe Arg Tyr Ile Met Lys Gln Val Ala Arg Asp Gln Gly Val Gly Ala 215 220 225			787
tca ttt atg ccc aag cca ttc caa gaa cat gca ggc tcc gcc atg cac Ser Phe Met Pro Lys Pro Phe Gln Glu His Ala Gly Ser Ala Met His 230 235 240 245			835
acg cac atg tcc tta ttt gag ggc gat acc aac gcg ttc cac gat cca Thr His Met Ser Leu Phe Glu Gly Asp Thr Asn Ala Phe His Asp Pro 250 255 260			883
gac gat tct tac atg ctg tcc aaa acc gca aaa cag ttc atc gct gga Asp Asp Ser Tyr Met Leu Ser Lys Thr Ala Lys Gln Phe Ile Ala Gly 265 270 275			931
atc ttg cat cac gct cca gaa ttc acc gct gtg acc aac cag tgg gtc Ile Leu His His Ala Pro Glu Phe Thr Ala Val Thr Asn Gln Trp Val 280 285 290			979

aat tcc tac aaa cgc atc gtg tac gga aac gaa gct cca act gcg gca
1027

Asn Ser Tyr Lys Arg Ile Val Tyr Gly Asn Glu Ala Pro Thr Ala Ala
295 300 305

acc tgg ggt gta tct aat cgt tct gcg ctg gtt cgt gtt cct acc tac
1075

Thr Trp Gly Val Ser Asn Arg Ser Ala Leu Val Arg Val Pro Thr Tyr
310 315 320 325

cgt ttg aat aag gag gag tcg cgc cgg gtg gag gtg cgt ctt cct gat
1123

Arg Leu Asn Lys Glu Glu Ser Arg Arg Val Glu Val Arg Leu Pro Asp
330 335 340

acc gct tgt aac cca tat ttg gcg ttt tca gtg atg ctc ggc gct ggt
1171

Thr Ala Cys Asn Pro Tyr Leu Ala Phe Ser Val Met Leu Gly Ala Gly
345 350 355

ttg aaa ggc att aaa gaa ggt tat gag ctc gac gag cca gct gag gac
1219

Leu Lys Gly Ile Lys Glu Gly Tyr Glu Leu Asp Glu Pro Ala Glu Asp
360 365 370

gat atc tcc aac ttg agc ttc cgg gaa cgt cgc gcc atg ggc tac aac
1267

Asp Ile Ser Asn Leu Ser Phe Arg Glu Arg Arg Ala Met Gly Tyr Asn
375 380 385

gat ctg cca agc agc ctt gat cag gca ctg cgc caa atg gaa aag tca
1315

Asp Leu Pro Ser Ser Leu Asp Gln Ala Leu Arg Gln Met Glu Lys Ser
390 395 400 405

gag ctt gtt gct gac atc ctc ggt gag cac gtt ttt gag ttt ttc ttg
1363

Glu Leu Val Ala Asp Ile Leu Gly Glu His Val Phe Glu Phe Phe Leu
410 415 420

cgc aat aag tgg cgt gaa tgg cgt gac tac caa gag cag atc act ccg
1411

Arg Asn Lys Trp Arg Glu Trp Arg Asp Tyr Gln Glu Gln Ile Thr Pro
425 430 435

tgg gag ctc cga aac aat ctt gat tac tagacttttg cactccaatg
1458

Trp Glu Leu Arg Asn Asn Leu Asp Tyr
440 445

gaa
1461

<210> 96

<211> 446

<212> PRT

<213> Corynebacterium glutamicum

<400> 96

Met Asn Ser Glu Gln Glu Phe Val Leu Ser Ala Ile Glu Glu Arg Asp
 1 5 10 15
 Ile Lys Phe Val Arg Leu Trp Phe Thr Asp Ile Leu Gly His Leu Lys
 20 25 30
 Ser Val Val Val Ala Pro Ala Glu Leu Glu Ser Ala Leu Glu Glu Gly
 35 40 45
 Ile Gly Phe Asp Gly Ser Ala Ile Glu Gly Tyr Ala Arg Ile Ser Glu
 50 55 60
 Ala Asp Thr Ile Ala Arg Pro Asp Pro Ser Thr Phe Gln Val Leu Pro
 65 70 75 80
 Leu Glu Ala Gly Ile Ser Lys Leu Gln Ala Ala Arg Leu Phe Cys Asp
 85 90 95
 Val Thr Met Pro Asp Gly Gln Pro Ser Phe Ser Asp Pro Arg Gln Val
 100 105 110
 Leu Arg Arg Gln Val Gln Leu Ala Ala Asp Glu Gly Leu Thr Cys Met
 115 120 125
 Ile Ser Pro Glu Ile Glu Phe Tyr Leu Val Gln Ser Leu Arg Thr Asn
 130 135 140
 Gly Leu Pro Pro Val Pro Thr Asp Asn Gly Gly Tyr Phe Asp Gln Ala
 145 150 155 160
 Thr Phe Asn Glu Ala Pro Asn Phe Arg Arg Asn Ala Met Val Ala Leu
 165 170 175
 Glu Glu Leu Gly Ile Pro Val Glu Phe Ser His His Glu Thr Ala Pro
 180 185 190
 Gly Gln Gln Glu Ile Asp Leu Arg His Ala Asp Ala Leu Thr Met Ala
 195 200 205
 Asp Asn Ile Met Thr Phe Arg Tyr Ile Met Lys Gln Val Ala Arg Asp
 210 215 220
 Gln Gly Val Gly Ala Ser Phe Met Pro Lys Pro Phe Gln Glu His Ala
 225 230 235 240
 Gly Ser Ala Met His Thr His Met Ser Leu Phe Glu Gly Asp Thr Asn
 245 250 255
 Ala Phe His Asp Pro Asp Asp Ser Tyr Met Leu Ser Lys Thr Ala Lys
 260 265 270
 Gln Phe Ile Ala Gly Ile Leu His His Ala Pro Glu Phe Thr Ala Val
 275 280 285
 Thr Asn Gln Trp Val Asn Ser Tyr Lys Arg Ile Val Tyr Gly Asn Glu
 290 295 300
 Ala Pro Thr Ala Ala Thr Trp Gly Val Ser Asn Arg Ser Ala Leu Val
 305 310 315 320
 Arg Val Pro Thr Tyr Arg Leu Asn Lys Glu Glu Ser Arg Arg Val Glu

	325		330		335
Val Arg Leu Pro Asp Thr Ala Cys Asn Pro Tyr Leu Ala Phe Ser Val					
	340		345		350
Met Leu Gly Ala Gly Leu Lys Gly Ile Lys Glu Gly Tyr Glu Leu Asp					
	355		360		365
Glu Pro Ala Glu Asp Asp Ile Ser Asn Leu Ser Phe Arg Glu Arg Arg					
	370		375		380
Ala Met Gly Tyr Asn Asp Leu Pro Ser Ser Leu Asp Gln Ala Leu Arg					
	385		390		395
Gln Met Glu Lys Ser Glu Leu Val Ala Asp Ile Leu Gly Glu His Val					
		405	410		415
Phe Glu Phe Phe Leu Arg Asn Lys Trp Arg Glu Trp Arg Asp Tyr Gln					
		420	425		430
Glu Gln Ile Thr Pro Trp Glu Leu Arg Asn Asn Leu Asp Tyr					
	435		440		445

<210> 97

<211> 1554

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1531)

<223> RXA00335

<400> 97

```

actacatttg cagccaagtc tactacttga tcttcaaagg tcagcaattg tgaacaaagc 60
tacaaataaa ccgttccgcc catgtcaatg aggagtcacc gtg gcg ttt gaa acc 115
                                   Val Ala Phe Glu Thr
                                   1                               5

ccg gaa gaa att gtc aag ttc atc aag gat gaa aac gtc gag ttc gtt 163
Pro Glu Glu Ile Val Lys Phe Ile Lys Asp Glu Asn Val Glu Phe Val
                                   10                               15                               20

gac gtt cga ttc acc gac ctt ccc ggc acc gag cag cac ttc agc atc 211
Asp Val Arg Phe Thr Asp Leu Pro Gly Thr Glu Gln His Phe Ser Ile
                                   25                               30                               35

cca gct gcc agc ttc gat gca gat aca atc gaa gaa ggt ctc gca ttc 259
Pro Ala Ala Ser Phe Asp Ala Asp Thr Ile Glu Glu Gly Leu Ala Phe
                                   40                               45                               50

gac gga tcc tcg atc cgt ggc ttc acc acg atc gac gaa tct gac atg 307
Asp Gly Ser Ser Ile Arg Gly Phe Thr Thr Ile Asp Glu Ser Asp Met
                                   55                               60                               65

aat ctc ctg cca gac ctc gga acg gcc acc ctt gat cca ttc cgc aag 355
Asn Leu Leu Pro Asp Leu Gly Thr Ala Thr Leu Asp Pro Phe Arg Lys
                                   70                               75                               80                               85

```

gca aag acc ctg aac gtt aag ttc ttc gtt cac gat cct ttc acc cgc	403
Ala Lys Thr Leu Asn Val Lys Phe Phe Val His Asp Pro Phe Thr Arg	
90 95 100	
gag gca ttc tcc cgc gac cca cgc aac gtg gca cgc aag gca gag cag	451
Glu Ala Phe Ser Arg Asp Pro Arg Asn Val Ala Arg Lys Ala Glu Gln	
105 110 115	
tac ctg gca tcc acc ggc att gca gac acc tgc aac ttc ggc gcc gag	499
Tyr Leu Ala Ser Thr Gly Ile Ala Asp Thr Cys Asn Phe Gly Ala Glu	
120 125 130	
gct gag ttc tac ctc ttc gac tcc gtt cgc tac tcc acc gag atg aac	547
Ala Glu Phe Tyr Leu Phe Asp Ser Val Arg Tyr Ser Thr Glu Met Asn	
135 140 145	
tcc ggc ttc tac gaa gta gat acc gaa gaa ggc tgg tgg aac cgt ggc	595
Ser Gly Phe Tyr Glu Val Asp Thr Glu Glu Gly Trp Trp Asn Arg Gly	
150 155 160 165	
aag gaa acc aac ctc gac ggc acc cca aac ctg ggc gca aag aac cgc	643
Lys Glu Thr Asn Leu Asp Gly Thr Pro Asn Leu Gly Ala Lys Asn Arg	
170 175 180	
gtc aag ggt ggc tac ttc cca gta gca cca tac gac caa acc gtt gac	691
Val Lys Gly Gly Tyr Phe Pro Val Ala Pro Tyr Asp Gln Thr Val Asp	
185 190 195	
gtg cgc gat gac atg gtt cgc aac ctc gca gct tcc ggc ttc gct ctt	739
Val Arg Asp Asp Met Val Arg Asn Leu Ala Ala Ser Gly Phe Ala Leu	
200 205 210	
gag cgt ttc cac cac gaa gtc ggt ggc gga cag cag gaa atc aac tac	787
Glu Arg Phe His His Glu Val Gly Gly Gly Gln Gln Glu Ile Asn Tyr	
215 220 225	
cgc ttc aac acc atg ctc cac gcg gca gat gat atc cag acc ttc aag	835
Arg Phe Asn Thr Met Leu His Ala Ala Asp Asp Ile Gln Thr Phe Lys	
230 235 240 245	
tac atc atc aag aac acc gct cgc ctc cac ggc aag gct gca acc ttc	883
Tyr Ile Ile Lys Asn Thr Ala Arg Leu His Gly Lys Ala Ala Thr Phe	
250 255 260	
atg cct aag cca ctg gct ggc gac aac ggt tcc ggc atg cac gct cac	931
Met Pro Lys Pro Leu Ala Gly Asp Asn Gly Ser Gly Met His Ala His	
265 270 275	
cag tcc ctc tgg aag gac ggc aag cca ctc ttc cac gat gag tcc ggc	979
Gln Ser Leu Trp Lys Asp Gly Lys Pro Leu Phe His Asp Glu Ser Gly	
280 285 290	
tac gca ggc ctg tcc gac atc gcc cgc tac tac atc ggc ggc atc ctg	1027
Tyr Ala Gly Leu Ser Asp Ile Ala Arg Tyr Tyr Ile Gly Gly Ile Leu	
295 300 305	
cac cac gca ggc gct gtt ctg gcg ttc acc aac gca acc ctg aac tcc	1075
His His Ala Gly Ala Val Leu Ala Phe Thr Asn Ala Thr Leu Asn Ser	
310 315 320 325	

tac cac cgt ctg gtt cca ggc ttc gag gct cca atc aac ctg gtg tac
1123

Tyr His Arg Leu Val Pro Gly Phe Glu Ala Pro Ile Asn Leu Val Tyr
330 335 340

tca cag cgc aac cgt tcc gct gct gtc cgt atc cca atc acc gga tcc
1171

Ser Gln Arg Asn Arg Ser Ala Ala Val Arg Ile Pro Ile Thr Gly Ser
345 350 355

aac ccg aag gca aag cgc atc gaa ttc cgc gct cca gac cca tca ggc
1219

Asn Pro Lys Ala Lys Arg Ile Glu Phe Arg Ala Pro Asp Pro Ser Gly
360 365 370

aac cca tac ctg ggc ttt gca gcg atg atg atg gcc ggc ctc gac ggc
1267

Asn Pro Tyr Leu Gly Phe Ala Ala Met Met Met Ala Gly Leu Asp Gly
375 380 385

atc aag aac cgc atc gag cca cac gct cca gtg gac aag gac ctc tac
1315

Ile Lys Asn Arg Ile Glu Pro His Ala Pro Val Asp Lys Asp Leu Tyr
390 395 400 405

gaa cta cca cca gag gaa gct gca tcc att cca cag gca cca acc tcc
1363

Glu Leu Pro Pro Glu Glu Ala Ala Ser Ile Pro Gln Ala Pro Thr Ser
410 415 420

ctg gaa gca tcc ctg aag gca ctg cag gaa gac acc gac ttc ctc acc
1411

Leu Glu Ala Ser Leu Lys Ala Leu Gln Glu Asp Thr Asp Phe Leu Thr
425 430 435

gag tct gac gtc ttc acc gag gat ctc atc gag gcg tac atc cag tac
1459

Glu Ser Asp Val Phe Thr Glu Asp Leu Ile Glu Ala Tyr Ile Gln Tyr
440 445 450

aag tac gac aac gag atc tcc cca gtt cgc ctg cgc cca acc ccg cag
1507

Lys Tyr Asp Asn Glu Ile Ser Pro Val Arg Leu Arg Pro Thr Pro Gln
455 460 465

gaa ttc gaa ttg tac ttc gac tgc taattcactt agctagccga tag
1554

Glu Phe Glu Leu Tyr Phe Asp Cys
470 475

<210> 98

<211> 477

<212> PRT

<213> Corynebacterium glutamicum

<400> 98

Val Ala Phe Glu Thr Pro Glu Glu Ile Val Lys Phe Ile Lys Asp Glu
1 5 10 15